For KCC Use:

Effective Date:

District # .		
SGA?] Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1354991

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well. Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

OPERATOR: License#	Expected Spud Date:	Spot Description:
OPERATOR: License# (accop) Name:: (accop) Address 1: (accop) Address 2: (accop) Chy: State: Z(p: Construction: (accop) Phone: (accop) CONTRACTOR: License# (accop) CONTRACTOR: License# (accop) CONTRACTOR: License# (accop) (accop) CONTRACTOR: License# (accop) (accop) Construction Features (actodic Surface (Non-Metallic) Casing (actodic Surface casing state) Planeet to be set: (actodic surface casing state) (actodic surface casing state) (bet to bettord out suble water: Cathodic surface casing state) (actodic surface casing state) (bet to bettord out surface casing state) (cathodic surface c	month day year	
Name:		
Address 1:		
Address 2:	Name:	
City:	Address 1:	Is SECTION: Regular Irregular?
Contact Person:	Address 2:	(Check directions from nearest outside corner boundries)
Contact Person:	City: State: Zip: +	County
Phone:	Contact Person:	
CONTRACTOR: License#	Phone:	
Cathodic Borehole Total Depth:		
Type Drilling Equipment: Mud Rotary Cable Ar Rotary Chier Image: Construction Features Length of Cathodic Sufface (Non-Metallic) Casing Planned to be set: feet Planned to be set: feet feet Multiple Depth to Bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Multiple Depth to Bottom of usable water: Depth to bottom of usable water: Multiple Depth to bottom of usable water: Multiple Cathodic Sufface Casing given traiting to an inches inches Multiple Depth to bottom of usable water: Mole Cathodic Sufface Casing given traiting to an inches inches Multiple Depth to Bottom of usable water: Multiple Cathodic Sufface Casing given traiting to an inches inches Multiple Depth to Bottom of usable water: Multiple Cathodic Sufface Casing given traiting to an inches Multiple Depth to Battom to materize Multiple Cathodic Sufface Casing given traiting to an inches Multiple Depth to Battom to materize Molt water water: Multiple Cathodic Sufface Casing given traiting to an inches Sufface Casing water: Mattom inches Sufface Vauti: Betowater: Su		
Air Rotary Other Air Rotary Other Construction Features Water Information Length of Cathodic Surface (Non-Metallic) Casing Planned to be set: Inches Surface casing character (Non-Metallic) Casing Peth to bottom of fresh water: Depth to bottom of usable water: Inches Surface casing character (Strang Size: inches inches Water Well Within one-quarter mile: Yes No Cathodic surface casing centralizers set at depths of: : : : Water Well Uccation: Water Well Uccation: Mater Witch Depth to bottom of Iresh water: Well Planne Pond Stream Other Mater Water Casing centralizers set at depths of: : : : Well Planne Pond Stream Other Mater Well Location: Well Planned Dimension Ratio (SDR) is = Mater Well Location: Well Plannet Metallic) Stread and Dimension Ratio (SDR) is = Mater Well Location: Well Plannetial The centralics Mater Well Location: Well Plannetial The central is and casing will be grouted with: Cathodic surface Casing central is and casing will be grouted with: Cathodic surface Casing: a centrelis will be Ration Ratio (SDR) is = Scot		
Construction Features	Type Drilling Equipment: 🔄 Mud Rotary 🔄 Cable	
Length of Cathodic Surface (<i>Non-Metallic</i>) Casing Planned to be set:	Air Rotary Other	
Planed to be set:		
Length of Conductor pipe (if any): feet Surface casing borehole size: inches Cathodic surface casing centralizers set at depths of: inches Cathodic surface casing centralizers set at depths of: inches Cathodic surface casing centralizers set at depths of: inches Cathodic surface casing centralizers set at depths of: inches Cathodic surface casing centralizers set at depths of: inches Cathodic surface casing adaptor will be used: Yes No Depth Pitles scasing adaptor will be used: Yes No Depth feet Anode installation depths are: inches Stream Other WR Permit # Strace Vault Below Surface Vault Below Surface Vault Other Anode installation depths are: i i i Cathodic surface casing is adaptor will be set at: Other Anode installation depths are: i i i Cathodic surface Casing is adaptor will. Dentonite Clay Anode onchorely with K.S.A. 55-101 et. seq. Stream Cathodic surface Casing is set. Stream Other 1. Notify the appropriate District Office and hours prior to workover or re-entry: Stream An agreement betwe	Length of Cathodic Surface (Non-Metallic) Casing	
Surface casing borehole size: inches Cathodic surface casing size: inches Cathodic surface casing centralizers set at depths of: ; i: ; ; Cathodic surface casing centralizers set at depths of: ; ; Cathodic surface casing will terminate at: ; ; Cathodic surface casing adaptor will be used: Yes No Pittess casing adaptor will be used: Yes No Public water supply well within one mile: Yes No Mode installation depths are: ; ; ; i: ; ; ; ; Mode installation depths are: ; ; ; i: ; ; ; ; Mode installation depths are: ; ; ; i: ; ; ; ; Bardard Dimension Ratio (SDR) is= ; ; ; Anode installation depths are: ; ; ; ; i: ; ; ; ; ; files agreed that the following minimum requirements will be	Planned to be set: feet	
Cathodic surface casing size:	Length of Conductor pipe (if any): feet	
Cathodic surface casing centralizers set at depths of:	Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Catholic sundice conding contained of diverse of the openator of theopenator of theore of theore of theore of t	Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing will terminate at:	Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
Cathodic surface casing will terminate at:	;;;;;;	Water Well Location:
Pitless casing adaptor will be used: Yes No Depth fet Anode installation depths are: ; ; ; ; fet Anode installation depths are: ; ; ; ; fet		DWR Permit #
Anode installation depths are:;;	Above surface	Standard Dimension Ratio (SDR) is =
Anode installation depths are:;;;	Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Concrete		Annular space between borehole and casing will be grouted with:
Anode conductor (<i>backfill</i>) material TYPE:	Anode installation depths are:;;;;;;	Concrete Neat Cement Bentonite Cement Bentonite Clay
Anode conductor (<i>backfill</i>) material TYPE:	;;;;;;	Anode vent pipe will be set at: feet above surface
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. 2. Notify appropriate District office 48 hours prior to workover or re-entry. 3. A copy of the approved notice of intent to drill shall be posted on each drilling rig. 4. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. 5. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically		Anode conductor (backfill) material TYPE:
AFFIDATI Borehole will be Pre-Plugged? Yes No The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Borehole will be Pre-Plugged? Yes No It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. 2. Notify appropriate District Office 48 hours prior to workover or re-entry. 3. A copy of the approved notice of intent to drill shall be posted on each drilling rig. 4. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. 5. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically		
Borehole will be Pre-Plugged? Yes No Borehole will be Pre-Plugged? Yes Motify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify the appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACC-1) within 60 days from spud date. Submitted Electronically		Depth of TOP of Backfill installation material:
 The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically 		Borehole will be Pre-Plugged? Yes No
 It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically 		
 Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically 	of this well will comply with K.S.A. 55-101 et. seq.	
 and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. 	It is agreed that the following minimum requirements will be met:	
 Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. G. Submitted Electronically 	1. Notify the appropriate District office prior to spudding and again before plugging the v	vell. An agreement between the operator and the District Office on plugs
 A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. G. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically	and placement is necessary prior to plugging. In all cases, notify District Office prior	to any grouting.
 4. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. 5. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically 	2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
 5. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically 	3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	4. The minimum amount of cathodic surface casing as specified below shall be set by g	routing to the top when the cathodic surface casing is set.
	Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Complete	
		· · · · · · · ·
	Submitted Electronically	
		I

API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required: feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent m
Spud date: Agent:	

API # 15 -_


IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section
Borehole Number:	feet from L E / W Line of Section
	SecTwpS. R E 📃 W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1354991

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Date Received: _

Permit Number:

Submit in Duplicate				
Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity:			The formula for the section of the s
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet) No Pit				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of feet Depth of water well		Depth to shallow Source of inform		feet.
		Drilling, Worko	ver and Haul-Off Pits ONLY:	
		Type of materia	l utilized in drilling/workover:	
		sing pits to be utilized:		
Barrels of fluid produced daily: Abandonment procedure:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.		late.		
Submitted Electronically				
	KCC	OFFICE USE ON		Pit RFAC RFAS
			Liner Steel F	

Mail to: KCC - Conservation Division, 266 N Main St, Ste 220, Wichita, KS 67202-1513

Permit Date:

_ Lease Inspection: Yes No

Kansas Corpora Oil & Gas Conse CERTIFICATION OF CO KANSAS SURFACE OWN	Image: Strain of the strain
This form must be submitted with all Forms C-1 (Notice of I T-1 (Request for Change of Operator Transfer of Injection or Any such form submitted without an accom Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	Surface Pit Permit); and CP-1 (Well Plugging Application). panying Form KSONA-1 will be returned.
OPERATOR: License #	Well Location:
Surface Owner Information: Name: Address 1: Address 2: City:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513 Kansas Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner Sam Brownback, Governor

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.