For KCC Use: Effective Date: District # _ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1355106

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month	day v		Spot Description:	
	montn	day y	/ear		ec Twp S. R E
PERATOR: License#				(Q/Q/Q/Q) 	feet from N / S Line of Sec
					feet from E / W Line of Sec
ddress 1:				Is SECTION: Regular	Irregular?
address 2:					
ity:				·	I on the Section Plat on reverse side)
contact Person:		•		County:	
hone:					Well #:
ONTO A CTOD III				Field Name:	
CONTRACTOR: License#	:			Is this a Prorated / Spaced Field	
lame:				Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipr	ment:	•	line (in footage):
Oil Enh	Rec Infield	Mud R	otarv	Ground Surface Elevation:	feet N
Gas Stora		=	•	Water well within one-quarter m	
Dispo	• =	Cable	•	Public water supply well within o	one mile: Yes
Seismic ;#	of Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water	:
				Surface Pipe by Alternate:	I II
If OWWO: old well	l information as follows	3:		Length of Surface Pipe Planned	to be set:
Operator:				Length of Conductor Pipe (if any	y):
Well Name:				Projected Total Depth:	
Original Completion D	ate:Ori	iginal Total Depth:		Formation at Total Depth:	
				Water Source for Drilling Operat	
Pirectional, Deviated or Ho	orizontal wellbore?		Yes No	Well Farm Pond	Other:
f Yes, true vertical depth: _				DWR Permit #:	
Bottom Hole Location:				(Note: Ap	ply for Permit with DWR 🗌)
(CC DKT #:				Will Cores be taken?	Yes
				If Yes, proposed zone:	
'he undersigned hereby	affirms that the drilling	ng completion ar		FIDAVIT	CS A 55 et sea
-		-	nd eventual plu	FIDAVIT ugging of this well will comply with k	(.S.A. 55 et. seq.
t is agreed that the follow	ving minimum require	ements will be me	nd eventual plu et:		S.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropri	ving minimum require ate district office <i>pri</i> e	ements will be me	nd eventual plu et: well;	ggging of this well will comply with K	C.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr	ving minimum require ate district office <i>prie</i> oved notice of intent	ements will be me or to spudding of to drill shall be	nd eventual pluet: well; oosted on each	ngging of this well will comply with k	
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo	ving minimum require ate district office prie oved notice of intent ount of surface pipe a	ements will be me or to spudding of to drill shall be p as specified below	nd eventual pluet: well; bosted on each	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in	all cases surface pipe shall be set
is agreed that the follow Notify the appropri A copy of the appr The minimum amount through all uncons	ving minimum require ate district office prio oved notice of intent ount of surface pipe a olidated materials pli	ements will be me or to spudding of to drill shall be p as specified below us a minimum of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.	all cases surface pipe shall be set
 is agreed that the follows Notify the approprise A copy of the apprentation The minimum amounthrough all unconses If the well is dry hor 	ving minimum require ate district office prio oved notice of intent ount of surface pipe a olidated materials plote, an agreement be	ements will be mo or to spudding of to drill shall be p as specified below us a minimum of tween the operat	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.	all cases surface pipe shall be set ment is necessary prior to plugging ;
 is agreed that the follows Notify the appropriate A copy of the appriate The minimum amounthrough all unconses If the well is dry how The appropriate dies If an ALTERNATE 	ving minimum require ate district office prio oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, pro	ements will be mo or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente	agging of this well will comply with keep a drilling rig; by circulating cement to the top; in the eunderlying formation. The production casing is cemented from below any usable water to see	all cases surface pipe shall be set ment is necessary prior to plugging ; ad in; urface within 120 DAYS of spud date.
 is agreed that the follows Notify the appropriate A copy of the appriate The minimum amounthrough all unconses If the well is dry how The appropriate dies If an ALTERNATE Or pursuant to Appriate 	ving minimum require ate district office prio oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation. The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ving minimum require ate district office prio oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation. The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set ment is necessary prior to plugging ; ad in; urface within 120 DAYS of spud date.
 is agreed that the follows Notify the appropriate A copy of the appriate The minimum amounthrough all unconses If the well is dry how The appropriate dies If an ALTERNATE Or pursuant to Appriate 	ving minimum require ate district office prio oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
 Is agreed that the follows Notify the appropriance A copy of the appriance The minimum amounthrough all uncons If the well is dry how The appropriate di If an ALTERNATE Or pursuant to Appropriate 	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
 Is agreed that the follows Notify the appropriance A copy of the appriance The minimum amounthrough all uncons If the well is dry how The appropriate di If an ALTERNATE Or pursuant to Appropriate 	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate descriptions ibmitted Electro	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate descriptions ibmitted Electro	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di District Completed Ubmitted Electro For KCC Use ONLY	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface c as spud date or the	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di Ibmitted Electro For KCC Use ONLY API # 15 -	ving minimum require fate district office <i>pri</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the nically	ements will be me or to spudding of to drill shall be pas specified below us a minimum of tween the operation before well oduction pipe shakansas surface care spud date or the	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the enderlying formation. The enderlying formation and placer god or production casing is cemented from below any usable water to start and placer and pla	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursu	ving minimum require late district office price oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern Id within 30 days of the nically	ements will be me or to spudding of to drill shall be p is specified below us a minimum of tween the operat biffied before well oduction pipe sha Kansas surface c e spud date or th	and eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1 ne well shall be	a drilling rig; by circulating cement to the top; in a underlying formation. The underlying formation are underlying formation. The underlying formation are underlying formation are underlying formation. The plug length and placer are underlying formation are underlying formation. The plug length and placer are underlying formation are underlying formation. The plug length are underlying formation of the plug length are underlying formation. The plug length are underlying formation of the plug length are underlying formation. The plug length are underlying formation of the plug length are underlying formation. The plug length are underlying formation of the plug length are underlying formation. The plug length and placer are underlying formation. The plug length and plug length and placer are underlying formation. The plug length and p	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing. with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in a cumulating cement to the top; in a cumulating cement to the top; in a cumulating formation. The underlying formation casing is cemented of the complete of the complet	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing. with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in a e underlying formation. Trict office on plug length and placer ged or production casing is cemented from below any usable water to st 33,891-C, which applies to the KCt a plugged. In all cases, NOTIFY discrete Cementer of the control of Compliance water (KSONA-1) with Intent to Drilling File Completion Form ACO-1 with File acreage attribution plat acconditions.	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing. with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe re Approved by: This authorization expires	ving minimum require late district office <i>prie</i> loved notice of intent oven to f surface pipe a lolidated materials plote, an agreement be strict office will be no II COMPLETION, pro loendix "B" - Eastern I ld within 30 days of the nically quired quired	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the	nd eventual pluet: well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in the enderlying formation. The enderlying formation are underlying formation are underlying formation. The enderlying formation are underlying formation are underlying for the enderlying formation are underlying for the enderlying formation. The enderlying formation formation are underlying for the end of	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing. with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days);
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re- Approved by:	ving minimum require late district office <i>prie</i> loved notice of intent oven to f surface pipe a lolidated materials plote, an agreement be strict office will be no II COMPLETION, pro loendix "B" - Eastern I ld within 30 days of the nically quired quired	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the	nd eventual pluet: well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in the enderlying formation. The enderlying formation are underlying formation are underlying formation. The enderlying formation are underlying formation are underlying for a second are	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing. with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

0:-/-	T

1355106

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

500 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the lin	ner		dures for periodic maintenance and determining		
material, thickness and installation procedure.		illier illiegrity, ill	cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
•					
	KCC	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1355106

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. cct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

: Di> And			- Ing					
of Acres attri						- IS (Section:	Regular or Irregular
R/QTR/QTR	of acreage	·	- -			If S		regular, locate well from nearest corner boundary used: NENW SESW
				l electrical	the neare: lines, as	required b		ary line. Show the predicted locations of s Surface Owner Notice Act (House Bill 2032). ed.
						; ;	:	LEGEND
		·····			•••••			O Well Location Tank Battery Location
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·	*******						Pipeline LocationElectric Line LocationLease Road Location
1********		,				: 		
				E		<u>:</u> :		EXAMPLE
			:			:	:	
	:	******			********			
)

SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

May 25, 2017

TJ Dixon
Dixon Operating Company, LLC
8100 E. 22ND ST N
BLDG 300, SUITE 200
WICHITA, KS 67226

Re: Drilling Pit Application Ardrey 1-35 SE/4 Sec.35-23S-11W Stafford County, Kansas

Dear TJ Dixon:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.