CORRECTION #1

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

1355136

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month da	ay year	Spot Description:	
	o	, you.	Sec Twp S.	R L E W
OPERATOR: License#			feet from N /	S Line of Section
			feet from E /	W Line of Section
Address 1:			Is SECTION: Regular Irregular?	
City:	State:	Zip: +	(
Contact Person:			County	
· · · · · · · · · · · · · · · · · · ·			Lease Name:	Well #:
			Field Name:	
	<u>:</u>		Is this a Prorated / Spaced Field?	Yes No
Name:			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
			Ground Surface Elevation:	feet MSL
Oil Enh F		Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Stora	• =	Air Rotary	Public water supply well within one mile:	Yes No
Dispo	\vdash	Cable	Depth to bottom of fresh water:	
Seismic ;# (Depth to bottom of usable water:	
Other:			Surface Pipe by Alternate: I III	
If OWWO: old well	information as follows:			
			Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			_ Projected Total Depth:	
Original Completion Da	ate: Origin	al Total Depth:		
5			Water Source for Drilling Operations:	
Directional, Deviated or Ho		Yes No	Well Farm Pond Other:	
			DVVR Permit #.	
Bottom Hole Location:			(Note: Apply for Permit with DWR)
KCC DKT #:			Will Cores be taken?	Yes No
			If Yes, proposed zone:	
		ΛΕ	FIDAVIT	
The undersigned hereby	affirms that the drilling		lugging of this well will comply with K.S.A. 55 et. seq.	
			lugging of this well will comply with N.S.A. 35 et. seq.	
It is agreed that the follow				
	ving minimum requirem	ents will be met.		
	ate district office <i>prior</i> t	o spudding of well;		
A copy of the appro	ate district office prior to oved notice of intent to	o spudding of well; drill shall be posted on eac	0 0	
 A copy of the appre The minimum amo 	ate district office prior to oved notice of intent to bunt of surface pipe as s	o spudding of well; drill shall be posted on eac specified below shall be se	t by circulating cement to the top; in all cases surface pipe st	nall be set
 A copy of the appro The minimum amo through all uncons 	ate district office prior to oved notice of intent to ount of surface pipe as solidated materials plus	o spudding of well; drill shall be posted on eac specified below shall be se a minimum of 20 feet into tl	$m{t}$ by circulating cement to the top; in all cases surface pipe $m{s}m{t}$ ne underlying formation.	
 A copy of the appro The minimum amo through all uncons If the well is dry ho 	ate district office prior to oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement between	o spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis	t by circulating cement to the top; in all cases surface pipe st ne underlying formation. strict office on plug length and placement is necessary prior	
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate dis 	ate district office prior to oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwee strict office will be notifice.	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dise ed before well is either plug	t by circulating cement to the top; in all cases surface pipe st ne underlying formation. strict office on plug length and placement is necessary prior aged or production casing is cemented in;	to plugging;
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE 	ate district office prior to oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwee strict office will be notified to the complete of the comple	or spudding of well; drill shall be posted on each pecified below shall be se a minimum of 20 feet into the en the operator and the dis ed before well is either plug uction pipe shall be cement	t by circulating cement to the top; in all cases surface pipe state underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS.	to plugging; of spud date.
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	ate district office <i>prior</i> to oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwee strict office will be notified to the complete of the comple	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	t by circulating cement to the top; in all cases surface pipe state underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of the table to the the table to the the table to the table to the table to the table table to the table table table to the table	to plugging; of spud date. te II cementing
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	ate district office <i>prior</i> to oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwee strict office will be notified to the complete of the comple	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	t by circulating cement to the top; in all cases surface pipe state underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS.	to plugging; of spud date. te II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	ate district office <i>prior</i> to oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwee strict office will be notified to the complete of the comple	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	t by circulating cement to the top; in all cases surface pipe state underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of the table to the the table to the the table to the table to the table to the table table to the table table table to the table	to plugging; of spud date. te II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach Or pursuant to approach 	late district office <i>prior</i> to oved notice of intent to bunt of surface pipe as substitution of surface pipe as substitution of surface pipe as substitution of surface will be notified in COMPLETION, production of the substitution of substitution of the substitution of substit	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	t by circulating cement to the top; in all cases surface pipe state underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of the table to the the table to the the table to the table to the table to the table table to the table table table to the table	to plugging; of spud date. te II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	late district office <i>prior</i> to oved notice of intent to bunt of surface pipe as substitution of surface pipe as substitution of surface pipe as substitution of surface will be notified in COMPLETION, production of the substitution of substitution of the substitution of substit	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	It by circulating cement to the top; in all cases surface pipe show the underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of the transport of	to plugging; of spud date. te II cementing
2. A copy of the approach of the approach of the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach of the completed of the comp	late district office <i>prior</i> to oved notice of intent to bunt of surface pipe as substitution of surface pipe as substitution of surface pipe as substitution of surface will be notified in COMPLETION, production of the substitution of substitution of the substitution of substit	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	t by circulating cement to the top; in all cases surface pipe state underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of the table to the the table to the the table to the table to the table to the table table to the table table to the table	to plugging; of spud date. te II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach Or pursuant to approach 	late district office <i>prior</i> to oved notice of intent to bunt of surface pipe as substitution of surface pipe as substitution of surface pipe as substitution of surface will be notified in COMPLETION, production of the substitution of substitution of the substitution of substit	or spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the dis- ed before well is either plug- uction pipe shall be cement has surface casing order #	It by circulating cement to the top; in all cases surface pipe show the underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of the transport of	to plugging; of spud date. te II cementing cementing.
2. A copy of the approach of the approach of the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach of the completed of the comp	late district office <i>prior</i> to oved notice of intent to bunt of surface pipe as substitution of surface pipe as substitution of surface pipe as substitution of surface will be notified in COMPLETION, production of the substitution of substitution of the substitution of substit	to spudding of well; drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguation pipe shall be cement assas surface casing order # spud date or the well shall be	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS (£133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the appropriate disconsisted of the appropriate disconsisted of the appropriate of the	late district office <i>prior</i> to oved notice of intent to bount of surface pipe as solicidated materials plus ole, an agreement betwee strict office will be notified II COMPLETION, producendix "B" - Eastern Kard within 30 days of the senically	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the distention pipe shall be cement the sas surface casing order from the spud date or the well shall be	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS (£133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed Submitted Electron For KCC Use ONLY API # 15 Conductor pipe required	inate district office <i>prior</i> to oved notice of intent to oved notice of intent to over the prior of surface pipe as solidated materials plusole, an agreement between strict office will be notified If COMPLETION, produced in the produce of the surface of the su	o spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluguation pipe shall be cement as surface casing order supud date or the well shall be feet	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud dates.	to plugging; of spud date. te II cementing cementing.
2. A copy of the approximate 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed Submitted Electron For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe received	late district office <i>prior</i> to late district office <i>prior</i> to late over notice of intent to late of surface pipe as subjective of surface pipe as subjective of surface of surface will be notified in the late of surface	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the diseast before well is either pluguetion pipe shall be cement assurface casing order from the spuddate or the well shall be spuddate. feetfeetfeet per ALTIIII	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of the task and the plugged. In all cases, NOTIFY district office prior to any see plugged. In all cases, NOTIFY district office prior to any Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord	to plugging; of spud date. te II cementing cementing. wner Notification
2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed Submitted Electron For KCC Use ONLY API # 15 Conductor pipe required	late district office <i>prior</i> to late district office <i>prior</i> to late over notice of intent to late of surface pipe as subjective of surface pipe as subjective of surface of surface will be notified in the late of surface	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the diseast before well is either pluguetion pipe shall be cement assurface casing order from the spuddate or the well shall be spuddate. feetfeetfeet per ALTIIII	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS (£133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover	to plugging; of spud date. te II cementing cementing. where Notification ers; or re-entry;
2. A copy of the approx 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe receipted approved by: This authorization expires	ate district office <i>prior</i> to oved notice of intent to oved notice of intent to over the prior of surface pipe as solidated materials plus oble, an agreement between strict office will be notified II COMPLETION, produced in the product of the surface of the su	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the distent the operator and the distent of the set before well is either pluguetion pipe shall be cement chass surface casing order spud date or the well shall be spuddate. feetfeetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration ord: - Notify appropriate district office 48 hours prior to workover: - Submit plugging report (CP-4) after plugging is completed	of spud date. te II cementing cementing. where Notification where Notification sers; or re-entry; (within 60 days);
2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed Submitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted Approved by:	ate district office <i>prior</i> to oved notice of intent to oved notice of intent to over the prior of surface pipe as solidated materials plus oble, an agreement between strict office will be notified II COMPLETION, produced in the product of the surface of the su	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the distent the operator and the distent of the set before well is either pluguetion pipe shall be cement chass surface casing order spud date or the well shall be spuddate. feetfeetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration ord: - Notify appropriate district office 48 hours prior to workover: - Submit plugging report (CP-4) after plugging is completed: - Obtain written approval before disposing or injecting salt with the content of the complete of th	to plugging; of spud date. te II cementing cementing. wner Notification ers; or re-entry; (within 60 days); ater.
2. A copy of the approx 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe receipted approved by: This authorization expires	ate district office <i>prior</i> to oved notice of intent to oved notice of intent to over the prior of surface pipe as solidated materials plus oble, an agreement between strict office will be notified II COMPLETION, produced in the product of the surface of the su	to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the distent the operator and the distent of the set before well is either pluguetion pipe shall be cement chass surface casing order spud date or the well shall be spuddate. feetfeetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe she underlying formation. Strict office on plug length and placement is necessary prior ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration ord: - Notify appropriate district office 48 hours prior to workover: - Submit plugging report (CP-4) after plugging is completed	to plugging; of spud date. te II cementing cementing. where Notification where Notification ers; or re-entry; (within 60 days); ater. ed expiration date)

CORRECTION #1	
Side I WO	1355136

For KCC Use ONLY	
API # 15	_


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



LEGEND

Well Location Tank Battery Location Pipeline Location ----- Electric Line Location Lease Road Location

EXAMPLE 1980' FSL SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1355136

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Dunlicato

Submit in Duplicate				
Operator Name:	Operator Name:		License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth fro	Artificial Liner? Yes N Length (fee	(bbls) No No No et)	SecTwp R East West West Feet from North / South Line of Section Feet from East / West Line of Section County County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits No Pit	n /
If the pit is lined give a brief description of the li material, thickness and installation procedure.		liner integrity, ir	redures for periodic maintenance and determining including any special monitoring.	
Source of infor				
feet Depth of water well	feet	measured		
Emergency, Settling and Burn Pits ONLY:		_	cover and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover:	
Number of producing wells on lease:			rking pits to be utilized:	
Does the slope from the tank battery allow all spilled fluids to		t procedure: be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS	

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1355136

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filling in connection with this form; 2) if the form be 	batteries, pipelines, and electrical lines. The locations shown on the plat of the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Cut (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form reing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, an	ıd email address.
KCC will be required to send this information to the surface own	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

LARIO OIL & GAS COMPANY KOEHN LEASE NW. 1/4. SECTION 6. T17S. R37W WICHITA COUNTY, KANSAS



- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing £40 acres.
- **Louroximate Section lines were determined using the normal standard of core of allfield surveyors procticing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillstite location in the section is not quaranteed. Therefore, the operator securing this service and occepting this plat and off other parties relying therefore, the operator securing this service and occepting, this plat and off other parties relying therefore doperator had Central Kansas Diffield Services. Inc. its officers and expenses and sold entitles released from any flobility from incidental or consequential damages.

May 15, 2017

Summary of Changes

Lease Name and Number: Koehn 1-6 API/Permit #: 15-203-20319-00-00

Doc ID: 1355136

Correction Number: 1

Approved By: Rick Hestermann 05/17/2017

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	1940	1895
KCC Only - Approved By	Brandon Milner 05/09/2017	Rick Hestermann 05/17/2017
KCC Only - Approved Date	05/09/2017	05/17/2017
KCC Only - Date Received	05/09/2017	05/16/2017
KCC Only - Regular Section Quarter Calls	SE NW SW NW	NE SW SW NW
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=6&to 595	ation.cfm?section=6&to 602
Number of Feet East or West From Section Line	595	602
Number of Feet North or South From Section	1970	2018
Line Number of Feet North or South From Section Line	1970	2018

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 3	NW	SW
Quarter Call 4 - Smallest	SE	NE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 54582	//kcc/detail/operatorE ditDetail.cfm?docID=13 55136
Subdivision3	NW	SW
Subdivision4Smallest	SE	NE

Summary of Attachments

Lease Name and Number: Koehn 1-6

API: 15-203-20319-00-00

Doc ID: 1355136

Correction Number: 1

Approved By: Rick Hestermann 05/17/2017

Attachment Name

Koehn 1-6 Map #2