For KCC Use: Effective Date: District # _ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1355280

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: Licenself Sec. Tup. S. R. Is test from Sec. Tup. S. R. Sec. Tup. Sec		month day	year	Spot Description:	
Section: Section Note: Some Section Note: Section Note: Note			,	(0/0/0/0)	
SeCTION: Regular Irregular?	PERATOR: License#			feet from N /	\vdash
Mote: Locale well on the Section Plat on reverse side	ame:				W Line of Section
State: Zip: +				Is SECTION: Regular Irregular?	
County C				(Note: Locate well on the Section Plat on rev	rerse side)
Lease Name:	•				
Field Name:					_ Well #:
Target Formation(s): Target Formation(s): Mell Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Season(s): Season(s): # of Holes Other Other: Ari Rotary Pool Ext. Ari Rotary Wildcat Cable Depth to bottom of usable water: Surface Pipe Platine and one mile: Yes Public water supply well within one mile: Yes Other: Depth to bottom of usable water: Surface Pipe Platine and to be set: Length of Conductor Pipe (if any): Projected Total Depth: Projecte					
Well Drilled For: Well Class: Type Equipment: Noariast Lease or unit boundary line (in footage): forum Surface Elevation: forum Surface Plape Planned to be set: Depth to bottom of usable water: Surface Plape Planned to be set: Length of Surface Plape Planned to be set: Length of Surface Plape Planned to be set: Projected Total Depth: Formation at Total Depth: Forum Surface Flape Surface Plape Planned Total Depth: Formation at Total Depth: Formation at Total Depth: Forum Surface Flape Surface Plape Surface		#		Is this a Prorated / Spaced Field?	Yes No
Ground Surface Elevation:	ame:			- ' ' '	
Qal Enh Rec Infield Mud Rotary Water well within one-quarter mile: Yes Yes Seismic; # of Holes Other Other Deht	Well Drilled For:	Well Class:	Type Equipment:		
Gas Slorage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Disposal Wildcat Cable Wildcat Other Depth to bottom of usable water: Depth to bottom of tresh water: Depth to Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR P	Oil Enh	Rec Infield	Mud Rotary		
Disposal Wildcat Cable Public water supply well within one mile: Yes Depth to bottom of tresh water: Depth to bottom of usable path: Depth to Bottom of usable water: Depth to Bottom of Usable Path: Depth to Botto	= =		= '	·	Yes N
Depth to bottom of usable water: Depth to Dottom of usable water:		• =	= '		Yes N
Surface Pipe by Alternate: I I II Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Projected Total Depth: Projected Total Depth: Projected Total Depth: Water Source for Drilling Operations: Water Source fo	Seismic ; #	of Holes Other	_ _	•	
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Projected Total Depth:	Other:			·	
Departor: Well Name: Original Completion Date: Original Total Depth: Well Name: Original Completion Date: Original Total Depth: Water Source for Piple (if any): Projected Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface easing order "133,891-C, which applies to the KCC District 3 area, alternate If cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with	If OWWO ald wal	Linformation as follows:			
Well Name: Original Completion Date: Original Total Depth: Irectional, Deviated or Horizontal wellbore? Wes, true vertical depth: Unto Hole Location: CC DKT #: Water Source for Drilling Operations: Water Source for Drilli					
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: DWR Permit #: Well Farm Pond Other: DWR Pond Pond Permit with DWR Other: DWR Pond Ot	•				
Water Source for Drilling Operations: Water Source for Drilling Farm Pond Other: Water Source for Drill Opher: Water Source for Drill Opher: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drill Opher: Water Source for Drill Water Index on Index of Head Supply for Permit with DWR Opher Index on I					
Well Farm Pond Other:	Original Completion D	ate: Origina	al lotal Depth:		
West, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR)	irectional Deviated or Ho	orizontal wellbore?	Yes No		
Note: Apply for Permit with DWR Permit with Example for the Permit with Example for Permit with K.S.A. 55 et. seq. **AFIDATION: Apply for Permit with Example for the Well will comply with K.S.A. 55 et. seq. **AFIDATION: Apply for Permit with Example for the Well will comply with K.S.A. 55 et. seq. **AFIDATION: Apply for Permit with Example for the Well will comply with K.S.A. 55 et. seq. **AFIDATION: Apply for Permit with K.S.A. 55 et. seq. **AFIDATION: Apply for Permit wit					
AFFIDAVIT he undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	•			DVVK PERMIT #:])
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Criffication of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Original Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);					
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Conductor pipe required					
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Por KCC Use ONLY** API # 15					
Remember to: For KCC Use ONLY API # 15	is agreed that the follow	wing minimum requireme	ents will be met:	igging of this well will comply with K.S.A. 55 et. seq.	
Approved by: This authorization expires: - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	is agreed that the follows 1. Notify the appropriate discounting to appropriate discounting the appropriate disco	wing minimum requirement iate district office <i>prior</i> to roved notice of intent to count of surface pipe as specificated materials plus able, an agreement betwee istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kan	ents will be met: o spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the dist and before well is either pluggetion pipe shall be cemente sas surface casing order #1	by circulating cement to the top; in all cases surface pipe so a underlying formation. The production casing is cemented in; defrom below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternation.	of spud date.
This authorization expires: - Submit plugging report (CP-4) after plugging is completed (within 60 days);	1. Notify the appropriate of th	wing minimum requirement iate district office <i>prior</i> to roved notice of intent to count of surface pipe as specificated materials plus able, an agreement betweistrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the spenically	ents will be met: o spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the dist and before well is either pluggetion pipe shall be cemente sas surface casing order #1 bud date or the well shall be	n drilling rig; by circulating cement to the top; in all cases surface pipe se underlying formation. rict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud dates	of spud date. ate II cementing or cementing. Dwner Notification
Inis authorization expires:	is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	wing minimum requirement iate district office <i>prior</i> to roved notice of intent to count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	ents will be met: o spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dist and before well is either pluggetion pipe shall be cemente sas surface casing order #1 boud date or the well shall be be feet feet feet per ALT.	by circulating cement to the top; in all cases surface pipe so a underlying formation. Trict office on plug length and placement is necessary prior ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or cases.	of spud date. ate II cementing or cementing. Dwner Notification e; ders;
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	wing minimum requirement iate district office <i>prior</i> to reved notice of intent to count of surface pipe as specificated materials plus able, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	ents will be met: o spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dist and before well is either pluggetion pipe shall be cemente sas surface casing order #1 boud date or the well shall be be feet feet feet per ALT.	n drilling rig; by circulating cement to the top; in all cases surface pipe s e underlying formation. rict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover	of spud date. ate II cementing or cementing. Dwner Notification e; ders; or re-entry;
(This authorization void if drilling not started within 12 months of approval date.) - If well will not be drilled or permit has expired (See: authorized expiration date.)	is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by Conductor pipe required Minimum surface pipe re Approved by: This authorization expires	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	ents will be met: o spudding of well; drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dist and before well is either pluggetion pipe shall be cemente sas surface casing order #1 bud date or the well shall be be greater than the feet feet feet per ALT. I I II	py circulating cement to the top; in all cases surface pipe so a underlying formation. In the first office on plug length and placement is necessary prior ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.	of spud date. ate II cementing of cementing. Dwner Notification e; ders; or re-entry; (within 60 days);

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_					Location	of Well: Cou	nty:			
_ease:							feet from	n N /	S Line	of Section
Well Numb	er:						feet fror	n 🗌 E /	W Line	of Section
Field:	ld:			Sec	Sec Twp S. R					
					15 360110	on: Reg	ular or Irre	gular		
						_	r, locate well fro			dary.
					Section	corner used:	NE NW	SE S	SW	
					PLAT					
			e well. Show foot	-		-				
	lease roads, tar	nk batteries	s, pipelines and el				ce Owner Notice	Act (House B	ill 2032).	
				10u may allacm	a separate plat i	5 ft.				
	:	:	:	:	: :					
		:					Ш	EGEND		
	:	:	:	· · · · · · · · · · · · · · · · · · ·	:					
	:	:	:	:	<u> </u>	7		ell Location		
	:	:	:	: :	<u> </u>		_	ank Battery L		
		•••						peline Locat		
		:						ectric Line L		
	:	:	:				Le	ease Road L	ocation	
	:	:								
	:	:		:			EXAMPLE		:	
	:	:	16	:	: :			:	:	
			10							
				• • • • • • • • • • • • • • • • • • • •	•			•		
	:	:	:	:	: :				:	
				:						
							: 0		:	1980' FSL
									:	
	:	:	:	Ė	: :		:		:	
				• • • • • • • • • • • • • • • • • • • •		•••••		_#		
	:	:	:	<u>:</u>	: :		:	⊿∦ i	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) Artificial Liner?		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l		
		-4\	NA/Add (face)		
	Length (fee		Width (feet) N/A: Steel Pits No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized: Abandonment procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Number	per:	Permi	it Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1355280

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:					
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface ov task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I	cknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1				
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- Submitted Electronically					

TDI, Inc.

License #4787 1310 Bison Road Hays, Kansas 67601

H: (785) 628-2593 C: (785) 259-3141



The Surface Notification Act requires notification to surface owner of proposed well site, tank battery, roads and etc. This notification is non-binding and locations can be changed by oil operator.

VIRGINIA #2



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

May 18, 2017

Tom Denning TDI, Inc. 1310 BISON RD HAYS, KS 67601-9696

Re: Drilling Pit Application Virginia 2 NE/4 Sec.16-15S-19W Ellis County, Kansas

Dear Tom Denning:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.