For KCC Use:
Effective Date:
District #
SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

1355633

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
•	Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:	County
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSI
Name:	Cathodic Borehole Total Depth:fee
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
Anode installation depths are,,,,,,	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.	3
is agreed that the following minimum requirements will be met:	
 Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior 	
	ir to any grouting.
Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
The minimum amount of cathodic surface casing as specified below shall be set by	
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Submitted Electronically	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required:feet	
	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent
Spud date: Agent:	

c:	~	· T	

1	35563	2
- 1		u

SEWARD CO. 3390' FEL

For KCC U	se ONLY		
API # 15			

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

0						Lan		II. Occurs	
•						_ LOC	ation of vvei	ll: County: feet from N / S Line of Section	-
•								feet from N / S Line of Section feet from E / W Line of Section	
Borellole I	vuilibei					Sec	D		
						ls S	Section:	Regular or Irregular	
							ection is Irr	regular, locate well from nearest corner boundary. used: NE NW SE SW	
		's, tank bai		s and electric	al lines, as	required b		boundary line. Show the predicted locations of is Surface Owner Notice Act (House Bill 2032).	
	-	:	:		:	:	:		
	:	:			:	:		LEGEND	
	:	:	:		:	:	:	LEGEND	
		:	:	••••	:	:	:	 Well Location 	
	:	:			:	:	:	Tank Battery Location	
			• • • • • • • • • • • • • • • • • • • •					Pipeline Location	
) F 44] :	:	:		:	:	:	Electric Line Location	
35 ft	\odot					:		Lease Road Location	
	:	:	:		:	:	:		
		i	•	34		:		EXAMPLE	
	:	:	· · ·	_ 54	:	:	:		
				1					
	:	:	:		:	:	:		
	:	:	:		:	:	:		
		:				:			
			• • • • • • • • • • • • • • • • • • • •		·			1980' FSL	
	:	:	:		:	:	:		
			:		:	•		·······	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

1355633

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:					
Operator Address:								
Contact Person:			Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):					
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	Sec. Twp. R. East West					
Settling Pit Drilling Pit	If Existing, date cor		Feet from North / South Line of Section					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section					
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?					
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits					
Depth fro	m ground level to dee	epest point:	(feet) No Pit					
If the pit is lined give a brief description of the lir material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.					
Distance to nearest water well within one-mile of	f pit:	Depth to shallo Source of infor	west fresh water feet. nation:					
feet Depth of water well	feet	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:						
Number of producing wells on lease:		Number of working pits to be utilized:						
Barrels of fluid produced daily:		Abandonment p	procedure:					
Does the slope from the tank battery allow all sp flow into the pit?	oilled fluids to	Drill pits must be closed within 365 days of spud date.						
Submitted Electronically								
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numb	per:	Permi	t Date: Lease Inspection: Yes No					

Kansas Corporation Commission Oil & Gas Conservation Division

1355633

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	g
Contact Person:	the lease below:
Phone: () Fax: ()	-
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	and the second in the construction of the cons
City: State: Zip:+	-
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.
	Lacknowledge that hecause I have not provided this information, the
	owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1

						/PE	3			PA	.GE	1	_ OF	1
CLIENT:	ONEOK			PRO NAM	JECT E:	Grou	ndbed	Insta	llatior	1	DATE	DRILLED:	TBD	
SITE: Mult	ple			LOCA	ATION	: Kans	as							
OTHER ID#			F	ACILITY:					GPS					
	: Woofter Drilling	g			LING				B	OREH	IOLE: 10) inch		
BY:						Wet F	Rotary	or Dr	У	F	LUID <u>W</u>	ater if wet r	otary	
CASING:		TYPE SDR 2		0-20'	AL	N	ATER PVC			JC	DINT LE	NGTH	1	ETER O"
SCREEN:														
GROUT:														
SEAL:														
FILTER PA	CK:					1								
DEEP GROUI 20" Casing	NDBED WELL CON	STRUCTION 20' Casing	2 DEPTH (FT.)			DE O I MENTE			COMM	ENTS_				
			-											
			⊦											-
			⊢ -										⊢ -	
			⊦			U R							-	
					В	E N	то	N	I T	E			-	
			L ↓											
			-											
			110											
			L 4											
			130											
	X		<u> </u>										<u> </u>	<u> </u>
	X		├										L -	ļ
	X		L 4											
	X		L J											
	X		L]		L	O R	E S	C	0				L _	
	X		L J		С	О К	E	В	R E	E Z	. E		L _	
	X												L _	
	X		L]		G	R A	ΡН	1 .	T E					
	X		L 1		А	N O	D E	s					L	
	X		Γ 1		12								_	
	×		Γ 1										_	
	X		r 1										<u> </u>	
			250										–	
	(I. (.))	1		I								1	1	
	th to Water:													
	oth to Water:													
Comment	S		Not to sca	ale										



Circle 30 Replacement Gibson





Legend

Pipeline

Rectifier

Deep Well Groundbed

GroundBed Location:

1650' from N section line 35' from W section line

The locations shown on the plat are preliminary non-binding estimates.

Pipeline and Groundbed are below ground features. Rectifier is an above ground feature.

