## CORRECTION #1

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1355885

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month	day v		Spot Description:	
	montn	day y	/ear		ec Twp S. R E
PERATOR: License#				(Q/Q/Q/Q) 	feet from N / S Line of Sec
					feet from E / W Line of Sec
ddress 1:				Is SECTION: Regular	Irregular?
address 2:					
ity:				·	I on the Section Plat on reverse side)
contact Person:		•		County:	
hone:					Well #:
ONTO A CTOD III				Field Name:	
CONTRACTOR: License#	:			Is this a Prorated / Spaced Field	
lame:				Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipr	ment:	•	line (in footage):
Oil Enh	Rec Infield	Mud R	otarv	Ground Surface Elevation:	feet N
Gas Stora		=	•	Water well within one-quarter m	
Dispo	• =	Cable	•	Public water supply well within o	one mile: Yes
Seismic ;#	of Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water	:
				Surface Pipe by Alternate:	I II
If OWWO: old well	l information as follows	3:		Length of Surface Pipe Planned	to be set:
Operator:				Length of Conductor Pipe (if any	y):
Well Name:				Projected Total Depth:	
Original Completion D	ate:Ori	iginal Total Depth:		Formation at Total Depth:	
				Water Source for Drilling Operat	
Pirectional, Deviated or Ho	orizontal wellbore?		Yes No	Well Farm Pond	Other:
f Yes, true vertical depth: _				DWR Permit #:	
Bottom Hole Location:				(Note: Ap	ply for Permit with DWR 🗌 )
(CC DKT #:				Will Cores be taken?	Yes
				If Yes, proposed zone:	
'he undersigned hereby	affirms that the drilling	ng completion ar		FIDAVIT	CS A 55 et sea
-		-	nd eventual plu	FIDAVIT ugging of this well will comply with k	(.S.A. 55 et. seq.
t is agreed that the follow	ving minimum require	ements will be me	nd eventual plu et:		S.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropri	ving minimum require ate district office <i>pri</i> e	ements will be me	nd eventual plu et: well;	ggging of this well will comply with K	C.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropri  2. A copy of the appr	ving minimum require ate district office <i>prie</i> oved notice of intent	ements will be me or to spudding of to drill shall be	nd eventual pluet: well; oosted on each	ngging of this well will comply with k	
t is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amo	ving minimum require ate district office <b>prie</b> oved notice of intent bunt of surface pipe a	ements will be me or to spudding of to drill shall be p as specified below	nd eventual pluet: well; bosted on each	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in a	all cases surface pipe <b>shall be set</b>
is agreed that the follow     Notify the appropri     A copy of the appr     The minimum amounthrough all uncons	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials pli	ements will be me or to spudding of to drill shall be p as specified below us a minimum of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.	all cases surface pipe <b>shall be set</b>
<ol> <li>is agreed that the follows</li> <li>Notify the approprise</li> <li>A copy of the apprentation</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry hor</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be	ements will be mo or to spudding of to drill shall be p as specified below us a minimum of tween the operat	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.	all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, pro	ements will be mo or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha	nd eventual pluet:  well; bosted on each w shall be set 20 feet into the or and the dist is either plugg all be cemente	agging of this well will comply with keep a drilling rig; by circulating cement to the top; in a cunderlying formation.  The control of the c	all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ; ad in;  urface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> <li>Or pursuant to Appropriate</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
<ol> <li>t is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ; ad in;  urface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> <li>Or pursuant to Appropriate</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
<ol> <li>Is agreed that the follows</li> <li>Notify the appropriance</li> <li>A copy of the appropriance</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate</li> </ul> </li> </ol>	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
<ol> <li>Is agreed that the follows</li> <li>Notify the appropriance</li> <li>A copy of the appropriance</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate</li> </ul> </li> </ol>	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in a current of the top; in a current of the top; in a current of the control of the current of the curr	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di District Completed  Ubmitted Electro  For KCC Use ONLY	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface c as spud date or the	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di  Ibmitted Electro  For KCC Use ONLY  API # 15 -	ving minimum require fate district office <i>pri</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the nically	ements will be me or to spudding of to drill shall be pas specified below us a minimum of tween the operation before well oduction pipe shakansas surface care spud date or the	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the enderlying formation. The enderlying formation and placer god or production casing is cemented from below any usable water to start and placer and pla	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE Or pursuant to Appropriate to a pursu	ving minimum require late district office price oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern Id within 30 days of the nically	ements will be me or to spudding of to drill shall be p is specified below us a minimum of tween the operat biffied before well oduction pipe sha Kansas surface c e spud date or th	and eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1 ne well shall be	a drilling rig; by circulating cement to the top; in a underlying formation.  The underlying formation are underlying formation.  The underlying formation are underlying formation are underlying formation.  The plug length and placer are underlying formation are underlying formation.  The plug length and placer are underlying formation are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length and placer are underlying formation.  The plug length and plug length and placer are underlying formation.  The plug length and p	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the feet feet feet per AL	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in a cumulating cement to the top; in a cumulating cement to the top; in a cumulating formation.  The underlying formation casing is cemented of the complete of the complet	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the feet feet feet per AL	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in a e underlying formation.  Trict office on plug length and placer ged or production casing is cemented from below any usable water to st 33,891-C, which applies to the KCt a plugged. In all cases, NOTIFY discrete Cementer of the control of Compliance water (KSONA-1) with Intent to Drilling File Completion Form ACO-1 with File acreage attribution plat acconditions.	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe re Approved by:  This authorization expires	ving minimum require late district office <i>prie</i> loved notice of intent oven to f surface pipe a lolidated materials plote, an agreement be strict office will be no II COMPLETION, pro loendix "B" - Eastern I ld within 30 days of the  nically  quired  quired	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the	nd eventual pluet:  well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in the enderlying formation.  The enderlying formation are underlying formation are underlying formation.  The enderlying formation are underlying formation are underlying for a comparison of the end o	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days);
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re- Approved by:	ving minimum require late district office <i>prie</i> loved notice of intent oven to f surface pipe a lolidated materials plote, an agreement be strict office will be no II COMPLETION, pro loendix "B" - Eastern I ld within 30 days of the  nically  quired  quired	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the	nd eventual pluet:  well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in the enderlying formation.  The enderlying formation are underlying formation are underlying formation.  The enderlying formation are underlying formation are underlying for a second are	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 3485 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1355885

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Dunlicato

	Su	omit in Duplicat	. <del>.</del>	
Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u> </u>	
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	- ги сарасну.	(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No.	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee		Width (feet)N/A: Steel Pits	
Depth fro  If the pit is lined give a brief description of the lin	om ground level to dee	· · ·	dures for periodic maintenance and determining	
Distance to nearest water well within one-mile of pit:  Depth to shallor Source of inform		west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Ty		Type of material utilized in drilling/workover:		
Number of producing wells on lease: Number		Number of worl	ber of working pits to be utilized:	
Barrels of fluid produced daily: Abandonment		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must b	must be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	it Date: Lease Inspection: Yes No	

## CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1355885

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: <ul> <li>I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.</li> </ul>	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

NENE NWNE NENW NWNW # 9-2 4080 FEL #8-1 4950 FEL 200 #7-1 2970 FSL SENE SWNE SENW SWNW NESE NWSE NESW NWSW SESE SWSE SESW SWSW Range: 10E Twp: |33S

Section: 17

Name:

GOODE A

LEGEND

Well location O Tank Battery pipeline Electric line ..... lease road

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

May 26, 2017

Stan Miller, Sr. SM Oil & Gas, Inc. PO BOX 189 SKIATOOK, OK 74070-0189

Re: Drilling Pit Application API 15-019-27569-00-00 Goode "A" 9-2 NW/4 Sec.17-33S-10E Chautauqua County, Kansas

Dear Stan Miller, Sr.:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

## **Summary of Changes**

Lease Name and Number: Goode "A" 9-2

API/Permit #: 15-019-27569-00-00

Doc ID: 1355885

Correction Number: 1

Approved By: Rick Hestermann 05/26/2017

Field Name	Previous Value	New Value
Contractor License Number		35116
Contractor Name  Depth to Shallowest	Advise on ACO-1 Must be licensed by KCC 6	SM Oil & Gas, Inc.
Fresh Water		
ElevationPDF	1011 Estimated	1023 Estimated
Ground Surface Elevation	1011	1023
KCC Only - Approved By	Rick Hestermann 10/26/2016	Rick Hestermann 05/26/2017
KCC Only - Approved Date	10/26/2016	05/26/2017
KCC Only - Date Received	10/26/2016	05/25/2017
KCC Only - Lease Inspection	Yes	No
KCC Only - Regular Section Quarter Calls	N2 S2 NW	SE NE SW NW

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KSONA Contact Email		thomasoast@gmail.com
KSONA Contact Fax Area Code		620
KSONA Fax Number		725-3211
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=17&t	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=17&t
Nearest Lease Or Unit Boundary	330	475
Number of Feet East or West From Section Line	3960	4080
Number of Feet East or West From Section Line	3960	4080
Number of Feet North or South From Section Line	3630	3485
Number of Feet North or South From Section Line	3630	3485
Pit Capacity BBLS	2000	1500
Quarter Call 2	S2	SW
Quarter Call 3	N2	NE
Quarter Call 4 - Smallest		SE

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13	//kcc/detail/operatorE ditDetail.cfm?docID=13
Subdivision2	20622 S2	55885 SW
Subdivision3	N2	NE
Subdivision4Smallest		SE
Target Producing Formation	Mississippi Chat	Wayside Sandstone
Well Number	9-1	9-2

## **Summary of Attachments**

Lease Name and Number: Goode "A" 9-2

API: 15-019-27569-00-00

Doc ID: 1355885

Correction Number: 1

Approved By: Rick Hestermann 05/26/2017

**Attachment Name** 

Fluid