


Well Refined Drilling Company, Inc.

4230 Douglas Road Thayer, Kansas 66776

Contractor License # 33072 - FEIN # 48-1248553

620-839-5581/Office; 620-432-6170/Jeff; 620-839-5582/FAX

Rig #:	5	Lic # 5150				S14	T32S	R17E	
API #:	15-099-24522-0000					Location:	NE,SW,SW,SE		
Operator:	Colt Energy Inc.					County:	Labette		
Address:	P.O Box 388 Iola, Ks 66749		Gas Tests						
Well #:	15-14	Lease Name:	Trefethen	Depth	Oz.	Orifice	flow - MCF		
Location:	500	FSL	Line	see page 3					
	2300	FEL	Line						
Spud Date:	3/12/2009								
Date Completed:	3/13/2009	TD:	1105'						
Driller:	Josiah Kephart								
Casing Record	Surface	Production							
Hole Size	12 1/4"	7 7/8"							
Casing Size	8 5/8"								
Weight									
Setting Depth	20' 5"								
Cement Type	Portland								
Sacks	5								
Feet of Casing									
09LC-031309-R5-001-Trefethen 15-14-Colt Energy Inc.									
Well Log									
Top	Bottom	Formation	Top	Bottom	Formation	Top	Bottom	Formation	
0	1	overburden	247	249	shale	509	510	shale	
1	4	sandy clay	249	251	blk shale	510	512.5	Summit blk shale	
4	11	sandy clay	251	255	shale	512.5	517	shale	
11	37	shale	255	258	lime	517	540	2nd Oswego lime	
37	51	lime	258	261	shale	533	536	oil odor	
51	142	shale	261	265	lime	540	542	shale	
142	144	lime	265	308	shale	542	544	Excello blk shale	
144	160	shale	308	327	Weiser sand	544	545.5	Mulky coal	
160	161	blk shale	327	390	shale	545.5	553	Bevier lime	
161	199	shale	390	412	Pink lime	553	570	shale	
199	200	blk shale	412	415	Anna blk shale	570	571.5	coal	
200	201	coal	415	417	shale	571.5	581	shale	
201	207	lime	417	418	Lexington coal	581	587.5	lime	
207	209	shale	418	432	shale	587.5	583	coal	
209	219	lime	432	441	Peru sand	583	601	shale	
219	244	shale	441	478	shale	601	603	blk shale	
244	247	lime	478	509	Oswego lime	603	604	coal	
247	247	lime	500	507	oil odor	604	609	shale	

