

# ALLIED CEMENTING CO., INC.

32060

Federal Tax I.D.# 48-0727860

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

<u>-19-08</u>	SEC <u>14</u>	TWP. <u>10S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>10:15 PM</u>	JOB START <u>3:15 AM</u>	JOB FINISH <u>3:45 AM</u>
<u>KUSKA</u>	WELL # <u>1</u>	LOCATION <u>OAKLEY 3N-4W-1N-1W-1E</u>		COUNTY <u>THOMAS</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (Circle one)				W FUTO			

CONTRACTOR H 2 SMALL RIG # 2

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 355'

CASING SIZE 8 7/8" DEPTH 355'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 2 1/2 BBLs

OWNER SAME

CEMENT AMOUNT ORDERED 260 SKS com 3% CL 28661

EQUIPMENT

PUMP TRUCK # 422 CEMENTER TERRY HELPER WAYNE

BULK TRUCK # 394 DRIVER ALLEN

BULK TRUCK # DRIVER

COMMON	<u>260 SKS</u>	@	<u>14.20</u>	<u>3692.00</u>
POZMIX		@		
GEL	<u>5 SKS</u>	@	<u>18.75</u>	<u>93.75</u>
CHLORIDE	<u>9 SKS</u>	@	<u>52.25</u>	<u>470.25</u>
ASC		@		
HANDLING	<u>274 SKS</u>	@	<u>2.15</u>	<u>589.10</u>
MILEAGE	<u>94 PER SKI MILE</u>			<u>282.00</u>
MINIMUM CHARGE				
TOTAL				<u>5128.00</u>

REMARKS:

CEMENT DID CIRCULATE

THANK YOU

CHARGE TO: HARTMAN BEL, CO

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>355'</u>		
PUMP TRUCK CHARGE			<u>917</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>10 ME</u>	@	<u>7.00</u>
MANIFOLD		@	
<u>HEAD RENTAL</u>		@	<u>113.00</u>
TOTAL <u>1100.00</u>			

PLUG & FLOAT EQUIPMENT

<u>8 5/8 SURFACE Plug</u>			<u>68.00</u>
	@		
	@		
	@		
	@		
TOTAL <u>68.00</u>			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Wesley Pfaff

Wesley Pfaff  
PRINTED NAME

# ALLIED CEMENTING CO., INC.

32134

Federal Tax I.D.# 48-0727860

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley, KS

25-08	SEC. 14	TWP. 10s	RANGE 33w	CALLED OUT	ON LOCATION 2:30pm	JOB START 9:30am	JOB FINISH 10:30pm
WELL # #1	LOCATION <u>Oakley 3w-Sw-1w</u>			COUNTY <u>Thomas</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>NEW</u>				W.I.N			

CONTRACTOR H<sub>2</sub> #1 OWNER Same

TYPE OF JOB D-Stage Top Stage

HOLE SIZE 7-1/8 T.D. 4720'

CASING SIZE 5' 1/2 15.5 DEPTH 2619'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 62.3 BBLs

CEMENT

AMOUNT ORDERED 450 kilo 114#

Clo-seal 50SKS com

COMMON 50 @ 14<sup>20</sup> 710<sup>00</sup>

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

Lite 450 @ 12<sup>65</sup> 5692<sup>50</sup>

Clo-seal 112# @ 2<sup>25</sup> 252<sup>00</sup>

HANDLING 536 @ 2<sup>15</sup> 1152<sup>40</sup>

MILEAGE 10.95 km @ 434<sup>16</sup>

TOTAL 8241.06

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzy

# 431 HELPER Kelly

BULK TRUCK

# 377 DRIVER LA Bone

BULK TRUCK

# 394 DRIVER Wilbur

**REMARKS:**

Mix 10SKS MH mix 15SKS RH

Mix 425SKS Lite 114# Clo-seal

Tail with 50SKS com.

wash out pump & lines

displace plug to DU Tool

may hit 500# close tool @

1800# no circulation thru out

Job no cement circulated

plug down @ 10:15pm

THANKS Fuzzy & crew

**SERVICE**

DEPTH OF JOB 2619

PUMP TRUCK CHARGE 1075<sup>00</sup>

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ NA

MANIFOLD \_\_\_\_\_ @ NA

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 1075<sup>00</sup>

CHARGE TO: Hartman Oil Co.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment

# ALLIED CEMENTING CO., INC.

32138

Federal Tax I.D.# 48-0727860

TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley KS

DATE <u>1-28-08</u>	SEC. <u>14</u>	TWP. <u>10S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>9:30AM</u>	JOB START <u>11:30AM</u>	JOB FINISH <u>12:30PM</u>
LEASE <u>KUSKA</u>	WELL # <u>#1</u>	LOCATION <u>Oakley 3N-SW-1W</u>	COUNTY <u>Thomas</u>	STATE <u>KS</u>			
OLD OR <u>NEW</u> (Circle one)			<u>1 1/2" ID x 12" IN</u>				

CONTRACTOR NA

TYPE OF JOB Circ cement to top

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. 1400' Plug @ 1350'

DISPLACEMENT 32.13 BBLs

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 400 k.ite 1 1/4"

Flt-seal

50 com

COMMON _____	@ _____	_____
POZMIX _____	@ _____	_____
GEL _____	@ _____	_____
CHLORIDE _____	@ _____	_____
ASC _____	@ _____	_____
<u>k.ite 400</u>	@ <u>12.65</u>	<u>5060.00</u>
<u>Flt-seal 100#</u>	@ <u>2.25</u>	<u>225.00</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>434</u>	@ <u>2.15</u>	<u>933.10</u>
MILEAGE <u>109.4544 mile</u>		<u>351.54</u>
TOTAL		<u>6569.64</u>

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy

# 431 HELPER idelly

BULK TRUCK

# 394 DRIVER Ray

BULK TRUCK

# 377 DRIVER Jerry

REMARKS:

Attempt to establish circulation  
no flow mix 400 lbs k.ite 1 1/4"  
Flt-seal followed by 50 lbs com  
Displace 32 BBL. Wash out pump  
& lines leave 400# press. & shut in  
Sub complete @ 12:30pm

Thanks Fuzzy crew

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 1075.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 9 @ 7.00 63.00

MANIFOLD thead @ \_\_\_\_\_ 113.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 1251.00

CHARGE TO: Hartman Oil Co

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

1 - 5 1/2 rubber plug @ \_\_\_\_\_ 74.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment

# ALLIED CEMENTING CO., INC.

32164

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>3-13-08</u>	SEC. <u>14</u>	TWP. <u>10S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>9:45 AM</u>	JOB START <u>12:30 PM</u>	JOB FINISH <u>1:30 PM</u>
LEASE <u>Kuska</u>	WELL # <u>1</u>	LOCATION <u>Oakley 3N 4W 1N 7W NW 1/4</u>			COUNTY <u>Thomas</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <input checked="" type="radio"/> OLD <input type="radio"/> NEW							

CONTRACTOR Plains well service OWNER same  
TYPE OF JOB Circulate cement to surface

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
CASING SIZE 5 1/2 DEPTH \_\_\_\_\_  
TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 50'  
PERFS. \_\_\_\_\_ 1130'  
DISPLACEMENT 25.70 BBL

EQUIPMENT  
PUMP TRUCK CEMENTER Andrew  
# 423-281 HELPER Alan  
BULK TRUCK DRIVER Jerry  
# 394  
BULK TRUCK DRIVER ALVIN  
# 218

CEMENT  
AMOUNT ORDERED 400 sks Lite 1/4 Flo-seal  
50 sks com 2 sand on side

COMMON	<u>50 sks</u>	@	<u>14.20</u>	<u>710.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
	<u>Lite 400 sks</u>	@	<u>12.65</u>	<u>5060.00</u>
	<u>Flo-seal 100#</u>	@	<u>2.25</u>	<u>225.00</u>
	<u>sand 2 sks</u>	@	<u>11.80</u>	<u>23.60</u>
		@		
		@		
HANDLING	<u>483 sks</u>	@	<u>2.15</u>	<u>1038.45</u>
MILEAGE	<u>99 sk/mile</u>			<u>391.23</u>
				TOTAL <u>7448.28</u>

REMARKS:

~~in~~ injection rate 300L  
min 500# no blow. mix 200#  
shut down 20 min mix rest of  
Lite cement followed by 50  
sks com displace plug down  
shut IN no blow cement did  
not circulate 700# mix pressure  
  
Thank you

SERVICE

DEPTH OF JOB	<u>1130'</u>		
PUMP TRUCK CHARGE			<u>1025.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>9 miles</u>	@	<u>7.00</u>
MANIFOLD	<u>Head rental</u>	@	<u>113.00</u>
		@	
		@	
TOTAL <u>1251.00</u>			

CHARGE TO: Hartman oil  
STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u>			
<u>Rubber plug</u>	@		<u>74.00</u>
	@		
	@		
	@		
TOTAL <u>74.00</u>			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
TOTAL CHARGE \_\_\_\_\_  
DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE S.T. Mchew

PRINTED NAME

# ALLIED CEMENTING CO., INC.

32167

Federal Tax I.D.# 48-0727860

TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>3-14-08</u>	SEC. <u>14</u>	TWP. <u>10s</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>11:30 Am</u>	JOB START <u>11:30 Am</u>	JOB FINISH <u>12:00 P.m</u>
LEASE <u>Kuska</u>	WELL # <u>1</u>	LOCATION <u>Oakley 3N 4W 1N 1/2W into</u>			COUNTY <u>Thomas</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Plains well service OWNER same

TYPE OF JOB pump cement down back side

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

CEMENT AMOUNT ORDERED 125 sks com

**EQUIPMENT**  
 PUMP TRUCK # 423-281 CEMENTER Andrew  
 HELPER Alan  
 BULK TRUCK # 347 DRIVER Rex  
 BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON 125 sks @ 14.20 1775.00  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING 125 sks @ 2.15 268.75  
 MILEAGE minimum charge 282.00  
 TOTAL 2325.75

**REMARKS:**

Take INjection rate down back side 2 BBL min 350#  
mix 125 sks com down back side  
1 BBL water behind cement  
shut IN with 200#

Thank you

**SERVICE**

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_ 917.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 9 miles @ 2.00 63.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

CHARGE TO: Hartman oil  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 980.00

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE A. T. M.

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

32175

Federal Tax I.D.# 48-0727860

PO BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Pump Truck 3:30 am Oakley

DATE <u>8-20-08</u>	SEC. <u>27</u>	TWP. <u>8</u>	RANGE <u>32</u>	CALLED OUT	ON LOCATION <u>12:30pm</u>	JOB START <u>3:00pm</u>	JOB FINISH <u>3:30pm</u>
WELL # <u>1</u>	LOCATION <u>Oakley 3N 4W</u>			COUNTY <u>Thomas</u>	STATE <u>KS</u>		
OLD OR (NEW) (Circle one) <u>(NEW)</u>				LOCATION <u>1 N 3/4 W NINTO</u>			

CONTRACTOR Plains well service OWNER same

TYPE OF JOB Squeeze

PIPE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

HOUSING SIZE 5 1/2 DEPTH \_\_\_\_\_

PIPELINE SIZE 2 7/8 DEPTH 1025'

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

COLL \_\_\_\_\_ DEPTH \_\_\_\_\_

RES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

EAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_ 1130'

DISPLACEMENT \_\_\_\_\_

CEMENT

AMOUNT ORDERED 100 sks com

2% w

COMMON 100 sks @ 14.20 1420.00

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE 2 sks @ 52.45 104.90

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING 102 sks @ 2.15 219.30

MILEAGE 9 1/2 sb/mile 282.00

min charge TOTAL 2026.20

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy Andrew

431 HELPER Larene

TRUCK DRIVER Wil

218 DRIVER \_\_\_\_\_

TRUCK DRIVER \_\_\_\_\_

REMARKS:

Pressure back side to 500#  
take Injection rate 3/4 BBL min note  
mix 100 sks com 2% w wash pump  
and line clean, displace down  
pressure to 500#  
shut IV

Thank you

CHARGE TO: Hartman oil

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB 1025'

PUMP TRUCK CHARGE \_\_\_\_\_ 1025.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 12 miles @ 7.00 84.00

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 1159.00

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE J.T. [Signature]

PRINTED NAME \_\_\_\_\_