

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1356374

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month c	day year	Spot Description:	
	montn c	day year	Sec Twp	S. R E V
DERATOR: License#			foot from	N / S Line of Section
			foot from	E / W Line of Section
			Is SECTION: Regular Irregular?	
address 2:				
·		Zip: +	- (Note: Locate well on the Section Plan	,
•		·	County:	
hone:			Lease Name:	
ONTRACTOR: Lierary			Field Name:	
Jame:			io tillo di Foldica / opacodi Foldi	Yes No
iame.			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh R	Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes N
Dispo	· =	Cable	Public water supply well within one mile:	Yes N
Seismic ; # o	of Holes Other		Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: II	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			Designate of Total Designation	
Original Completion Da	ate: Origi	inal Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
Directional, Deviated or Ho	rizontal wellbore?	Yes No	Well Farm Pond Other:	
Yes, true vertical depth:			DWR Permit #:	
			— (Note: Apply for Permit with D	WR 🗌 )
(CC DKT #:	<del> </del>		Will Cores be taken?	Yes N
			If Yes, proposed zone:	
			FFIDAVIT	
-	_	g, completion and eventual p	FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq.	
-	_	g, completion and eventual p		
The undersigned hereby a t is agreed that the follow 1. Notify the appropria	ving minimum requirer	g, completion and eventual p		
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ving minimum requirer ate district office <i>prior</i> oved notice of intent to	g, completion and eventual p nents will be met: to spudding of well; o drill <b>shall be</b> posted on ea	olugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ving minimum requirer ate district office <b>prior</b> oved notice of intent to unt of surface pipe as	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ear specified below shall be se	olugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface	pipe <b>s<i>hall be</i> set</b>
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> </ol>	ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as olidated materials plus	g, completion and eventual prents will be met:  It to spudding of well; It drill shall be posted on ear specified below shall be set a minimum of 20 feet into the	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation.	
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> </ol>	ving minimum requirer ate district office <b>prior</b> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw	g, completion and eventual prents will be met:  It to spudding of well; It of a drill shall be posted on ear specified below shall be set a minimum of 20 feet into eveen the operator and the d	ch drilling rig;  et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary	
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be noti	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the dified before well is either plu	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation.	prior to plugging;
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notill COMPLETION, processor	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in;	prior to plugging;  DAYS of spud date.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued to the complete of	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cementarsas surface casing order.	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120	prior to plugging;  DAYS of spud date.  alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued to the complete of	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cementarsas surface casing order.	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a	prior to plugging;  DAYS of spud date.  alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued to the complete of	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cementarsas surface casing order.	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a	prior to plugging;  DAYS of spud date.  alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notiful COMPLETION, proceeding and the within 30 days of the	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cementarsas surface casing order.	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a	prior to plugging;  DAYS of spud date.  alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notiful COMPLETION, proceeding and the within 30 days of the	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cementarsas surface casing order.	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior	prior to plugging;  DAYS of spud date.  alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notiful COMPLETION, proceeding and the within 30 days of the	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ea specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cementarsas surface casing order.	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior	DAYS of spud date. alternate II cementing to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed  Ubmitted Electror  For KCC Use ONLY	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notifue COMPLETION, proceeding "B" - Eastern Kall within 30 days of the nically	g, completion and eventual prents will be met:  to spudding of well; of drill shall be posted on ear specified below shall be set a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order spud date or the well shall	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior  Remember to: File Certification of Compliance with the Kansas Su	DAYS of spud date. alternate II cementing to any cementing.
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka I within 30 days of the	g, completion and eventual prents will be met:  It to spudding of well; It of spudding of well well, It of spudding of well, I	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior	DAYS of spud date. alternate II cementing to any cementing.
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc pendix "B" - Eastern Ka I within 30 days of the	g, completion and eventual prents will be met:  It to spudding of well; It of spudding of well is each of spudding of well in the spudding of well is each of spudding of well in the spudding of well	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior  Remember to: - File Certification of Compliance with the Kansas Su Act (KSONA-1) with Intent to Drill;	DAYS of spud date. Calternate II cementing to any cementing.  rface Owner Notification  Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc pendix "B" - Eastern Ka I within 30 days of the	g, completion and eventual prents will be met:  It to spudding of well; It of spudding of well is each of spudding of well in the spudding of well is each of spudding of well in the spudding of well	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, abe plugged. In all cases, NOTIFY district office prior  Remember to:  - File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to	DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ud date;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proceed within 30 days of the  nically	g, completion and eventual prents will be met:  It to spudding of well; It of spudding of well of spudding of spud	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior  Remember to:  - File Certification of Compliance with the Kansas Su Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spure in the case attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ad date; tion orders; orkover or re-entry;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet strict office will be noti II COMPLETION, procuendix "B" - Eastern Ka I within 30 days of the	g, completion and eventual prenents will be met:  It to spudding of well; It to spudding of well in the spudding of well in th	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior  Remember to:  - File Certification of Compliance with the Kansas Su Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to - File Completion Form ACO-1 within 120 days of sputh in the completion of the	prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ad date; tion orders; orkover or re-entry; upleted (within 60 days);
is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by conductor pipe required — Minimum surface pipe req Approved by:  This authorization expires	ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka I within 30 days of the	g, completion and eventual prenents will be met:  It to spudding of well; It to spudding of well in the spudding of well in th	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior  Remember to:  - File Certification of Compliance with the Kansas Su Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spure in the case attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ad date; tion orders; orkover or re-entry; upleted (within 60 days); g salt water.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	
Vell Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	is section.     Regular of     Integular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lines	PLAT earest lease or unit boundary line. Show the predicted locations of s, as required by the Kansas Surface Owner Notice Act (House Bill 2032). each a separate plat if desired. 360 ft.
	① 1373 ft. <b>LEGEND</b>
	O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location
	EXAMPLE
11	
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date co  Pit capacity:	Existing	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.		liner integrity, ir	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS  it Date: Lease Inspection: Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1356374

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			



