KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1356462

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huid disposal if hadred offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

	rage iwo	1356462
Operator Name:	Lease Name:	Well #:
Sec TwpS. R	County:	
	tail all as use. Demonstrall final	entite of shill show a teste shifted internal tested times to all

Dogo Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		og Formatio	Formation (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD New New Conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Denth	T (0)			-		

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

	No
	No
Γ	No

Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				ŀ		ement Squeeze Record I of Material Used)	Depth		
TUBING RECORD:	TUBING RECORD: Size: Set A				Packer	r At:	Liner Rı		No	
Date of First, Resumed Production, SWD or ENHR. Producing Method: □ Flowing □ Pumping				ping	Gas Lift	Other (Explain)				
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas N	/lcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:										
UISPOSIT	d 🗌 I	Used on Lease		Open Hole] Perf.	OF COMPLE	Comp.	Commingled (Submit ACO-4)	PRODUCTION INTEF	1VAL:
(II vented, St		-10.)		Other (Specify)						

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GLADES 96-17
Doc ID	1356462

Tops

Name	Тор	Datum
Soil	0	9
Shale	9	180
Lime	180	260
Shale	260	280
Lime	280	360
Sandy Lime	360	380
Lime	380	420
Black Shale	420	422
Shale	422	480
Lime	480	670
Big Shale	670	700
Black Shale	700	702
Lime/Shale	702	1095
Black Shale	1095	1097
Squirrel Sand	1097	1110
Shale	1110	1160

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GLADES 96-17
Doc ID	1356462

Casing

	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10.250	8.625	24	40	portland	10	0
Production	6.125	2.875	7	1158	common	160	0

A Received By	LE Robison (77-17 10 Dacks) LE Robison (77-17 10 Dacks) Glades Al-17 10 Dacks Glades 73-17 10 Dacks Glades 93-17 10 Dacks Glades 93-17 10 Dacks	10-16 - 1 12- 89-16 - 1	QUANTITY UM ITEM	LAYMON OIL II 1998 SQUIRREL RD NEOSHO FALLS KS 66	
		Glades 95-17 10 2KS. Glades 96-17 10 220	DESCRIPTION PORTLAND CEMENT	CUST # 3447 TERMS: NET 10TH	THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201
TAXABLE NON-TAXABLE SUB-TOTAL TAX AMOUNT TOTAL			TIME : **** SUG.PRICE PRICE/PER 9.45 /EA	OF MONTH	OMPANY 1
1890.00 0.00 1890.00 165.38 2055.38			ME: 4:20 ***************** * ****************	361243 12/14/16 SE 551	PAGE NO 1

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

TOTAL ROUND TRIP

TOTAL AT JOB

Payless Concrete Products, Inc.

KS 66758

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON OIL II, L.L.C.

DELAY TIME

ADDITIONAL CHARGE 2 GRAND TOTAL

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: GLAZES WELL# 95-17HPTO

YATES CENTER KS 54 W TO QUAIL N 5. 3/4 MI E SD JUST BEFORE RR TRACKS

TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # 1:46 PM 16.00 16.00 MOOCO PO NUMBE DATE LOAD # YARDS DEL. BATCH# SLUMP TICKET NUMBER WATER TRIM 3/24/17 16.00 0.00 4.00 42263 1. 28 Sh-Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Bools and Gloves. PPOLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Imitation Pensists, Get Medical Attention. KEEP CHILDREN AWAY. (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Custome-The driver of this truck in presenting this RELEASE to fou for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if i places the material in this load where you desire i. It is not what to help you in every way that we can, but in order to do this the driver a requesting that you sign this RELEASE releaving thim and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driverays, curbs, etc., by the delivery of this material, and that you also agree to help him remore much from the wheels of his vehicle so that he will not littler the public sheet. Further, as additional consider-tion, the undersigned agrees to indiamity and hold harmless the driver of this truck and this supplier for any end all damage to the premises and realizent property which may be claimed by anyone to have and out delivery of this order. SIGNED H₂0 Added By Request/Authorized By GAL X WEIGHMASTER CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. CATES THAT I HAVE READ THE HEALTH WARNING MY SIGNA AND SUP ELIVERING WILL NOT All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. LOAD RECEIVED BY: A \$30 Service Charge and Loss of the Cesh Discount will be collected on all Returned Checks. 212 X Х Excess Delay Time Charged @ \$60/HR. QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 16.00 WELL WELL (10 SACKS PER UNIT) 16.00 2.00 TRUCKING CHARGE TRUCKING 2.00 16.00 MIX&HAUL MIXING AND HAULING 16.00 **RETURNED TO PLANT** LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 7.50 TAX JOB NOT READY TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB ACCIDENT CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT **ARRIVED JOB** START UNLOADING TIME DUE ADDED WATER **ADDITIONAL CHARGE 1**

UNLOADING TIME