

Spud date: \_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1357341

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	month da	ay year	Spot Description:	
	o.u.	.y you.	Sec Twp S. R	]E'
OPERATOR: License#			feet from N / S Line	of Section
Name:				of Section
Address 1:			Is SECTION: Regular Irregular?	
City:	State:	Zip: +	County:	
			Lease Name: Well #:	
hone:			Field Name:	
CONTRACTOR: License#			Is this a Prorated / Spaced Field?	s $\square$ N
lame:			Target Formation(s):	
Well Drilled For:	Wall Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
	Well Class:	Type Equipment:	· · · · · · · · · · · · · · · · · · ·	feet MS
Oil Enh F	H	Mud Rotary		s \
Gas Stora	· =	Air Rotary		s
Dispo		Cable	Depth to bottom of fresh water:	
Seismic ;# o			Depth to bottom of usable water:	
Otner:			Surface Pipe by Alternate: I II	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
·				
			Projected Total Depth:	
Original Completion Da	ate: Origin	nal Total Depth:		
Directional, Deviated or Ho	rizontal wellhore?	Yes No	Water Source for Drilling Operations:	
		103140	Well Farm Pond Other:	
			- I)\\\\ Pormit #.	
•			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR )	
Bottom Hole Location:			- (Note: Apply for Permit with DWR ) - Will Cores be taken? Ye	s N
Bottom Hole Location:			(Note: Apply for Permit with DWR )	s N
Bottom Hole Location:			- (Note: Apply for Permit with DWR ) - Will Cores be taken? Ye	s N
Bottom Hole Location: CCC DKT #:		AF	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Ye If Yes, proposed zone:	s I
Bottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling,	AF completion and eventual p	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Ye If Yes, proposed zone:	s N
Sottom Hole Location: CCC DKT #: The undersigned hereby t is agreed that the follow	affirms that the drilling, ving minimum requirem	AF completion and eventual pents will be met:	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Ye If Yes, proposed zone:	s N
Sottom Hole Location:  CCC DKT #:  The undersigned hereby t is agreed that the follow  1. Notify the approprise	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> t	AF completion and eventual pents will be met:	(Note: Apply for Permit with DWR )  Will Cores be taken? Ye If Yes, proposed zone:  FFIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.	s In
CCC DKT #: The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amo	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to be detected to the desired the des	completion and eventual pents will be met: to spudding of well; drill shall be posted on each	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set	s In
CCC DKT #: The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to book on the count of surface pipe as solidated materials plus	completion and eventual pents will be met: to spudding of well; drill shall be posted on each specified below shall be sea a minimum of 20 feet into the	(Note: Apply for Permit with DWR )  Will Cores be taken? Ye If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
CCC DKT #: The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to oved notice of intent to unt of surface pipe as solidated materials plus le, an agreement between	completion and eventual pents will be met: to spudding of well; drill shall be posted on each specified below shall be sea minimum of 20 feet into the en the operator and the di	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging	
the undersigned hereby is agreed that the follow  1. Notify the appropriate is accepted all unconsections.  4. If the well is dry ho is appropriate distance.	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to oved notice of intent to unt of surface pipe as solidated materials plusile, an agreement betweetict office will be notifi	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear expecified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	;
the undersigned hereby is agreed that the follow  1. Notify the appropri. 2. A copy of the approthrough all unconse through all unconse. 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to book on the count of surface pipe as solidated materials plus le, an agreement betweetict office will be notifice to the completion, produced the completion, produced the completion, produced the completion of the comple	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug uction pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date	·;
CCC DKT #: The undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections.  4. If the well is dry house the appropriate displayed in the appropriate displayed in the appropriate displayed in the appropriate displayed.  5. The appropriate displayed in the appropri	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to oved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betweetict office will be notified to of	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug action pipe shall be cement mass surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	;
CCC DKT #: The undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections.  4. If the well is dry house the appropriate displayed in the appropriate displayed in the appropriate displayed in the appropriate displayed.  5. The appropriate displayed in the appropri	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to oved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betweetict office will be notified to of	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug action pipe shall be cement mass surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementic	;
CCC DKT #: The undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections.  4. If the well is dry house the appropriate displayed in the appropriate displayed in the appropriate displayed in the appropriate displayed.  5. The appropriate displayed in the appropri	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to oved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betweetict office will be notified to of	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug action pipe shall be cement mass surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementic	;
The undersigned hereby Is agreed that the follow In Notify the appropriate A copy of the appropriate A copy all unconsess. If the well is dry how The appropriate dis If an ALTERNATE of the Appropriate of the Appropriate Ap	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to eved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betwee strict office will be notificated in COMPLETION, produced within 30 days of the second in t	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug action pipe shall be cement mass surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementic	;
The undersigned hereby It is agreed that the follow It is agreed that the follow It is accept of the appropriate of the appropriate distribution of the approp	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to eved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betwee strict office will be notificated in COMPLETION, produced within 30 days of the second in t	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug action pipe shall be cement mass surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	;
The undersigned hereby Is agreed that the follow In Notify the appropriate A copy of the appropriate A copy all unconsess. If the well is dry how The appropriate dis If an ALTERNATE of the Appropriate of the Appropriate Ap	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to eved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betwee strict office will be notificated in COMPLETION, produced within 30 days of the second in t	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug action pipe shall be cement mass surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:	; ing
the undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the approx  3. The minimum amonthrough all unconsed. If the well is dry ho  5. The appropriate dise. If an ALTERNATE of pursuant to Approx  be completed.  Ibmitted Electron  For KCC Use ONLY	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to eved notice of intent to olidated materials plus le, an agreement betwee strict office will be notified in COMPLETION, produced with the series of	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ed before well is either plug uction pipe shall be cement nsas surface casing order a spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notifical	; ng
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electroi  For KCC Use ONLY  API # 15 -	affirms that the drilling, ving minimum requirem ate district office <b>prior</b> to eved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betwee strict office will be notifill COMPLETION, produce the even of the series of	completion and eventual pents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the entire operator and the died before well is either pluguetion pipe shall be cement in sas surface casing order as spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 1333,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notifica Act (KSONA-1) with Intent to Drill;	; ng
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed  Ubmitted Electrol  For KCC Use ONLY  API # 15 -  Conductor pipe required	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to boved notice of intent to unt of surface pipe as solidated materials plus ale, an agreement betweet in COMPLETION, producted in the surface of the surf	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the died before well is either pluguation pipe shall be cement in sas surface casing order as spud date or the well shall be spud date or the well shall be spud date.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notifica Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;	; ng
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria It is acropy of the appropria It is dry ho and through all unconse If the well is dry ho It is dry h	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to boved notice of intent to unt of surface pipe as solidated materials plus ale, an agreement betweet in COMPLETION, producted in the surface of the surf	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the died before well is either pluguation pipe shall be cement in sas surface casing order as spud date or the well shall be spud date or the well shall be spud date.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 1333,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notifica Act (KSONA-1) with Intent to Drill;	; ng
CCC DKT #:  The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the approduce and through all unconses.  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE or pursuant to Approduce and the completed and the completed.  Ubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required.	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to eved notice of intent to unt of surface pipe as solidated materials plus ale, an agreement betweetrict office will be notifill COMPLETION, produced "B" - Eastern Kard within 30 days of the senically	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the died before well is either pluguetion pipe shall be cement as surface casing order as spud date or the well shall be spuddate or the well shall be spuddate or the well shall be spuddate.	Will Cores be taken?  If Yes, proposed zone:  SFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 1333,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notifica Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;	; ng
CCC DKT #:  The undersigned hereby t is agreed that the follow  1. Notify the appropriate. A copy of the appropriate distance of the appropriate of th	affirms that the drilling, ving minimum requirem ate district office <i>prior</i> to boved notice of intent to unt of surface pipe as solidated materials plus le, an agreement betweetrict office will be notified If COMPLETION, produced "B" - Eastern Kand within 30 days of the sonically	completion and eventual pents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the died before well is either pluguetion pipe shall be cement as surface casing order as spud date or the well shall be spuddate or the well shall be spuddate or the well shall be spuddate.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	, ng tion

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	cation of W	/ell: County:			
Lease:									feet from N / S Line of Section			
Well Numb	er:								feet from E / W Line of Section			
Field:							_ Se	SecTwpS. R 🔲 E 🔲 W				
Number of	Acres attr	ibutable to	well:				— le	Section:	Regular or Irregular			
QTR/QTR/	QTR/QTR	of acreag	e:					oection.	Tregular or Tregular			
									Irregular, locate well from nearest corner boundary. er used: NE NW SE SW			
		nds, tank b			d electrica	al lines, as	required b		dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired.			
1135 ft				:					LEGEND			
			•	•				•				
		•	: :	:		:	:	:	O Well Location			
		:	:	:		:	:	:	Tank Battery Location			
	•••••		• • • • • • • • • • • • • • • • • • • •		•••••		•••••		Pipeline Location			
			:	:			:		Electric Line Location			
		:	:	:		:	:	:	Lease Road Location			
	•••••		• • • • • • • • • • • • • • • • • • • •		•••••		•••••					
		:										
		:		:	1	:		:	EXAMPLE			
		<u>:</u>	· :	<del></del> -		<u>:</u>	:	:				
		:		0	)1							
		:	:	:		:	:	:				
		:	:	:		:	:	:				
		:		:				:				
		:	: :	: :		:	:	:	0=1 1980' FSL			
							<u></u>					
		:	:	:		:		:	SEWARD CO. 3390' FEL			
		:	:	:	1	:	:	:				

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
	D'' :		The Education (account).			
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	Sec. Twp. R. East West			
Settling Pit Drilling Pit	If Existing, date con					
Workover Pit Haul-Off Pit			Feet from North / South Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	YesN	lo				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
	m ground level to dee					
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet.			
		Source of inform				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:  Abandonment procedure:				
Barrels of fluid produced daily:  Does the slope from the tank battery allow all sp		Abandonment p	procedure:			
flow into the pit? Yes No	Silica Italiao to	Drill pits must be closed within 365 days of spud date.				
	-					
Submitted Electronically						
Submitted Lieutionically						
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Data Pagaiyad	oor:	Dormi				
Date Received: Permit Numb	JCI	Permi	t Date: Lease Inspection: Yes No			

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1357341

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat				
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.				
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1					
Submitted Electronically					

