

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1357443
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	-----------------------------------------

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1357443

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GLADES 99-17
Doc ID	1357443

Tops

Name	Top	Datum
Soil	0	12
Shale	12	160
Lime	160	242
Black Shale	242	243
Lime	243	400
Shale	400	420
Black Shale	420	422
Lime	422	480
Red Shale	480	500
Shale	500	520
Lime	520	588
Black Shale	588	590
Lime	590	607
Black Shale	607	608
Lime	608	655
Big Shale	655	670
Black Shale	670	874
Lime/ Shale	874	1040
Black Shale	1040	1042
5' Lime	1042	1046
Black Shale	1046	1050
Upper Sand	1050	1070
Shale	1070	1140
Cap Rock	1140	1141

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GLADES 99-17
Doc ID	1357443

Tops

Name	Top	Datum
Sandy Shale	1141	1144
Cap Rock	1144	1145
Lower Sand	1145	1160
Shale	1160	1260

THE NEW KLEIN LUMBER COMPANY
 201 W. MADISON
 P.O. BOX 805
 IOLA, KS 66749
 PHONE: (620) 365-2201

LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

CUST # 3447
 TERMS: NET 10TH OF MONTH

DATE : 12/14/16
 CLERK: SE
 TERM # 551

TIME : 4:20

 *

QUANTITY	UM	PC	ITEM	DESCRIPTION	SUG. PRICE	PRICE/PER	EXTENSION
200	EA			PORTLAND CEMENT		9.45 /EA	1,890.00
			Glades 9D-16	95-17			
			Glades 89-16	96-17			
			Glades 8D-16	97-17			
			Glades 79-17	98-17			
			Glades 47-17	99-17			
			Glades 3D-17				
			Glades 91-17				
			Glades 92-17				
			Glades 93-17				
			Glades 94-17				
TAXABLE NON-TAXABLE SUB-TOTAL TAX AMOUNT TOTAL							1890.00 0.00 1890.00 165.38 2055.38

X
 Received By _____



Hammerson Ready Mix

1300 2200 Rd.
Gas, KS 66742
620-365-7200

PLANT 01	TIME 14:12	DATE 05/10/17	ACCOUNT LAYMON	TRUCK 104	DRIVER EATHAN	TICKET 10791
-------------	---------------	------------------	-------------------	--------------	------------------	-----------------

CUSTOMER NAME LAYMON OIL II LLC 1998 SQUIRREL RD NEOSHO FALLS KS 66758	DELIVERY ADDRESS WELL-GLADES 99-17
---------------------------------------------------------------------------------	---------------------------------------

PURCHASE ORDER	SALES ORDER 472	TAX WOODSON CT	CREDIT	SLUMP 8.00 in
----------------	--------------------	-------------------	--------	------------------

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
8.00 yd	WELL MUD	WELL (10 SACKS PER YARD)	16.00	16.00		
8.00 ea	HAUL & MI	HAUL & MIX	16.00	16.00		

LOADED	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
	:	3:20	3:50	:

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

2.30
NEOSHO FALLS RD NORTH TURN WEST ON 180TH RD
TURN SOUTH ON BISON RD (IN VERNON)

This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver.	ADDITIONAL WATER ADDED ON JOB →	Gallons	By
------------------------------------------------------------------------------------------------------------------------------	---------------------------------	---------	----

UNLOADING TIME ALLOWED 30 MINUTES PER TRIP
EXTRA CHARGE FOR OVER 30 MINUTES →

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water. If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention. KEEP OUT OF REACH OF CHILDREN

RECEIVED IN GOOD CONDITION
BY *X Mark D. H*

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line. If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.



Hammerson Ready Mix

1300 2200 Rd.
Gas, KS 66742
620-365-7200

PLANT 01	TIME 14:02	DATE 05/10/17	ACCOUNT LAYMON	TRUCK 104	DRIVER EATHAN	TICKET 10790
-------------	---------------	------------------	-------------------	--------------	------------------	-----------------

CUSTOMER NAME LAYMON OIL II LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758	DELIVERY ADDRESS WELL-GLADES 99-17
----------------------------------------------------------------------------------	---------------------------------------

PURCHASE ORDER	SALES ORDER 472	TAX WOODSON	CREDIT CU	SLUMP 8.00 in
----------------	--------------------	----------------	--------------	------------------

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
8.00 yd	WELL MUD	WELL (10 SACKS PER YARD)	16.00	8.00		
8.00 ea	HAUL 3 MI	HAUL & MIX	16.00	8.00		

LOADED	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
:	:	:	:	:

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

NEOSHO FALLS RD NORTH TURN WEST ON 180TH RD
TURN SOUTH ON BISON RD (IN VERNON)

This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver.	ADDITIONAL WATER ADDED ON JOB →	Gallons	By
------------------------------------------------------------------------------------------------------------------------------	---------------------------------	---------	----

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water. If any cementitious material gets into the eye, nose, mouth or clothing, immediately and thoroughly with water and get prompt medical attention. KEEP OUT OF REACH OF CHILDREN

UNLOADING TIME ALLOWED 30 MINUTES PER TRIP EXTRA CHARGE FOR OVER 30 MINUTES →
RECEIVED IN GOOD CONDITION BY X

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line. If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.