Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1357619

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Oil WSW SWD SIOW	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Total Vertical Depth: Plug Back Total Depth:
GSW Group Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
	feet depth to:w/sx cmt.
Well Name:	os deput to sx citi.
Original Comp. Date: Original Total Depth:	
_ Deepening _ Re-perf. _ Conv. to ENHR _ Conv. to SWD _ Plug Back _ Conv. to GSW _ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Flug Back Conv. to Gov Conv. to Floutice	
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

ge Two		
	1357619	

Operator Name:				Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
instructions: Sho open and closed, flowi and flow rates if gas to	ng and shut-in pressu surface test, along w	res, whe	ther shut-in pre hart(s). Attach	essure reac extra shee	hed stati t if more	c level, hydrost space is need	atic pressures, b ed.	ottom hole tempo	erature, fluid recovery,	
Final Radioactivity Log files must be submitted	-					gs must be em	ialled to kcc-well-	logs@kcc.ks.go	v. Digital electronic lo	
Drill Stem Tests Taken (Attach Additional S	heets)	Ye	es No				ion (Top), Depth		Sample	
Samples Sent to Geole	ogical Survey	Ye	es No		Nam	е		Тор	Datum	
Cores Taken Electric Log Run		Y∈ Y∈								
List All E. Logs Run:										
		Repo	CASING	RECORD	Ne		ction, etc.			
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	. CEMENTII	NG / SQL	EEZE RECORI				
Purpose: Perforate Protect Casing	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives				
Plug Back TD Plug Off Zone										
Did you perform a hydraul Does the volume of the to Was the hydraulic fracturi	tal base fluid of the hydra	ulic fractu	ıring treatment ex		•	Yes Yes Yes	No (If No, s	skip questions 2 ar skip question 3) fill out Page Three	,	
Shots Per Foot	ots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfo							Cement Squeeze Record and of Material Used) De		
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:	Yes N	lo	<u> </u>	
Date of First, Resumed F	Production, SWD or ENH	R.	Producing Meth	nod:	g 🗌	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity	
DISPOSITIC Vented Sold (If vented, Sub.	Used on Lease		Monther Monther Monther (Specify)	/IETHOD OF	_	Comp. Co	ommingled bmit ACO-4)	PRODUCTIO	ON INTERVAL:	

Form	ACO1 - Well Completion
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	C00000 A 01
Doc ID	1357619

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	_	Type Of Cement		Type and Percent Additives
Surface	17.500	10.750	70	20	BENTONI TE	27	WATER



			_							
Dee	Deep Well GroundBed Data:			Date: 06/13/17						
L. L. Miranaka and	00745 0047 TV		+	Dolling Control			MOLEANS OF INSTALLATION, INC.			
	SST15-2017-TX	+				MCLEANS CP INSTALLATION, INC. 2 - HOXIE COMPR STATION				
	SOUTHERN STAR					JOMPR STATIO	N			
	DEEP WELL		State:							
Well Depth:				County:						
Diameter:			Other-Driller:							
Casing:					lling Method:	MUD				
Type of Backfill:				Base Use	eable Water:					
	1 SET OF 10 ANOTE									
	39.27599716, -100.48	043823		TEST VOLTS: 11.57						
Remarks:	2 wells									
			+							
	Daillian Lan		 _	4./1.1		г т		Al . 1		
	<u>Drilling Log</u>			<u>ectrical L</u>			Anode Log			
B	F	Na - 4	_	FORE BACKE				AFTER BAC		
Depth:	Formation Type:	Material:	Volt	Anode	Anode #		Volt	Anode	Anode #	
01	OLAY.	CACING/HOLEDILIC	+	Depth				Depth		
0'	CLAY	CASING/HOLEPLUG	+					-		
5'	CLAY	CASING/HOLEPLUG	+							
10'	CLAY	CASING/HOLEPLUG	+					-		
15'	CLAY	CASING/HOLEPLUG	+							
20	CLAY	CASING/HOLEPLUG	+							
25	CLAY	HOLE PLUG								
30	SAND	HOLE PLUG	-							
35	SAND	HOLE PLUG								
40	SAND	HOLE PLUG								
45	SAND	HOLE PLUG								
50	SAND	HOLE PLUG								
55	SAND	HOLE PLUG								
60	GRAVEL	HOLE PLUG	+							
65 70	GRAVEL	HOLE PLUG	+							
70 75	GRAVEL	HOLE PLUG	+							
80	GRAVEL	HOLE PLUG	-							
85	GRAVEL GRAVEL	COKE COKE	+							
90	SAND		+							
		COKE	-							
95 100	SAND	COKE	+							
100	SAND SAND	COKE COKE	+		10		0.07			
110	SAND	COKE	+		10		0.07	-		
115	SAND	COKE	+	-	9		0.07	-		
120	SAND	COKE	+		"		0.07	-		
125	SAND	COKE	+		8		0.09	 		
130	SANDY CLAY	COKE	+	-	\vdash $\stackrel{\circ}{-}$		0.09	-		
135	SANDY CLAY	COKE	+		7		1.2			
140	SANDY CLAY	COKE	+		 '		1.2	 		
145	SANDY CLAY	COKE	+		6		1.2			
150	SANDY CLAY	COKE	+				1.2	 		
155	SANDY CLAY	COKE	+		5		1.3	<u> </u>		
160	SANDY CLAY	COKE	+				1.5			
165	SANDY CLAY	COKE	+		4		1.1			
170	CLAY GRAVEL	COKE	+				1.1			
175	CLAY GRAVEL	COKE	+		3		1.3			
180	CLAY GRAVEL CLAY GRAVEL	COKE	+				1.0			
185	CLAY GRAVEL	COKE	+		2		1.3	-		
190	CLAY GRAVEL	COKE	+				1.0			
195	CLAY GRAVEL	COKE	+		1		1.3	 		
200	CLAY GRAVEL	COKE	+		'		1.0			
200	OLAI SIWALL	JONE		L	L		I	L	L	

