For KCC Use:

Effective Date:	
B ¹ · · · · · ·	

District #	ŧ	
SGA?	Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1358009

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well. Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E \[W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSL
Name:	Cathodic Borehole Total Depth: feet
Type Drilling Equipment: Mud Rotary Cable	Depth to Bedrock: feet
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: 🗌 None 📄 Single 📄 Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing size fiches Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;; ;;;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;;;;;;	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
······································	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
	Depth of TOP of Backfill installation material:
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.	
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate District office prior to spudding and again before plugging the wa and placement is necessary prior to plugging. In all cases, notify District Office prior to 	
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
4. The minimum amount of cathodic surface casing as specified below shall be set by gro	outing to the top when the cathodic surface casing is set.
 File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (for Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completin C. White Register second (CB-4) within 60 days after fined plurging is appleted. 	
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	
Submitted Electronically	

FOR NCC USE ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required: feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent m
Spud date: Agent:	
	٤

API # 15 -_


IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section
Borehole Number:	feet from L E / W Line of Section
	SecTwpS. R E 🗌 W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1358009

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate				
Operator Name:			License Number:	
Operator Address:			-	
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:]··	
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East \	West
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of	Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of a	Section
		(bbls)		County
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: (For Emergency Pits and Settling Pits only)	mg/l
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (feet)Width (feet)N/A: Steel Pits			ts	
Depth fro	m ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet.		
		Source of inforr		√R
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
		Abandonment procedure:		
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				

KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS Date Received: _ Permit Number: _ Permit Date: _ Lease Inspection: Yes No

Mail to: KCC - Conservation Division, 266 N Main St, Ste 220, Wichita, KS 67202-1513

	DRATION COMMISSION 1358009 Form KSONA-1 July 2014
	NSERVATION DIVISION Form Must Be Typed Form must be Signed
	COMPLIANCE WITH THE All blanks must be Filled
KANSAS SURFACE O	WNER NOTIFICATION ACT
This form must be submitted with all Forms C-1 (Notice	e of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent);
	on or Surface Pit Permit); and CP-1 (Well Plugging Application).
Any such form submitted without an ac	ccompanying Form KSONA-1 will be returned.
Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	_ Well Location:
Name:	S. R East 🗌 West
Address 1:	_ County:
Address 2:	_ Lease Name: Well #:
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	_
Email Address:	_
Surface Owner Information:	
Name:	
Address 1:	 sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2: County, and in the real estate property tax records of the county	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

State: Zip: +

Select one of the following:

Citv:

- □ I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.


L Submitted Electronically

I

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	C59232 01
Doc ID	1358009

Anode Installation Depths

epth
90
30
70
60
50
40
30
20
10
00
90
30
70
60
50
40
30
20
10
00



For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: SOUTHER STAR CENTRAL GAS PIPEL	INE INC Location of W	elt County. FORD
Facility Name: C59232	1,882	feet from V N / S Line of Section
Borehole Number: 01	95	feet from E / W Line of Section
	Sec	Twp. $\frac{28}{3}$ S. R. $\frac{26}{3}$ E \bigvee W
	Is Section:	Regular or Irregular
		irregular, locate well from nearest corner boundary.
	Section corne	rused: NE NW SE SW
Show location of the Cathodic Borehole Sh	PLAT	it boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and ele	ctrical lines, as required by the Kans	sas Surface Owner Notice Act (House Bill 2032).
1882 FT	fou may attach a separate plat if desi Vol	ired. le
		LEGEND
······································		O Well Location
		Tank Battery Location
· · · · · · · · · · · · · · · · · · ·		Pipeline Location
		Electric Line Location
95FT		Lease Road Location
		A - Rectifier Loradian
		EXAMPLE

	· · · · · · · · · · · · · · · · · · ·	
<u>~</u>		0 1980' FSL
8		······
<u>8</u>	*****	
2		
2		SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.