For KCC Use:
Effective Date:
District #
SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

1358012

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas S	urface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR 11	Ground Surface Elevation: MSL
CONTRACTOR: License#	Cathodic Borehole Total Depth:
Name:	Depth to Bedrock:
Type Drilling Equipment:	Water Information
☐ Air Rotary ☐ Other	
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile:Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;;;;	Annular space between borehole and casing will be grouted with:
7.11000 Installation depths are	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
of this well will comply with K.S.A. 55-101 et. seq.	
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met.	
1. Notify the appropriate District office prior to spudding and again before plugging the	
and placement is necessary prior to plugging. In all cases, notify District Office prior	to any grouting.
 Notify appropriate District Office 48 hours prior to workover or re-entry. 	
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
4. The minimum amount of cathodic surface casing as specified below shall be set by g	
	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	tion Form (ACO-1) within 60 days from spud date.
u. Submit plugging report (Or -4) within 60 days after final plugging is completed.	
Outraitte d'Electronicelle	
Submitted Electronically	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required:	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent
Spud date: Agent:	Γ

1358012

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

							ation of We	: County:		
Name:								feet from	N / S Line	of Se
le Number:_								feet from	🗌 E / 🔲 W Line	of Se
						Sec	>	Twp S. R		W
						Is S	Section:	Regular or Irregula	r	
						14 6	aatian ia l	egular, locate well from n		doni
								ised: NE NW		uai y.
						Sec	tion come	sedINEINVV	JSESVV	
				d electrica	tage to the	required b	y the Kans plat if desi	boundary line. Show the pros Surface Owner Notice Act d. 185 ft.		
	<u>:</u>	:	:		<u> </u>	:				
		:	:		:	:		1.50	END	
	:	:	:		:	:	:	LEG	END	
•••••			• • • • • • • • • • • • • • • • • • • •	•••••				O Well	Location	
	•	:	:		:	:	:	_	Battery Location	
	:	:	:		:	:	<u> </u>	- LV H		
•••••	• • • • • • • • • • • • • • • • • • • •	•••••		••••				i ipei	ine Location	
		:	:		:	:	:		ric Line Location	
	:	:	:		:	:		Leas	e Road Location	
			·	••••						
	:	:	:		:	:	:			
	:	:	:		:	:	:	EXAMPLE	: :	7
	:	:								
	<u>:</u>	<u>:</u>	<u> </u>	/	•	:		EXAMPLE		
	<u>:</u> :	<u>:</u> :	<u>: </u>	7	:	<u>:</u> :	:	EXAMPLE		
	<u>:</u> :		<u>: </u>	/		: : :		EXAMPLE		
			2			:		EXAMPLE		
	<u>:</u> 	<u></u>	2					EXAMPLE		
	<u>:</u> :: :	: : : : : :	2				:	EXAMPLE		
	<u>:</u> 		2	•••••				EXAMPLE		
			2					EXAMPLE O-7		1980
			2	•••••				example O		1980
			2	•••••				EXAMPLE O		1980
			2	•••••				EXAMPLE O		1980

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

1358012

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:	□ -				
Emergency Pit Burn Pit Settling Pit Drilling Pit	Proposed	Existing	SecTwpR East West			
Workover Pit Haul-Off Pit	If Existing, date cor	istructed:	Feet from North / South Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
			N			
, , , , , , , , , , , , , , , , , , , ,	Length (feem ground level to dee	•	Width (feet) N/A: Steel Pits (feet) No Pit			
If the pit is lined give a brief description of the lir material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	f pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all sp flow into the pit? Yes No	oilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically	-					
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection: Yes No			

Kansas Corporation Commission Oil & Gas Conservation Division

1358012

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:						
Name:							
Address 1:	County:						
Address 2:							
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:						
Contact Person:							
Phone: () Fax: () Email Address:							
Surface Owner Information:							
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional						
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the						
Address 2:	county, and in the real estate property tax records of the county treasurer.						
City: State: Zip:+							
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.						
Select one of the following:							
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.						
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.						
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.						
Submitted Electronically							
I	_						

Form	CB1CDP1 - Cathodic Protection Borehole Intent					
Operator	Southern Star Central Gas Pipeline, Inc.					
Well Name	C59231 01					
Doc ID	1358012					

Anode Installation Depths

epth
00
30
70
50
50
0
30
20
0
00
00
30
70
50
50
0
30
20
0
0



For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

	in all cas	ses, please	fully com	plete this s	side of the	form. Incl	ude items	1 throug	h 3 at the bottom of this page.
	HER STAR 59231 01	CENTRA	AL GAS PI	PELINE II	NC	Sec Is S	1,185 50 27 Section:	Twp.	feet from N / S Line of Section feet from E / W Line of Section 28 S. R. 28 E W ular or Irregular Ir, locate well from nearest corner boundary.
Show loc lease ro	eation of the	e Cathodic atteries, pi	: Borehole. ipelines an	d electrica	ıl lines, as	PLAT e nearest l required b a separate	y the Kan	sas Surfe	dary line. Show the predicted locations of acce Owner Notice Act (House Bill 2032).
(ille	YX					1185 F		
							3	50FT	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
								1720	EXAMPLE 1980' FSL
		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	**************************************	••••••	* * * * * * * * * * * * * * * * * * *				SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.