For KCC Use: Effective Date: District # _ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1358210

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day y	Sec Twp S. R E V
DPERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
ity: State: Zip:	County
Contact Person:	Lease Name:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipm	nent: Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
Oil Enh Rec Infield Mud Ro	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rot. Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Don't at ad Tatal Donath.
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	Will Cores be taken?
	If Yes, proposed zone:
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling completion ar	If Yes, proposed zone:
	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be me	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et:
t is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well;
t is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; bosted on each drilling rig;
t is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum requirements will be me Notify the appropriate district office <i>prior</i> to spudding of A copy of the approved notice of intent to drill <i>shall be</i> p The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of If the well is dry hole, an agreement between the operate The appropriate district office will be notified before well 	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in;
 t is agreed that the following minimum requirements will be me Notify the appropriate district office <i>prior</i> to spudding of A copy of the approved notice of intent to drill <i>shall be</i> p The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of If the well is dry hole, an agreement between the operate The appropriate district office will be notified before well If an ALTERNATE II COMPLETION, production pipe shall 	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements will be me Notify the appropriate district office <i>prior</i> to spudding of A copy of the approved notice of intent to drill <i>shall be</i> p The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of If the well is dry hole, an agreement between the operate The appropriate district office will be notified before well If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface or 	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 t is agreed that the following minimum requirements will be me Notify the appropriate district office <i>prior</i> to spudding of A copy of the approved notice of intent to drill <i>shall be</i> p The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of If the well is dry hole, an agreement between the operate The appropriate district office will be notified before well If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface or 	If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; bosted on each drilling rig; by shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; but is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; bosted on each drilling rig; by shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; but is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. well; bosted on each drilling rig; by shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; but is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. Bet: Well; Bosted on each drilling rig; By shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. Bor and the district office on plug length and placement is necessary prior to plugging; Bis either plugged or production casing is cemented in; Ball be cemented from below any usable water to surface within 120 DAYS of spud date. Basing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; bosted on each drilling rig; by shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. bet: well; bosted on each drilling rig; by shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing he well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; well; well shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. assing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 -	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing we well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the ubmitted Electronically For KCC Use ONLY API # 15	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. et: well; oosted on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the ubmitted Electronically For KCC Use ONLY API # 15	AFFIDAVIT Independent of the second property
t is agreed that the following minimum requirements will be me 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface comust be completed within 30 days of the spud date or the production of the spud date or the spud date or the spud date or the spud date or the spud date of the spud date of the spud date of the spud date of the spud date or the spud date of th	AFFIDAVIT Independent of the eventual plugging of this well will comply with K.S.A. 55 et. seq. Independent of the eventual plugging of this well will comply with K.S.A. 55 et. seq. Independent of the eventual plugging of this well will comply with K.S.A. 55 et. seq. Independent of the eventual plugging of this well will comply with K.S.A. 55 et. seq. Independent of the eventual plugging of this well will comply with K.S.A. 55 et. seq. Independent of the eventual plugging of this well, well, well, well, well, well, well, well, well, well as the eventual plugging of the eventual plugging of the eventual plugging of the eventual plugging; is either plugging or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district of area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. In all plugging of this well will comply with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; In all plugging of this well will comply will be prior to well as the event of the event

0:4-	T
Side	

1358210

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3465 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1358210

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
is the pit located in a Sensitive Ground Water A	ilea: [les [INO .	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
			Mistle (for a)		
ζ ,	Length (fee	,	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining					
material, thickness and installation procedure.			cluding any special monitoring.		
		Depth to shallow Source of inforr	west fresh water feet. nation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No					
Cubmitted Fleetrenically					
Submitted Electronically					
Submitted Electronically					
Submitted Electronically	KCC (OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS		

Kansas Corporation Commission Oil & Gas Conservation Division

1358210


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent)		
OPERATOR: License #			
Name:			
Address 1:			
Address 2:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat		
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface own	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			



Kansas
Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

June 22, 2017

Joe Taglieri Running Foxes Petroleum Inc. 48 INVERNESS CT E. SUITE 120 ENGLEWOOD, CO 80112-5328

Re: Drilling Pit Application Gruber 7-3B-3 NE/4 Sec.03-01S-15E Brown County, Kansas

Dear Joe Taglieri:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.