KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1358339

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPTION	RIFASE
VVELL		DESCRIPTION	X LEASE

OPERATOR: License #	API No. 15
Name:	_ Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	_ Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	
Well Name:	
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Produce	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	_ Operator Name:
GSW Permit #:	
Spud Date or Date Reached TD Completion Date or	– Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Iwo	1358339
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS: Chause important tang of formations paratested.	atail all aaraa Bapart all final	panias of drill stame tests giving interval tested, time test

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	jical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD New		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	L
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Γ

Yes	No No
Yes	No
Yes	No

(If No, skip questions 2 and 3) (If No, skip question 3)


(If No, fill out Page Three of the ACO-1)

Shots Per Foot				RD - Bridge Plug Each Interval Per)e	A		ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:	:	Packer	r At:	Liner Ru	un:	No	
Date of First, Resumed	I Product	ion, SWD or ENH	٦.	Producing Met	hod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:							TION			
UISPOSITI	d 🗌	Used on Lease		Open Hole	Perf.	OF COMPLE	Comp.	Commingled (Submit ACO-4)	PRODUCTION INTER	1VAL:
(ii veineu, eu				Other (Specify) _						

Form	ACO1 - Well Completion
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	C58442 A 01
Doc ID	1358339

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	17.500	10.500	70	20	BENTONI TE	27	WATER





4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

Dee	ep Well GroundBed D	ata:			Date:	06/19/17				
	00740 00/- 1/0		Drilling Contractor: MCLEANS CP INSTALLATION, INC.							
	SST13-2017-KS									
	SOUTHERN STAR					4 SAPPA CREEK				
	DEEP WELL				State:					
Well Depth:			County: THOMAS							
Diameter:					Other-Driller:					
Casing:					lling Method:					
Type of Backfill:				Base Use	eable Water:	N/A				
	Anode Type: 2 SETS OF 10 ANOTECH 2684									
	39.5195296, -100.519	5296		<u></u>	ST VOLTS:	11.57				
Remarks:	2 HOLES									
	Duilling Lag					1		A		
	Drilling Log			ectrical L				Anode I		
Des rit	F	Marta		FORE BACKE				AFTER BA		
Depth:	Formation Type:	Material:	Volt	Anode	Anode #	├ ──── │	Volt	Anode	Anode #	
0				Depth		├		Depth		
0'	CLAY	HOLEPLUG/CASING								
5'	CLAY	HOLEPLUG/CASING				├				
10'	CLAY	HOLEPLUG/CASING				├				
15'	CLAY	HOLEPLUG/CASING				├				
20	CLAY	HOLEPLUG/CASING				├				
25 30	CLAY	HOLEPLUG				├				
	CLAY	HOLEPLUG								
35 40	CLAY CLAY	HOLEPLUG HOLEPLUG								
40	CLAY	HOLEPLUG				<u>├</u>		<u> </u>		
45 50	CLAY	HOLEPLUG				<u>├</u>		<u> </u>		
50	CLAY	HOLEPLUG				<u>├</u>		<u> </u>		
60	CLAY	HOLEPLUG				├		<u> </u>		
65	CLAY	HOLEPLUG								
70	CLAY	HOLEPLUG				<u>├</u>				
75	CLAY	COKE								
80	CLAY	COKE								
85	CLAY	COKE						1		
90	CLAY	COKE			1				l	
95	CLAY	COKE			1				l	
100	SANDY CLAY	COKE			1				l	
105	SANDY CLAY	COKE			10		1.4			
110	SANDY CLAY	COKE								
115	SANDY CLAY	COKE			9		1.6		1	
120	SANDY CLAY	COKE			-		-		1	
125	SANDY CLAY	COKE			8		1.4			
130	SANDY CLAY	COKE				1				
135	SANDY CLAY	COKE			7		0.6			
140	SANDY CLAY	COKE								
145	SANDY CLAY	COKE			6	i i	0.8			
150	SANDY CLAY	COKE								
155	SANDY CLAY	COKE			5		0.8			
160	SHALE	COKE								
165	SHALE	COKE			4		2.0			
170	SHALE	COKE								
175	SHALE	COKE			3		2.0			
180	SHALE	COKE								
185	SHALE	COKE			2		2.1			
190	SHALE	COKE								
195	SHALE	COKE			1		2.2			
200	SHALE	COKE								