Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1358713

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Oil WSW SWD SIOW	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from:
Operator:	feet depth to:w/sx cmt.
Well Name:	sx cm.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Bata mast be conceiled norm the reserve rity)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	One work on Manney
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:


1358713	

Operator Name:				Lease N	Name: _			_ Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Show open and closed, flowing and flow rates if gas to	ng and shut-in pressur surface test, along wi	res, whetl th final ch	her shut-in pre nart(s). Attach	ssure reacl extra shee	hed stati t if more	c level, hydrosta space is needed	tic pressures, bo d.	ttom hole temp	erature, fluid recovery,
Final Radioactivity Log, files must be submitted						egs must be ema	iled to kcc-well-lo	ogs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional Sh	neets)	Ye:	s No				on (Top), Depth a		Sample
Samples Sent to Geolo	gical Survey	Ye:	s No		Nam	e		Тор	Datum
Cores Taken Electric Log Run		Ye:							
List All E. Logs Run:									
		Repor	CASING t all strings set-c		Ne	w Used	on, etc.		
Purpose of String	Size Hole Drilled	Size	Casing (In O.D.)	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD			
Purpose:	Depth	Type	of Cement	# Sacks			Type and I	Percent Additives	
Perforate Protect Casing Plug Back TD	Top Bottom								
Plug Off Zone									
Did you perform a hydrauli Does the volume of the tota Was the hydraulic fracturin	al base fluid of the hydra	ulic fractur	_		-	= =	No (If No, sk	tip questions 2 at tip question 3) I out Page Three	
Shots Per Foot			D - Bridge Plugs ach Interval Perf				cture, Shot, Cemen mount and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:		Packer At	i:	Liner Run:	Yes No		
Date of First, Resumed P	roduction, SWD or ENH	R.	Producing Meth	od: Pumpin	g 🗌	Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil Bt	ols.	Gas	Mcf	Wate	er B	bls.	Gas-Oil Ratio	Gravity
DISPOSITION	N OF GAS:		N	METHOD OF	COMPLE	ETION:		PRODUCTION	ON INTERVAL:
Vented Sold	Used on Lease	_ o	pen Hole	Perf.	Dually		nmingled		
(If vented, Subn	nit ACO-18.)	o	ther (Specify)		(SUDITIIL)	(SUb	mit ACO-4) —		

Form	ACO1 - Well Completion
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	C58949 A 01
Doc ID	1358713

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	17.500	10.500	70	20	BENTONI TE HOLE PLUG	27	WATER





Deep Well GroundBed Data:	Date:	06/23/17
Job Number: SST14-2017-TX	Drilling Contractor:	MCLEANS CP INSTALLATION, INC.
Company Name: SOUTHERN STAR	Facility/Line:	ST FRANCIS RECT #598
Subject: DEEP WELL	State:	KS
Well Depth: 200FT	County:	CHEYENNE
Diameter: 10IN	Other-Driller:	TR
Casing: 20FT	Drilling Method:	MUD
Type of Backfill: SC2	Base Useable Water:	N/A
Anode Type: 2 SETS OF 10 ANOTECH 2684		
GPS: 39.880477, -101.823860	TEST VOLTS:	11.57
Remarks: 2 HOLES		
<u>Drilling Log</u>	Electrical Log	Anode Log
	BEFORE BACKFILL	AFTER BACKFILL

<u>Drilling Log</u>		<u>El</u>	ectrical L	<u>.og</u>		Anode Log			
			BEFORE BACKFILL				AFTER BACKFILL		
Depth:	Formation Type:	Material:	Volt	Anode	Anode #		Volt	Anode	Anode #
				Depth				Depth	
0'	SANDY CLAY	CASING/HOLEPLUG							
5'	SANDY CLAY	CASING/HOLEPLUG							
10'	SANDY CLAY	CASING/HOLEPLUG							
15'	SANDY CLAY	CASING/HOLEPLUG							
20	SANDY CLAY	CASING/HOLEPLUG							
25	SANDY CLAY	HOLEPLUG							
30	CLAY	HOLEPLUG							
35	CLAY	HOLEPLUG							
40	CLAY	HOLEPLUG							
45	CLAY	HOLEPLUG							
50	CLAY	HOLEPLUG							
55	CLAY	HOLEPLUG							
60	CLAY	HOLEPLUG							
65	CLAY	HOLEPLUG							
70	CLAY	HOLEPLUG							
75	CLAY	HOLEPLUG							
80	CLAY	COKE							
85	CLAY	COKE							
90	SAND	COKE							
95	SAND	COKE							
100	SAND	COKE							
105	SAND	COKE			10		1.6		
110	SAND, GRAVEL &	COKE							
115	CLÁY MIXED	COKE			9		1.6		
120	SAND, GRAVEL &	COKE							
125	CLAY MIXED	COKE			8		1.8		
130	SAND, GRAVEL &	COKE							
135	CLAY MIXED	COKE			7		1.8		
140	SAND, GRAVEL &	COKE							
145	CLAY MIXED	COKE			6		1.8		
150	SAND, GRAVEL &	COKE							
155	CLAY MIXED	COKE			5		1.6		
160	SAND, GRAVEL &	COKE							
165	CLAY MIXED	COKE			4		1.6		1
170	SAND, GRAVEL &	COKE							1
175	CLAY MIXED	COKE			3		1.4		
180	SAND, GRAVEL &	COKE			1		1		†
185	CLAY MIXED	COKE			2		2		†
190	SAND, GRAVEL &	COKE					- -		
195	CLAY MIXED	COKE			1	<u> </u>	1.8		<u> </u>
200	SAND, GRAVEL &	COKE		1	·		1.0		1