KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1358722

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|--|--|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW | Elevation: Ground: Kelly Bushing: |
| □ Gas □ DaA □ ENHA □ SIGW □ OG □ GSW □ Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Drilling Fluid Management Plan |
| Plug Back Conv. to GSW Conv. to Producer | (Data must be collected from the Reserve Pit) |
| _ | Chloride content: ppm Fluid volume: bbls |
| Commingled Permit #: | Dewatering method used: |
| Dual Completion Permit #: | |
| SWD Permit #: ENHR Permit #: | Location of fluid disposal if hauled offsite: |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

| | Page Iwo | 1358722 |
|---|--------------------------------|---|
| Operator Name: | Lease Name: | Well #: |
| Sec TwpS. R East West | County: | |
| INCTRUCTIONS Charge important tags of formations reported and | oil all aaraa Danart all final | agniag of drill stome tests siving interval tested, time test |

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Orill Stem Tests Taken Yes No (Attach Additional Sheets) Yes Yes | | | - | on (Top), Depth ar | | Sample | | |
|--|----------------------|------------------------------|----------------------|--------------------|-------------------|-----------------|-------------------------------|--|
| Samples Sent to Geolog | ical Survey | Yes No | Name | Э | | Тор | Datum | |
| Cores Taken Electric Log Run | | Yes No | | | | | | |
| List All E. Logs Run: | | | | | | | | |
| | | RECORD Ne | | tion, etc. | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives | |
| | | | | | | | | |
| | | | | | | | | |
| | | ADDITIONAL | CEMENTING / SQU | EEZE RECORD |) | | | |

| Purpose: Perforate | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
|-----------------------------|---------------------|----------------|--------------|----------------------------|
| Protect Casing Plug Back TD | | | | |
| Plug Off Zone | | | | |

| Did you perform a hydraulic fracturing treatment on this well? | |
|---|--|
| Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? | |
| Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? | |

| Yes | No |
|-----|----|
| Yes | No |
| Yes | No |

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | | | | | be | | | ement Squeeze Record d of Material Used) | Depth |
|--------------------------------------|---|--------|-----|-----------------|-----------------|------------------------------|----|---------------|---|---------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | BING RECORD: Size: Set At: Packer At: | | | r At: | Liner F | | No | | | |
| Date of First, Resumed | Date of First, Resumed Production, SWD or ENHR. Producing Method: | | | Gas Lift | Other (Explain) | | | | | |
| Estimated Production Per 24 Hours | | Oil Bb | ls. | Gas | Mcf | Wate | ər | Bbls. | Gas-Oil Ratio | Gravity |
| | | | | | | | | | | |
| DISPOSIT | ION OF (| GAS: | | | _ | | | | PRODUCTION INTE | RVAL: |
| Vented Sol | Sold Used on Lease Open Hole Perf. Dually ((Submit AC | | | | | Commingled (Submit ACO-4) | | | | |
| (If vented, Su | ıbmit ACC | D-18.) | | Other (Specify) | | (/ | / | (2020) (2020) | | |

| Form | ACO1 - Well Completion |
|-----------|--|
| Operator | Southern Star Central Gas Pipeline, Inc. |
| Well Name | C58443 B 01 |
| Doc ID | 1358722 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|----------------------------|----|----------------------------------|
| Surface | 17.500 | 10.500 | 70 | 20 | BENTONI TE HOLE PLUG | 27 | WATER |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

| Dee | ep Well GroundBed Da | ata: | | | Date: | 06/22/17 | | | | |
|-------------------|------------------------------|-----------------|----------------|------------|----------------|-------------------------------|------|----------|------------|--|
| | | | | | | | | | | |
| | umber: SST10-2017-TX | | | | | MCLEANS CP INSTALLATION, INC. | | | | |
| | SOUTHERN STAR | | Facility/Line: | | | BEAVER RECT | | | | |
| Subject: | DEEP WELL | | | State: | | | | | | |
| Well Depth: | 200FT | | | County: | CHEYENNE | | | | | |
| Diameter: | 10IN | | | (| Other-Driller: | | | | | |
| Casing: | 20FT | | | Dril | lling Method: | MUD | | | | |
| Type of Backfill: | SC2 | | | Base Use | eable Water: | N/A | | | | |
| Anode Type: | 2 SETS OF 10 ANOTE | ECH 2684 | | | | | | | | |
| GPS: | 39.72763062, -101.44 | 123840 | | TE | EST VOLTS: | 11.57 | | | | |
| Remarks: | 2 HOLES | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | Drilling Log | | Ele | ectrical L | og | | | Anode L | <u>.oq</u> | |
| | | | BE | FORE BACKF | ILL. | | | AFTER BA | CKFILL | |
| Depth: | Formation Type: | Material: | Volt | Anode | Anode # | l i | Volt | Anode | Anode # | |
| | | | | Depth | | | | Depth | | |
| 0' | SANDY CLAY | CASING/HOLEPLUG | | | | | | | | |
| 5' | SANDY CLAY | CASING/HOLEPLUG | | | | | | | | |
| 10' | SANDY CLAY | CASING/HOLEPLUG | | | | | | | | |
| 15' | SANDY CLAY | CASING/HOLEPLUG | | | | | | | | |
| 20 | SANDY CLAY | CASING/HOLEPLUG | | | | | | | | |
| 25 | SANDY CLAY | HOLEPLUG | | | | | | | | |
| 30 | SANDY CLAY | HOLEPLUG | | | | | | | | |
| 35 | CLAY | HOLEPLUG | | | | | | | | |
| 40 | CLAY | HOLEPLUG | | | | | | | | |
| 45 | CLAY | HOLEPLUG | | | | | | | | |
| 50 | CLAY | HOLEPLUG | | | | | | | | |
| 55 | CLAY | HOLEPLUG | | | | | | | | |
| 60 | CLAY | HOLEPLUG | | | | | | | | |
| 65 | CLAY | HOLEPLUG | | | | | | | | |
| 70 | CLAY | HOLEPLUG | | | | | | | | |
| 75 | CLAY | HOLEPLUG | | | | | | | | |
| 80 | CLAY | COKE | | | | | | | | |
| 85 | CLAY | COKE | | | | | | | | |
| 90 | CLAY | COKE | | | | | | | | |
| 95 | CLAY | COKE | | | | | | | | |
| 100 | CLAY | COKE | | | | | | | | |
| 105 | CLAY | COKE | | | 10 | | 2.1 | | | |
| 110 | SAND, GRAVEL & | COKE | | | | | | | | |
| 115 | CLAY MIXED | COKE | | | 9 | | 1.8 | | | |
| 120 | SAND, GRAVEL & | COKE | | | | | | | | |
| 125 | CLAY MIXED | COKE | | | 8 | | 1.6 | | | |
| 130 | SAND, GRAVEL & | COKE | | | | | | | | |
| 135 | CLAY MIXED | COKE | | | 7 | ļļ | 1.4 | | | |
| 140 | SAND, GRAVEL & | COKE | | | | ļļ | | | | |
| 145 | CLAY MIXED | COKE | | | 6 | ļļ | 1.4 | | | |
| 150 | SAND, GRAVEL & | COKE | | | - | ┨────┤ | | | | |
| 155 | CLAY MIXED | COKE | | | 5 | ┨────┤ | 1.4 | | | |
| 160 | SAND, GRAVEL & | COKE | | | 4 | <u> </u> | 4.0 | ł | | |
| 165 | | COKE | | | 4 | ┨────┤ | 1.6 | | | |
| 170 | SAND, GRAVEL & | COKE | | | 2 | ┟────┟ | | | | |
| 175 | | COKE | | | 3 | <u> </u> | 1.4 | ł | | |
| 180 | SAND, GRAVEL & | COKE | | | 0 | ┟────┟ | 1.0 | | | |
| 185 | | COKE | | | 2 | ┟────┟─ | 1.6 | | | |
| 190 | SAND, GRAVEL & | COKE | | | 1 | | 1.0 | | | |
| 195 | CLAY MIXED SAND, GRAVEL & | COKE | | | 1 | ┟────┟ | 1.6 | | | |
| 200 | SAND, GRAVEL & | COKE | | | | | | 1 | | |

API # 15 -__


IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

| Operator: | Location of Well: County: |
|------------------|--|
| Facility Name: | feet from N / S Line of Section |
| Borehole Number: | feet from L E / W Line of Section |
| | Sec Twp S. R E 🗌 W |
| | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.