KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form CP-111 March 2017 Form must be Typed Form must be signed

All blanks must be complete

1358880

## **TEMPORARY ABANDONMENT WELL APPLICATION**

OPERATOR: License#				API No. 15-																
Name: Address 1:				Spot Description:																
										Address 2:										
City:        State:        Zip:          Contact Person:																				
											d Contact Person Phone: ( )				SWD Permit #: ENHR Permit #:					
															orage Permit #:					
														Spud Date:		Date S	hut-In:			
											Conductor	Surface	Pro	duction	Intermediate	Li	iner	Tubir	ıg	
Size																				
Setting Depth																				
Amount of Cement																				
Top of Cement																				
Bottom of Cement																				
Casing Fluid Level from Su	ırface:	How Det	ermined?				Dat	e:												
Casing Squeeze(s):	b) to w	/ sacks of ce	ment,	to	(bottom) w /	sacks of	cement. Dat	e:												
Do you have a valid Oil & O	Gas Lease? 🗌 Yes [	No																		
Depth and Type: Unk	in Hole at [	Tools in Hole at	Cas	sing Leaks:	Yes No De	epth of casing leak	.(s):													
Type Completion:									of cement											
Packer Type:							9													
Total Depth:	Plug Ba	ck Depth:	F	Plug Back Meth	od:															
Geological Date:																				
Formation Name	Formation	Top Formation Base			Comple	tion Information														
1	At:	to Feet	Perfo	ration Interval	to	Feet or Open H	ole Interval_	to	Feet											
2	At:	to Feet	Perfo	ration Interval -	to	Feet or Open H	ole Interval _	to	Feet											
							JE DEQT OF		EDGE											

## Submitted Electronically


Do NOT Write in This         Date Tested:           Space - KCC USE ONLY		Results:	Date Plugged:	Date Repaired:	Date Put Back in Service:	
Review Completed by:		Comments:				
TA Approved: Yes D	Denied Date:					

## Mail to the Appropriate KCC Conservation Office:

There has no the in an have been and	KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801	Phone 620.682.7933
	KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226	Phone 316.337.7400
No.         No. <td>KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720</td> <td>Phone 620.432.2300</td>	KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720	Phone 620.432.2300
Ann has been been and the	KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651	Phone 785.261.6250

mpany perator ase Name evation oduction Method	Ca	rlisle 3317 2-2 1824	idge - * - 27H 4.00 ft			Unit Class Unit API Number Measured Stroke Length Rotation Counter Balance Effect (Weights Level) Weight Of Counter Weights	Conventional - * - - * - in CW - * - Klb 2000 lb	
Dataset Description Comment					Prime Mover Motor Type Rated HP Run Time MFG/Comment	Electric - * - HP 24 hr/day		
						Electric Motor Parameters Rated Full Load AMPS Rated Full Load RPM Synchronous RPM Voltage Hertz Phase Power Consumption Power Demand	- * - - * - 1200 - * - 60 3 5 8 \$/KW	
Tubulars     Pump       Tubing OD     2.875 in     Plunger Diameter     - * - in			Conditions					
2.875 in 7.000 in 31.700 ft -*- ft 19.50 ft	Pi **] <b>P</b>	ump Intake De Fotal Rod Leng Polished Ro	epth 513 gth < Pump D od	86.00 ft		Pressure         Static BHP       945.3 psi (g)         Static BHP Method       Acoustic         Static BHP Date       06/27/2017         Producing BHP       -* - psi (g)         Producing BHP       -* -	<b>Production</b> Oil Production Water Production Gas Production Production Date	0 BBL/D 1 BBL/D -*- Mscf/D 06/26/2017
_ * _ _ * _	Taper 2 - * - - * - * -	Taper 3 - * - - * - *	Taper 4 - * - - * -	Taper 5 - * - - * - *	- * - - * - ft	Producing BHP Date - * - Formation Depth 5593.00 ft	Surface Temperature Bottomhole Temperature	70 deg F 150 deg F
0.0	0.0	0.0	0.0	0.0	0.0 lb	Surface Producing PressuresTubing Pressure800.0psi (g)Casing Pressure734.1psi (g)	<b>Fluid Properties</b> Oil API Water Specific Gravity	40 deg.API 1.05 Sp.Gr.H2
0 0.00						Casing Pressure Buildup		
0.05 0.05						Over Change in Time 1.25 min		
	vation sduction Method taset Description mment 2.875 in 7.000 in 31.700 ft -*- ft 19.50 ft Top Taper -*- -*- -*- 0.0 0 0.00 0.05	vation soluction Method taset Description mment P 2.875 in Pl 7.000 in Pr 31.700 ft ***T 19.50 ft P Pc Top Taper Taper 2 -**- -**- -**- 0.0 0.0	vation       182-         vduction Method       O         taset Description       O         mment       Pump         2.875       in         7.000       in         91.700       ft         -* - ft       Polished Rod Len         -* - ft       Polished Rod E         19.50       ft         Polished Rod E       O         Top Taper       Taper 2       Taper 3         -* -       -* -       -* -         -* -       -* -       -* -         0.0       0.0       0.0         0       0.0       0.0         0       0.0       0.0	vation       1824.00 ft         other       Other         mment $Pump$ 2.875 in       Pump         2.875 in       Plunger Diameter         7.000 in       Pump Intake Depth 511         31.700 ft       **Total Rod Length < Pump I	value ion Method bduction Method taset Description       1824.00 ft Other         mment       Pump         2.875 in 7.000 in 31.700 ft -* ft 19.50 ft       Pump Plunger Diameter -*- in Pump Intake Depth 5136.00 ft **Total Rod Length < Pump Depth	vation       1824.00 ft         duction Method       Other         mment       0         2.875 in       Plunger Diameter       -*- in         7.000 in       Plunger Diameter       -*- in         31.700 ft       **Total Rod Length < 5136.00 ft	vation IS24.00 ft detection Method Other Molecular Method Other Molecular Method Other Molecular Method Other Molecular Type Molecular Type Molecular Type Rated HP Run Time MFG/Comment	value       1824.00 ft       0 der         Other       Other       0 der         mment       Other       Motor Type       Electric         Motor Type       Rated HP       -* - HP         Run Time       24 hr/day         MFOCOmment       -*.         Rated Full Load APPS       -*.         Rated Full Load APPS       -*.         Synchronous RPM       1200         Voltage       -*.         Herz       60         Phump Inake Depth       515.00 ft         **Total RAD Length        **.         Polished Rod       -*.         Polished Rod       -*.         **       **.         **       **.         **       **.         **       **.         **       **.         **       **.         **.       **.         **.       **.         **.       **.         **.       **.         **.       **.         **.       **.         **.       **.         **.       **.         **.       **.         **.       **. <t< td=""></t<>

## Gyrodata, Inc. Mid-Continent





Phone: 620-682-7933 http://kcc.ks.gov/

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner Sam Brownback, Governor

June 30, 2017

Laci Bevans SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Temporary Abandonment API 15-033-21676-01-00 CARLISLE 3317 2-27H NE/4 Sec.34-33S-17W Comanche County, Kansas

Dear Laci Bevans:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 06/30/2018.

\* If you return this well to service or plug it, please notify the District Office.

\* If you sell this well you are required to file a Transfer of Operator form, T-1.

\* If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 06/30/2018.

You may contact me at the number above if you have questions.

Very truly yours,

Scott Alberg"