KOLAR Document ID: 1357604

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1357604

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 12.00 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion				
Operator	S & K Oil Production, Inc.				
Well Name	PAGE 51				
Doc ID	1357604				

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	10	7	6	20	one	6	none
Production	5.620	2.087	6	702	one	75	none

Lesse Days	Language Communication		,	- 1		ADI II	C		
Sec: 18 Tsp: 25 R: 22 E Spot Location: \$F 5w 9E NE Started: \$\land{\frac{1}{2} \text	Lease:	Paga	Well #: 5/			API #: 15-011-24555-00-00 County: Br-hon			
Started: 6-4-3e17 Completed: 6-9-2017 Surface: 201 7 Cemented: 5-44 Surface: 201 7 Cemented: 75 2-44 Hole Size: 55/6 Nonstring: 707 2/8 Cemented: 75 2-44 Hole Size: 55/6 Nonstring: 707 2/8 Cemented: 75 2-44 Hole Size: 55/6 Nonstring: 707 2/8 Cemented: 75 2-44 Hole Size: 55/6 Nonstring: 707 2/8 Completed: 75 2-44 Hole Size: 55/6 Nonstring: 707 2/8 Packer: 10 Packer:		10	Ton: 05	D: 02 C					
Surface: 201 7" Cemented: 6 5. e. 45 Hole Size: 10" Longstring: 702) 27/4 Cemented: 75 9. e/c Hole Size: 5/6 SN: Nem Packer: 10 Packer: 10 Bottom Plug: 70 7/2 TKN DEP FORMATION TKN DEP FORMATION 3 3 Diet Lees Red 75 945 Shala 4 (1 444 Linn 2 547 Linn 3 47 Shalm 20 667 Shala 4 51 Linn 2 667 Shala 2 678 Gas Small Strand good Dan 3 54 5/6 Linn 2 678 Gas Small Strand good Dan 2 4 1 Shalm 2 678 Gas Small Strand good Dan 2 4 1 Shalm 2 678 Gas Small Strand good Dan 3 3 Linn 6 689 Oil Small Strand good Dan 4 6 1 99 Shala 1 99 Linn 6 681 Oil Small Strand good Bland 1 1 99 Linn 6 681 Oil Small Strand good Bland 2 108 Cola 9 697 Small Strand good Bland 2 108 Cola 9 197 Small Strand good Bland 2 108 Cola 9 197 Small Strand good Bland 1 1 33 Shala 9 703 Light Small 1 3 245 Shala with Girm 9 712 Small Strand Bland 1 1 38 Shala 9 703 Light Small 27 280 Shala 9 8 6 6 703 Light Small 17 363 Linn 9 712 Small Shala 17 428 Linn 9 712 Small Shala 17 429 Shala 9 712 Small Shala 17 420 Shala 9 712 Small Shala 17 420 Shala 9 712 Small Shala 17 420 Shala 9 712 Small Shala 18 556 Shala 9 712 Small Shala 18 556 Shala							tion. 32 300 72 NL		
Longstring: 702 2/4 Cemented: 75 9-kl. Hole Size: 57/6 SN: Packer: Packer: Packer: Plugged: Bottom Plug: 70 7/2 TKN DEP		201	- JU / /		6-1-	1011	Hole Size: 19		
Pringed: TKN DEP FORMATION TKN DEP FORMATION 3 3 Diet Lives Reck 75 945 Shala 4 1 44 kinn 2 547 kiona 3 47 Shala 2 647 kiona 3 47 Shala 2 647 kiona 4 51 kinn 2 649 smill strung odan 5 59 Shala 2 678 Gas Smil strung odan 2 91 Shala 2 678 Gas Smil strung odan 2 91 Shala 2 678 Gas Smil strung odan 2 91 Shala 2 678 Gas Smil strung odan 3 92 kinn 2 678 oli Smil spek blank 1 99 kinn 2 681 0:1 Smil spek blank 1 99 kinn 2 681 0:1 Smil spek blank 1 99 kinn 2 689 Dick Smil spek blank 1 99 kinn 2 689 Dick Smil spek blank 2 108 color 2 689 Dick Smil spek blank 2 1134 Shala 6 793 Light Smile spek blank 4 138 kinn 9 712 Smiles Shala 2 139 Shala 9 712 Smiles Shala 3 374 Shala 9 712 Smiles Shala 3 379 Shala 9 712 Smiles Shala 1 3 283 kinn 9 712 TD 3 283 kinn 1 9 712 TD 3 283 kinn 1 9 712 TD 3 383 kinn 2 9 712 TD 3 383 kinn 2 9 712 TD 3 383 kinn 3 Shala 3 394 Shala 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		00: 30°	27/2				Hole Size: F5/n		
Plugged: Bottom Plug: TO 7/2		15. 100	2/8			-eks	11016 3126. 9 · /8		
TKN DEP FORMATION TKN DEP FORMATION 3 3 0.5t Loos Reck 75 545 Shale 4 4 4 6 m 2 547 Liona 3 47 Shalm 20 667 Shale 4 51 Lim 2 669 Small Shale 5 59 Shalm 2 677 Gas Small Strong Odm 2 517 Gas Small Strong Odm 2 618 Oil Small Strong Odm 2 105 Colm 2 689 Dick Small Strong Odm 2 105 Colm 3 699 Small Strong Odm 2 114 Shalm 6 703 Light Small Strong 4 135 Shalm 9 712 Small Strong Strong 1 1 38 Shalm 9 712 Small Strong Strong 2 105 Shalm Shalm 7 712 Small Strong 3 394 Shalm 1 712 Small Strong 4 335 Limm 3 394 Shalm 1 712 Small Strong 4 335 Limm 3 394 Shalm 1 712 Small Strong 4 335 Limm 2 382 Limm 2 383 Limm 3 394 Shalm 3 394 Shalm 4 335 Limm 2 499 Shalm 3 394 Shalm 4 493 Limm 2 499 Shalm 4 493 Limm 5 499 Shalm 5 499 Shalm 6 400 Oil Small Small Small 6 400 Oil Small Small 7 499 Socs Shalm 4 494 Socs Shalm 4 494 Socs Shalm						1.0000.00	=0 7/2 ¹		
3 3 Diet Losen Reck 75 945 Shala 41 44 Lim 2 547 Line 3 47 Shala 4 51 Line 2 Cl9 Small good odar 5 59 Shala 2 673 Gas Smal Strong odar 6 681 0:1 Small good bland 7 106 Shala 2 103 Shala 2 103 Shala 2 103 Cola 2 103 Cola 3 134 Shala 6 134 Shala 6 134 Shala 7 126 Shala 7 127 Small Small good bland 8 127 Small Strong bland 9 123 Shala 9 712 Small good bland 1 345 Shala 1 345 Shala 1 1 383 Lima 9 712 Small good bland 1 1 383 Lima 9 712 Small good bland 1 1 383 Lima 1 1 383 Shala 1 1 404 Shala 1 1 404 Shala 1 1 404 Shala 1 1 404 Shala 1 405 Shala 1 406 Shala 1 407 Shala 1 408 Shala	riuggeu.	·		Bottom riag.	3		10 /12		
3 3 Diet Losen Reck 75 945 Shala 41 44 Lim 2 547 Line 3 47 Shala 4 51 Line 2 Cl9 Small good odar 5 59 Shala 2 673 Gas Smal Strong odar 6 681 0:1 Small good bland 7 106 Shala 2 103 Shala 2 103 Shala 2 103 Cola 2 103 Cola 3 134 Shala 6 134 Shala 6 134 Shala 7 126 Shala 7 127 Small Small good bland 8 127 Small Strong bland 9 123 Shala 9 712 Small good bland 1 345 Shala 1 345 Shala 1 1 383 Lima 9 712 Small good bland 1 1 383 Lima 9 712 Small good bland 1 1 383 Lima 1 1 383 Shala 1 1 404 Shala 1 1 404 Shala 1 1 404 Shala 1 1 404 Shala 1 405 Shala 1 406 Shala 1 407 Shala 1 408 Shala	TKN	DEP	FORM	ATION	TKN	DEP	FORMATION		
4									
3 47 Shelm 22 667 Shelm 2 607 Shelm 3 59 Shelm 2 607 Shelm 2 677 Gas Sand Strong Odm 3 59 Shelm 2 677 Gas Sand Strong Odm 20 79 himm 2 678 Gas Sand Strong Odm 2 81 Shelm 2 678 Gas Sand Strong Odm 2 81 Shelm 2 678 Gas Sand Strong Odm 2 93 himm 6 681 011 Sand good Bhead 15 98 Shelm 4 688 011 Sand good Bhead 15 98 Shelm 4 688 011 Sand good Bhead 1 99 Line 2 687 011 Sand good Bhead 2 103 Colm 2 689 Dack Sand Strong 2 103 Colm 2 689 Dack Sand Strong 2 134 Shelm 4 703 Light Sand good Bdm No Od 4 133 Line 9 712 Sanday Strong 13 245 Shelm with him Strong 13 245 Shelm with him Strong 13 245 Shelm with him Strong 13 243 Line 13 390 Shelm 17 380 Shelm 17 380 Shelm 18 385 Line 19 382 Line 19 383 Shelm 2 1 383 Shelm 2 1 406 Shelm 17 427 Line 17 380 Shelm 18 433 Line 2 1 406 Shelm 19 429 Shelm 19 429 Shelm 19 429 Shelm 19 449			6:07	+					
# 51 bin 2 649 Sembsthale good Dan 3 59 Shale 2 471 Gas Smil string odne 20 79 kim 2 678 Gas Smil string odne 2 81 Shale 2 678 Gas Smil string odne 2 81 Shale 2 678 Gas Smil string other 2 83 Lime 6 481 0:1 Smil good Black 15 98 Shale 4 485 0:1 Smil good Black 1 99 Line 2 687 Disk Smil good Black 2 108 Shale 2 6889 Disk Smil strike 2 108 Shale 6 703 Light Smil good Odne No Od 4 138 bin 9 712 Smily Shale 13 245 Shale 14 Shale 2 7 280 Shale 3 283 Lime 56 377 Shale 3 394 Lime 17 363 Lime 17 363 Lime 17 363 Lime 17 363 Lime 21 406 Shale 21 406 Shale 21 406 Shale 21 406 Shale 21 407 Smile 22 428 Lime 23 449 Shale 24 429 Shale 25 454 Smile 26 429 Shale 27 429 Shale 27 429 Shale 28 433 Lime 29 546 Smile 20 546 Smile 21 406 Shale 21 406 Shale 22 429 Shale 23 449 Reg Smile 24 429 Shale 25 454 Smile 26 440 Dig Janie 401 Sanie Pace Band 444 Smil No Ober 444 Smil No Ober 444 Smil No Ober 444 Smil No Ober	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		Shala						
3 59 Shalm 2 677 Gas Smil 54 seag Odmin 200 79 him 2 678 Gas Smil 55 mal Some Older 2 811 Shalm 2 678 Gas Smil 55 mal Some Older 2 811 Shalm 2 6 681 0:1 Smil good Blank 1 5 98 Shalm 4 6 681 0:1 Smil good Blank 1 1 99 Lian 2 687 0:1 Smil good Blank 2 687 1:3 5 halm 2 689 Dick Smil good Blank 2 687 1:3 5 halm 2 689 Dick Smil good Blank 2 681 1:3 5 halm 2 681 5 halm 2 6			4:00				Sould-Shale spod odne		
20 79 kim 2 678 Gas Sout & Form Oil Ford Sons Other 2 81 Shelm 2 676 011 Sout good Blowd 15 93 Lime 6 681 011 Sout good Blowd 15 93 Shelm 9 685 011 Sout good Blowd 15 93 Shelm 9 687 011 Sout good Blowd 1 99 Line 2 687 011 Sout good Blowd 1 199 Line 2 687 011 Sout good Blowd 2 108 Colm 8 697 South Shelm 2 108 Colm 8 697 South Shelm 2 134 Shelm 9 712 South good Other No all 1 135 him 9 712 South Shelm 1 329 Shelm 1 9 712 South Shelm 1 329 Shelm 1 9 712 South Shelm 1 329 Shelm 1 9 712 TD 27 280 Shelm 2 343 Line 7 712 TD 27 380 Shelm 1 383 Shelm 1 383 Shelm 2 385 Line 1 9 9 182 Line 1 1 383 Shelm 1 385 Line 1 9 182 Line 1 9 18 18 18 18 18 18 18 18 18 18 18 18 18				¥.			Gas Soul Strong Odn		
2 93 Line 6 681 0:1 Sent good Block 2 93 Line 6 681 0:1 Sent good Block 15 98 Shele 4 685 0:1 Sent Good Block 1 99 Line 2 687 0:1 Sent good Block 7 106 Shele 2 689 Deck Sent of Shele 2 108 Cole 8 697 Sent of Shele 2 108 Shele 9 703 Light Sent of Other for all 138 him 9 712 Sente Shele 13 245 Shele with him sheets 8 253 Line 9 13 245 Shele with him sheets 13 245 Shele with him sheets 13 346 Shele 14 343 Line 2 172 Line 17 380 Shele 17 383 Shele 2 382 Line 2 1734685 April Tool 17 428 Line 2 25 1/2 hyle 18 429 Shele 19 449 Shele 19 449 Shele 19 449 Deg Sent 19 449 Shele 19 449 Deg Sent 19 449 Sent No Other 19 449 Son Shele 19 449 Sent No Other	20						Gas Sand + Soma Oil Sand Soma Blown		
2 93 Limin 6 681 0:1 Send Hang Black 15 98 Shilm 4 685 0:1 Send Gold Black 1 99 Lione 2 687 0:1 Send Gold Black 1 1 99 Lione 2 687 Dock Send Shell Per Black 2 108 Colin 8 697 Sindy Shell 2 108 Colin 8 697 Sindy Shell 25 134 Shilm 9 7:12 Sendy Shell 14 135 Lione 9 7:12 Sendy Shell 13 245 Shell with him Shells 13 245 Shell with him Shells 13 245 Shell When 14 345 Lione 17 363 Lione 17 363 Lione 17 363 Lione 17 363 Lione 17 380 Shell 18 382 Lione 21 406 Shell 19 428 Lione 21 406 Shell 19 428 Lione 21 406 Shell 19 449 Shell	2						Oil Sant good Blocal		
99 Lian 2 687 OST SENT SOLITION 7 106 Stell	2						0:1 Sind House Black		
99 Lian 2 687 OST SENT SOLITION 7 106 Stell	15	98	Shela		4	685	Oil Sand good Black		
7 106 Shell 2 108 Colu 8 197 Simby Shall 26 134 Shell 6 703 Light Shell 6 703 Light Shell 6 703 Light Shell 6 703 Light Shell 703 Light Shell 9 712 Simby Shell 9 712 Simby Shell 13 245 Shelly 14 343 Lime 14 343 Lime 17 363 Lime 17 380 Shelly 18 387 Lime 18 387 Lime 19 388 Lime 19 3	- 1	99	Line		2		OH Sand & Shale Poor Bland		
25 134 5h.l. 6 703 Light 5ml good oder No all 4 138 him. 9 712 Sembry Stralm 94 232 3h.l. 9 13 245 5h.l. with him. 5hks 8 253 Lim. 27 280 5h.l. 3 283 Lim. 56 239 5h.l. 4 343 Lim. 17 380 5h.l. 18 382 Lim. 21 382 Lim. 22 382 Lim. 23 382 Lim. 24 383 Lim. 25 1/2 h.l. 27 1/2 h.l. 27 1/2 h.l. 28 385 Lim. 29 1/2 h.l. 406 5h.l. 419 5h.l. 429 5h.l. 429 5h.l. 433 Lim. Fort Seett 7 440 5h.l. 9 449 0cg 5ml. 9 449 0cg 5ml. 9 449 5h.l. 9 508 5h.l.			Shel	wh.,		689			
1 138 hsm. 9 712 Samby Shalan 94 232 Shely 13 245 Shalan with him. Shales 8 253 Lim. 27 280 Shala 3 283 Lim. 50 337 Shala 17 363 Lim. 17 363 Lim. 21 406 Shala 17 427 Lim. 21 406 Shala 17 427 Lim. 4 429 Shala 9 712 Samby Shala 17 429 Shala 9 712 TD Parts 6734685 200 Fart 21 406 Shala 17 427 Lim. 9 449 Shala 9 712 TD Parts 6734685 200 Fart 17 427 Lim. 18 385 Lim. 19 429 Shala 9 449 Shala 9 55 Shala	2	108	cola				Sandy Shales		
94 232 5h.ln 13 245 5h.ln with him striks 8 253 Lim 27 280 5h.l 3 283 Lim 56 337 5h.l 4 343 Lim 3 341 Sh.l 17 350 5h.l 17 350 5h.l 1 383 5h.l 2 385 Lim 2 385 Lim 4 404 5h.l 17 423 Lim 4 429 5h.l 4 429 5h.l 7 440 5h.l 6 460 0 0 1 7 5 1 60 5 6 1 4 464 5 1 80 5h.l 4 465 5h.l 4 466 5h.l 5 467 5h.l 5 467 5h.l 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	26		sh.l.				Light Soul good Down No out		
13 245 Shala with him. Struks 8 253 Line 27 280 Shale 3 283 Line 56 339 Shale 4 343 Line 17 363 Line 17 380 Shale 17 380 Shale 18 382 Line 19 382 Line 19 383 Shale 2 382 Line 19 385 Line 19 385 Line 19 406 Shale 19 429 Shale 19 449 Shale 19 449 Shale 19 5hale 19 449 Shale 19 568 Shale				Committee of the commit	9	712			
8 353 Line 27 280 Shale 3 283 Line 56 339 Shale 4 343 Line 3 341 Shale 17 363 Line 17 380 Shale 2 382 Line 1 383 Shale 1 383 Shale 2 1736685 Japatan 2 1 406 Shale 17 423 Line 21 406 Shale 4 429 Shale 7 440 Shale 7 440 Shale 9 449 Deg Seml 5 454 Seak with odar 6 460 Deg Saal with odar 6 460 Deg Saal with odar 4 464 Seal No Odar 44 508 Shale							Reys 68 tel85 Departed		
27 880 5hale 3 283 Lime 56 339 5hale 4 343 Lime 3 340 5hale 17 363 Lime 17 380 5hale 2 382 Lime 1 383 5hale 2 385 Lime 21 406 5hale 17 427 Lime 4 429 5hale 4 429 5hale 7 440 5hale 9 449 Deg 5mal 406 for blad 5 450 Searl with odar 6 460 Deg 5mal + 011 Sand Pace Blad 4 464 Searl No Odar 449 508 5hale				im Straks					
3 283 Line 56 339 Shele 4 343 Line 3 344 Shele 17 363 Line 17 380 Shele 2 382 Line 1 383 Shele 2 385 Line 21 406 Shele 17 423 Line 4 429 Shele 4 433 Line Fort Sett 7 440 Shele 6 460 Deg Smel + 01 Sand Pace Blad 4 46 4 Sand No Older 4 47 508 Shele			4:00			712	-TD		
56 339 Shela 4 343 Lina 3 344 Shela 17 363 Lina 17 380 Shela 2 382 Lina 1 383 Shela 2 1 406 Shela 17 423 Lina 4 429 Shela 5 449 Shela 7 440 Shela 6 460 Deg Sand + 011 Sand Pere Blad 4 414 508 Shela				***	1				
4 343 Line 3 346 Shala 17 363 Line 17 380 Shala 2 382 Line 1 383 Shala 2 1 406 Shala 17 423 Line 6 429 Shala 7 440 Shala 9 449 Deg Saal 9 449 Deg Saal 9 454 Saal With odir 6 460 Deg Saal + oil Saal Pool Blad 4 464 Saal No Olar 4 508 Shala									
3 346 Shala 17 363 Lime 17 380 Shala 2 382 Lime 1 383 Shala 2 385 Lime 21 406 Shala 17 427 Lime 4 429 Shala 6 449 Shala 7 440 Shala 6 460 Deg Sand + 011 Sand Peor Blad 7 464 Send No Oder 44 508 Shala									
17 363 Lime 17 380 Shala 2 382 Lime 1 383 Shala 2 385 Lim 21 406 Shala 17 423 Lim 6 429 Shala 7 440 Shala 9 449 Day Sand 5 454 Sand With odar 6 460 Day Sand + 011 Sand Poor Bhal 4 464 Sand No Olar 4 47 508 Shala	4			. 1	,				
17 380 Shala 2 382 Line 1 383 Shala 2 385 Line 21 406 Shala 17 427 Line 4 429 Shala 7 440 Shala 9 449 Dog Smal 5 454 Seast With odin 6 460 Dog Jani + 0il Sand Pack Blad 4 46 Seast No Oder 4 508 Shala									
3 382 Line 1 383 Shulen 2 385 Line 21 406 Shule 17 428 Line 4 429 Shule 7 440 Shule 9 449 Dry Smull 5 454 Sand With Odin 6 460 Dry Smull + 011 Sand Poor Bhull 4 414 Sand No Oder 44 508 Shule	17			Ja.			0 , 1934 (185 2 7)		
1 383 Shulon 2 385 Lim 21 406 Shulo 17 428 Line 4 429 Shulo 4 433 Lines Fort Seett 7 440 Shulo 9 449 Day Smul 5 454 Sand With odin 6 460 Day Jani + 011 Jani Poor Blad 4 464 Sand No Ober 44 508 Shulo) Nn to				20 1/2 bil		
2 385 Lim 21 406 5helm 17 428 Lim 6 429 Shelm 7 440 Shelm 9 449 Shelm 5 454 Same Fort Scott 5 454 Same With odian 6 460 Dig Same + 011 Same Proce Black 4 464 Same No Oder 44 508 5helm	- ×		Shalos				97 1/2 nom.		
21 406 5hala 17 427 Line 4 429 Shala 4 433 Line Fort Scott 7 440 Shala 9 449 Deg Sand 5 454 Sand With odir 6 460 Deg Sand + 011 Sand Poor Blad 4 464 Sand No Oder 44 508 Shala	2								
17 423 Line 4 429 Shele 4 433 Line Fort Seitt 7 440 Shele 9 449 Dry Soul 5 454 Soul With odin 6 460 Dry Soul + 011 Sand Poor Bhel 4 464 Soul No Other 44 508 Shele									
4 429 Shela 7 440 Shela 9 449 Dry Send 5 454 Send with odin 6 460 Dry Send + 011 Sand Peor Blad 4 464 Send No Oder 44 508 Shela							3		
440 Shell 9 449 Dry Send 5 454 Send With odin 6 460 Dry Sned + 011 Sand Poor Blad 4 464 Send No Oder 44 508 Shell		419	Shil						
7 440 Shele 9 449 Dog Soml 5 454 Soml with odin 6 460 Dog Soml + 011 Sand Poor Blad 4 464 Soml No Oder 44 508 Shele			Lima Fort	Seett					
9 449 Dry Sand 5 454 Sand With odin 6 460 Dry Jand + 011 Sand Peace Black 4 464 Sand No Oder 44 508 Shale									
5 454 Send with odin 6 460 Din smil + 011 Sand Poor Blad 4 464 Send No Oder 44 508 Shale		449							
6 460 Din sand + 011 Sand Poor Blad 4 464 Send No Other 44 508 Shale	5	454		odin					
44 508 5hala		460							
44 508 54.4									
	44		54.4						
			2; ~~						
				y					
							×		

Page 51 15-011-24555-00-00

Pumped 75 Sacks Cement É Curculated to top Company tools.