


RJM  
Dst #2 Lans A&B 3008-3032'  
Start Test Date: 2017/05/02  
Final Test Date: 2017/05/02

Pohlman #1  
Formation: Dst #2 Lans A&B 3008-3032'  
Pool: Infield  
Job Number: P0181

# Pohlman #1





**Hoisington, Kansas**


**Michael Carroll**  
**620-617-0368**  
**carroll.dtlc@gmail.com**

**General Information**

**Company Name** RJM

**Contact** Mitch Driscoll  
**Well Name** Pohlman #1  
**Unique Well ID** Dst #2 Lans A&B 3008-3032'  
**Surface Location** Sec 7-14s-13w Russell County  
**Field** Hall-Gurney  
**Well Type** Vertical  
**Test Type** Drill Stem Test  
**Well Operator** RJM

**Formation** Dst #2 Lans A&B 3008-3032'  
**Well Fluid Type** 01 Oil  
**Test Purpose** Initial Test  
**Start Test Date** 2017/05/02  
**Start Test Time** 17:00:00  
**Final Test Time** 22:26:00  
**Job Number** P0181  
**Report Date** 2017/05/02  
**Prepared By** Michael Carroll



**TEST RECOVERY**

**Remarks** Recovery: 45' SLOCMW 1%O 89%W 10%M

Total Fluid: 45'

Tool Sample: 2%O 78%W 20%M

Chlorides 25000 PPM  
 RW .34 @ 55 Degrees  
 PH 7



**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: POHLMAN#1DST#2

TIME ON: 1700  
TIME OFF: 2226

Company RJM Lease & Well No. POHLMAN #1  
Contractor SOUTHWIND DRLG RIG 3 Charge to RJM  
Elevation 1837SUR Formation LANS A&B Effective Pay \_\_\_\_\_ Ft. Ticket No. P0181  
Date 05-02-17 Sec. 7 Twp. 14 S Range 13 W County RUSSELL State KANSAS  
Test Approved By WYATT URBAN Diamond Representative Michael Carroll

Formation Test No. 2 Interval Tested from 3008 ft. to 3032 ft. Total Depth 3032 ft.  
Packer Depth 3003 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Packer Depth 3008 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 2996 ft. Recorder Number 5950 Cap. 5000 P.S.I.  
Bottom Recorder Depth (Outside) 3011 ft. Recorder Number 5588 Cap. 6000 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type Chem Viscosity 49 Drill Collar Length 0 ft. I.D. 2 1/4 in.  
Weight 9.2 Water Loss 8.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 3000 P.P.M. Drill Pipe Length 2983 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number NA Test Tool Length 25 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 24 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WSB-BUILT TO 2 1/4" IN 45 MINUTES NOBB  
2nd Open: NO BLOW-BUILT TO WSB IN 30 MINUTES NOBB

Recovered 45 ft. of SLOCMW 1%O 89%W 10%M CHLORIDES 25000 PPM  
Recovered 45 ft. of TOTAL FLUID RW .34 @ 55 DEGREES  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_ PH 7

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Recovered _____ ft. of _____	Insurance
Remarks: <u>TOOL SAMPLE:2%O 78%W 20%M</u>	Total

Time Set Packer(s) 6:40 P.M. A.M. P.M. Time Started Off Bottom 9:10 P.M. A.M. P.M. Maximum Temperature 95

Initial Hydrostatic Pressure..... (A) 1445 P.S.I.  
Initial Flow Period..... Minutes 45 (B) 11 P.S.I. to (C) 22 P.S.I.  
Initial Closed In Period..... Minutes 45 (D) 827 P.S.I.  
Final Flow Period..... Minutes 30 (E) 24 P.S.I. to (F) 28 P.S.I.  
Final Closed In Period..... Minutes 30 (G) 735 P.S.I.  
Final Hydrostatic Pressure..... (H) 1430 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.