


Berexco LLC
Dst #2 Lower Marrow 5374-5388'
Start Test Date: 2017/03/24
Final Test Date: 2017/03/24

Dennis Unit #1-34
Formation: Dst #2 Lower Marrow 5374-5388'
Pool: Infield
Job Number: P0173

Dennis Unit #1-34





Hoisington, Kansas


Michael Carroll
620-617-0368
carroll.dtlc@gmail.com

General Information

Company Name Berexco LLC

Contact	Brett Blazer
Well Name	Dennis Unit #1-34
Unique Well ID	Dst #2 Lower Marrow 5374-5388'
Surface Location	Sec 34-28s-33w Haskell County
Field	NA
Well Type	Vertical
Test Type	Drill Stem Test
Well Operator	Berexco LLC

Formation	Dst #2 Lower Marrow 5374-5388'
Well Fluid Type	01 Oil
Test Purpose	Initial Test
Start Test Date	2017/03/24
Start Test Time	01:11:00
Final Test Time	08:48:00
Job Number	P0173
Report Date	2017/03/24
Prepared By	Michael Carroll



TEST RECOVERY

Remarks	Recovery:	738'	Mud 100%M
	Total Fluid:	738'	
	Tool Sample:	100%M	



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313

TIME ON: 0111
TIME OFF: 0848

DRILL-STEM TEST TICKET
FILE: DENNISUNIT#1-34DST#2

Company BEREXCO LLC Lease & Well No. DENNIS UNIT #1-34
Contractor BEREDCO RIG 2 Charge to BEREXCO LLC
Elevation 2956 SURVEYED Formation LOWER MARROW Effective Pay _____ Ft. Ticket No. P0173
Date 3-24-17 Sec. 34 Twp. _____ 28 S Range _____ 33 W County HASKELL State KANSAS
Test Approved By BRYAN BYNOG Diamond Representative Michael Carroll

Formation Test No. 2 Interval Tested from 5374 ft. to 5388 ft. Total Depth 5594 ft.
Packer Depth 5368 ft. Size 6 3/4 in. Packer depth 5388 ft. Size 6 3/4 in.
Packer Depth 5374 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 5358 ft. Recorder Number _____ Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Below Straddle Recorder Depth 5578 ft. Recorder Number _____ Cap. 5000 P.S.I.

Mud Type Chem Viscosity 44 Drill Collar Length 562 ft. I.D. 2 1/4 in.
Weight 9.2 Water Loss 11.6 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 5100 P.P.M. Drill Pipe Length 4984 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 11 Test Tool Length 34 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 14 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. 206' TAIL PIPE Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: MISS RUN-TRIED ADDING WEIGHT, NO PACKER SEAT, PULLED OFF BOTTOM AS PER GEOS ORDERS
2nd Open:

Recovered 738 ft. of MUD 100%M
Recovered 738 ft. of TOTAL FLUID
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Remarks: <u>TOOL SAMPLE:100%M</u> <u>BELOW STRADDLE MAX PSI: 1760</u>	Price Job
	Other Charges
	Insurance
	Total

Time Set Packer(s) 4:55 A.M. A.M. P.M. Time Started Off Bottom _____ A.M. P.M. Maximum Temperature 126

Initial Hydrostatic Pressure..... (A) 2670 P.S.I.
Initial Flow Period..... Minutes 30 (B) _____ P.S.I. to (C) _____ P.S.I.
Initial Closed In Period..... Minutes 60 (D) _____ P.S.I.
Final Flow Period..... Minutes 60 (E) _____ P.S.I. to (F) _____ P.S.I.
Final Closed In Period..... Minutes 120 (G) _____ P.S.I.
Final Hydrostatic Pressure..... (H) 2642 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.