FORM 1906-R4

WELL NO. AND FARM

SEND ALL REMITTANCES TO

PAC OF

4-10-11

FIELD TICKET

P.O. DRAWER 1431 DUNCAN, OKLAHOMA 73533

____PAGES

DATE

NO.

070089

1 2	Liller				Rice		Z.		14.				
A Lad	den Pet			P		OWNER	1. 1	11	DUNC USE ONLY		,		
ADDRESS	+ 1	1	? .	n i	Tr.	CONTRACTOR				CATION	N	CODE	
SO9 CITY, STATE, EIP	holeum	1		Coly,		SHIPPED VIA	/ And	9		CATIO	one.	CODE	
Wich	ta, Zo,					No.	ve		2/	4	Buck	7	
> _1 z						PELIVERED TO) 		3	CATION	01	CODE 50	
о ш						ORDER NO.	10 Ans	**	BULK		D	. 1900	*
ž Z K						TOTAL ACID-30	DAYS		TICKE		<u> 5-</u>	Ice	DDE
U									10	201		A .	OQ
מכא						TYPE AND PUR	POSE OF JOB		1	: 8 :::		*	
TERMS:				F FOLLOWING MON DAYS FROM DATE		39	wey	P	-fa	market 1	3		
PRICE REFERENCE	SECONDARY REF. OR PART NO.	\vdash	DE D	D	ESCRIPTION		UNIT	S 1	UNITS	MEAS.	UNIT PRICE	AMOUN	IT
001-016		1	C	Pump	change	<u> </u>		1	1			642	00
000-117		1	C	221%	age 0		34	inte			1.10	37	40
030-015		3	C	Tue	lug (s	$\cdot \omega$	1	lea	45"		14.20	14	20
		3	C	Thomas	Aux	Sure	1	lea	1			150	00
						<u> </u>		1	-				
504-043		77	B	Russ	Patlan		50	lako	- 1		3.19	159	50
506-105		2	B	Polarie	. A		50	ent	<u> </u>		1.13	56	50
706-121		2	B	21	(2%)			1	1				C
509-968		?	6	Solt	(sature	tul)	18	ake	1		3.00	54	00
								1					
				SERVICE CHARGE	ON MATERIALS RET	URNED		CU.					
CAA - 300			22.5	SERVICE CHARGE			/	cu.	1		1-3	~ .	5- 7
500-207 500-30C		2	!) @		TOTAL	LOADED	7.333	TON	1		137		0.00
300 3001		~	L)	10,368	WEIGHT &	MILES EFERENCES	F11.13	MILES	1		1000	<i></i>	260
WAS JOB SATISFACTO	RILY COMPLETED?									SUE	TAX		
WAS OPERATION OF E		TOR	Y ?								TAX		
WAS PERFORMANCE C	F PERSONNEL SATIS	FACT	ORY	Y 7							XAT		
× Jame	Customer or His A	\def{gen}	<u>ب</u>			BW (L) Halliburton	Operator				TOTAL	-	
. ដូ	•												

THIS IS NOT AN INVOIGE

TAXES, PRICE CHANGES, AND OTHER APPLICABLE DATA WILL BE SHOWN ON OUR INVOICE TO BE SUBMITTED FOR PAYMENT AT A LATER DATE.





FORM 1908 R-2

DISTRICT

WORK ORDER CONTRACT AND PRE-TREATMENT DATA

ATTACH TO	A	Selection and
INVOICE & TICKET	NO. 1/100	107

DATE

TO: HALLIBURTON SERVICES YOU ARE HEREBY REQUESTED TO FURNISH EQUIPMENT AND SERVICEMEN TO DELIVER AND OPERATI THE SAME AS AN INDEPENDENT CONTRACTOR TO: (CUSTOMER)
AND DELIVER AND SELL PRODUCTS, SUPPLIES, AND MATERIALS FOR THE PURPOSE OF SERVICING SEC. TWP RANGE FIELD. COUNTY STATE OWNED BY THE FOLLOWING INFORMATION WAS FURNISHED BY THE CUSTOMER OR HIS AGENT FORMATION NAME WEIGHT FROM MAX. ALLOW TO FORMATION THICKNESS CASING tof FROM 5000 LINER PACKER: TYPE SET AT TUBING TOTAL DEPTH MUD WEIGHT OPEN HOLE SHOTS/FT. BORE HOLE PERFORATIONS 1/2 INITIAL PROD: OIL BPD, H2O __ BPD. GAS PERFORATIONS PRESENT PROD: BPD. H2O BPD, GAS PERFORATIONS PREVIOUS TREATMENT: DATE TYPE MATERIALS TREATMENT INSTRUCTIONS: TREAT THRU TUBING ANNULUS CASING TUBING/ANNULUS HYDRAULIC HORSEPOWER ORDERED CUSTOMER OR HIS AGENT STATES THE WELL IS IN PROPER CONDITION TO RECEIVE THE PRODUCTS, SUPPLIES, MATERIALS, AND SERVICES THIS CONTRACT MUST BE SIGNED BEFORE WORK IS COMMENCED As consideration, the above-named Costomer agrees: (a) To pay Halliburton in accord with the rates and terms stated in Halliburton's current price lists. (b) Halliburton shall not be responsible for and Customer shall secure Halliburton against any liability for damage to property of Customer and of the well-own-damage and surface damage arising from subsurface damage. (c) Customer shall be responsible for and secure Halliburton against any liability for reservoir loss or damage, or property damage resulting from subsurface pressur-losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct or gross negligence of Halliburton. (d) Customer shall be responsible for and secure Halliburton against any and all liability of whatsoever nature for damages as a result of subsurface trespass, or a action in the nature thereof, arising from a service operation performed by Halliburton hereunder. Customer shall be responsible for and secure Halliburton against any liability for injury to or death of persons, other than employees of Halliburton, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with thuse of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of Halliburton. Halliburton makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or service. (g) Customer shall, at its risk and expense, attempt to recover any Halliburton equipment, tools or instruments which are lost in the well and if such equipment tools or instruments are not us, wered, Customer shall pay Halliburton its replacement cost unless such loss is due to the sole negligence of Halliburton. Halliburton equipment, tools or instruments are damaged in the well. Customer shall pay Halliburton the lesser of its replacement cost or the cost of repairs unless such damage is caused by the sole negligence of Halliburton. In the case of equipment, tools or instruments for marine operations, Customer shall, altitudent to the foregoing, be fully responsible for loss of or damage to any of Halliburton's equipment, tools or instruments which occurs at any time after delivery to Customer at the landing until returned to the landing, unless such loss or parroage is caused by the sole negligence of Halliburton. (h) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services turnished by others. Halliburton is unable t guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data turnished by Halliburton. Halliburton personnel will us their best efforts in gathering such information and their best judgment in interpreting if, but Customer agrees that information shall not be responsible for an damages arising from the use of such information except where due to Halliburton's gross negligence or willing the preparation or furnishing of it Haliburton warrants only title to the products, supplies and materials and that the same are free from defects in wertenanship and materials. THERE ARE NOT WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. Halliburton's liability and Custemer's exclusive remady in any cause of action (whether in contract, tort, bread of warranty or otherwise) arising out of the sale or use of any products, supplier or materials in their return to Palliburton or, at Halliburton's option, to the allowance to the Customer of cridit to the replacement of such products, supplier Halliburton be flable for special, incidental, indirect, punitive or consequential damages. Upon Costomer's default in the payment of Castomer's account OD days after date of invance, such account Chief confer as capient to interest until being the event it becomes not assert, the complex on attorney to enforce suffering account, Castering against the Complex and afterney to an interest and account, Castering against the Complex and afterney to as in the conference of the complex and afterney to as in the conference of the confere amount of 20 per cent of the amount of the unpaid account

> HAVE BEAD AND UNDERSTAND THIS CONTRACT AND REPRESENT HAT I AM AVTHORIZED TO SIGN THE SAME AS CUSTOMER'S AGENT SIGNED CUSTOMER 10 '

Halliburton stall not be bound by any changes or modifications in this explication where it is declarated in a distinction is unade in writing by a du authorized executive officer of Halliburton.

We certify that the Fair Labor Standards Act of 1938, as amended, has been complied with in the production of goods and/or with respect to services furnished under this contract.

(K) Halliburton stall not be

BULK MATERIAL DELIVERY TICKET CUSTOMER ORDER NO. WELL NO. AND FARM COUNTY l-Miller 2-10-77 Rice Kansas CONTRACTOR DELIVERED EROM CODE SERVICE TICKET NO. Aladdin Petro. Corp. Gt. Bend, 50320 Ks. Aladdin Petroleum Corporation <u>Location</u> 809 Petroleum Building J.W. G Guesnier Wichita, Kansas 1 บทเรร *_____ TRUCK NUMBER PRICE REFERENCE SECONDARY REFERENCE 2 UNITS BRAND AND TYPE AMOUNT 9851 2982 100 Pozmix Gement W/25 Gel 504-043 Regular Portland 3.19 50 159 50 506-105 Pozmix 'A' 50 13 56 506-121 2 Halliburton Gel 2% allowed 509-968 Salt Blended Saturated W/100 18 54 100 3.00 SERVICE CHARGE ON MATERIALS RETURNED SERVICE CHARGE 500-207 57 LOADED MILES MILEAGE TOTAL TON MILES 500-306 37 *SACKS UNLESS OTHERWISE INDICATED TOTAL **CUSTOMER**

HALLIBUKTON SERVICES

HALLIBURTON SERVICES JOB SUMMARY HALLIBURTON LOCATION WELL DATA TO WELL DATA

FORM 201	2 R-1	7 8 8 8 8 8 8 8 8	8 / 8			LOCATION		100	0000	, 10	TICK	ET NO.	270	087	_ ×
						WE	LL DATA			D	C:		- Silvery	/	1
FIELD					sec	TWP	RNG.		COUNTY	<u> 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 </u>	<u>c.r</u>	STAT	E	6,	_{_
FORMATIC	ON NAME			TVP	E			NEW USED	SIZE	FROM	TO	MEI	GHT	MAXIMUM PS ALLOWABLE	
		s	F1	ROM	то		CASING	4	43"	GL	2115	10.	5	1500	
						MCFD	LINER	<u> </u>							_ 5
						MCFD		<u> </u>							_F
				PE			OPEN HOL	E				TOTA	L DEPTH	12115	1
PACKER T				SET A			PERFORA	TIONS	1/2 "	2200'	2,205		4	> SHOTS/F	- T
				_ PRESSURE		•	PERFORA'	rions						SHOTS/F	r. -
MISC. DAT							PERFORA	TIONS						SHOTS/F7	-1
MISC. DA	· ^					JO	B DATA								-
		TOOLS A	ND AC	ESSORIES			CALLED O	UT	ON LOC	NOITA	JOB STARTE	D	JOB	COMPLETED	寸
<u> </u>	TYPE A	ND SIZE		QTY.		MAKE	DATE)	0.77	DATE.	10-77	DATE 2-16	- 27	DAT	₩-10-73.	1
FLOAT CO	LLAR		4				TIMEOL	30	TIMEC	920	TIME 95		1	1048	N
FLOAT SH										ONNEL AN	D SERVICE	E UNIT			7
GUIDE SH									NAME		UNIT NO. &	TYPE		OCATION	-
CENTRALI		· · · · · · · · · · · · · · · · · · ·					251				 			n .	-
BOTTOM F							7	Je.	alen		8195	~	511	and In	ļ
TOP PLUG				 				ا مرسورت الإمطاعة	1		78517		7.7	Commence of the State State	— ¤
MEAD							1 -3	lace !	11		159	80		1/	ja I
·				 		***	<u>₹. ∧</u>	or f	The s	WF	 	In Such	<u> </u>		-
PACKER	·							w			1			•	. 1
OTHER											-				-}-
		i	MATERI	ALS		-	-				-				1
TREAT, FI	LUID			DENSITY		LB/GAL. API									-þ
DISPL. FL	מוט			DENSITY		LB/GALAPI					-				
PROP. TYP	°E		_ SIZE		LB.	·				·	ļ				-1
PROP. TYP	PE		_size		LB.				-		1				
ACID TYPE	≅		G.	AL		_ %					ļ			······································	_
ACID TYPI	E		G	AL		_ %					-				
ACID TYP	E		G A	L		_ %									=
SURFACT	ANT TYPE		G	AL	IN		DEPARTME	NT		<i>I</i>					_ {
NE AGENT	TYPE		G	۹L.	IN		DESCRIPTI	ON OF	Joв	to the state of	50,0	<u> </u>			_ F
FLUID LOS	SS ADD.TYPE		GA!	.,-LB	IN _					1 0		<u>/</u>			_ Z
				LB											_ĺ
				L8											_
							JOB DONE	THRU:	TUBING	CA	SING	ANNULU	ıs 🔲	TBG./ANN.	ו כ
	AGENT TYPE				SALLB				\cap						
	BALLS TYPE_						CUSTOMER REPRESEN		X	Z2 800 4 25	(100	سر∫	` .		
	BALLS ITFE				• • • • • • • • • • • • • • • • • • • •							to the second			-
OTHER							HALLIBUR	ON m	61i	7 (12 m	nen:	COPI	ES JESTED	/	Į
OTHER						CEM	OPERATOR			A CONTRACTOR OF THE PARTY OF TH	· · · · · · · · · · · · · · · · · · ·				_ ă
<u></u>		T	1		BULK					· ····		YI	ELD	MIXED	- Yp@
STAGE	NUMBER OF SACKS	TYPE	CLASS	BRAND	SACKED			ADDIT	TIVES				T./SK.	LBS./GAL.	_ 1
7	100	1000	A	1411	K	50-50	Por	1.9	The P	2014	~ · · · ·	1/2	7 3	147	10
	r	10	+*/	ナンシン	8		6 14		7-1			1		*	7
			1		1						·				-[
<u></u>		 	1		1							1			-
	 		 		 							1			<u>.</u>
	<u> </u>	PRESSI	JRES IN	PSI	<u> </u>	SUMMA	RY			VOLL	IMES				寸
CIRCULAT	ING			SPLACEMENT_				38LG/	\L						_
							LOAD & BKD	N: BBL	GAL			: BBL			_ [
								BSL	JAL		DIS	PL: BBL	G/AL	348	_ [
AVERAGE							CEMENT SLU			243					5
SHUT-IN: 1	NSTANT	HYDRAL	LIC HO	RSEPOWER	_ 12-14/11/4*		TOTAL VOLU		-						_ /
			A 8 . F		ness		IOTAL VOLU	56		REMA	ARKS				- 1
ORDERED			GE RAT	ES IN BPM	_USED										_
					~\/== - · ·		**** *********************************								_ F
TREATING				IN PIPE	OVERALL		<u> </u>								-
															1

HALLIBURTON SERVICES TICKET NO. 070089 JOB LOG FORM 2013 R-1 PRESSURE (PSI) VOLUME (BBL) LOKE) RATE (BPM) TUBING CASING 0920 0945 0947 4.5 1009 1011 1.6 1026 24,3 24.3 (34.8 666) 1030 59,1