For KCC Use: Effective Date: District # _ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1359360

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month da		Spot Description:	
	montn da	ay year	(0/0/0/0) Sec Twp	S. R
DERATOR: License#			(Q/Q/Q/Q) feet from	N / S Line of Section
			feet from	E / W Line of Section
			Is SECTION: Regular Irregular?	
•		Zip: +	(Note: Locate well on the Section Plat of	*
•			County:	
			Lease Name:	
ONTRACTOR: Lissues II	ı		Field Name:	
Jon (RACTOR: License# lame:	:		io tino a i rotatoa / opacoa i tota i	Yes No
iaiiie			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh	Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes N
Dispo		Cable	Public water supply well within one mile:	Yes N
Seismic ;#	of Holes Other	_	Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I	
If OWWO: old well	I information as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			Designated Tetal Dentile	
Original Completion D	ate: Origin	al Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:	
Yes, true vertical depth: _			DWR Permit #:	
Bottom Hole Location:			- (Note: Apply for Permit with DW	/R 🗌)
(CC DKT #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
		AF	FIDAVIT	
he undersigned hereby	affirms that the drilling,	completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
	wing minimum requirem	ents will be met:		
t is agreed that the follow				
•	ate district office prior t	o spudding of well:		
Notify the appropri	iate district office <i>prior</i> to		ch drilling rig;	
 Notify the appropri A copy of the appr 	oved notice of intent to	drill shall be posted on each	th drilling rig; f by circulating cement to the top; in all cases surface pi	pe shall be set
Notify the appropri A copy of the appr The minimum amount through all uncons	oved notice of intent to open of surface pipe as solidated materials plus	drill shall be posted on eac specified below shall be se a minimum of 20 feet into tl	t by circulating cement to the top; in all cases surface pine underlying formation.	
 Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho 	oved notice of intent to open of surface pipe as solidated materials plus oble, an agreement between	drill shall be posted on each specified below shall be se a minimum of 20 feet into the operator and the dispersion of the dispersion	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary to the content is necessary t	
 Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di 	oved notice of intent to ount of surface pipe as s solidated materials plus ole, an agreement betwe istrict office will be notifice	drill shall be posted on each pecified below shall be seen a minimum of 20 feet into the dienthe operator and the dienthe operator and the dienthe before well is either pluged.	t by circulating cement to the top; in all cases surface pine underlying formation. strict office on plug length and placement is necessary paged or production casing is cemented in;	orior to plugging;
 Notify the appropri A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	oved notice of intent to ount of surface pipe as s solidated materials plus ble, an agreement betwe istrict office will be notifical II COMPLETION, produ	drill shall be posted on each pecified below shall be seen a minimum of 20 feet into the een the operator and the dised before well is either pluguation pipe shall be cement	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 D	orior to plugging; AYS of spud date.
 Notify the appropri A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	oved notice of intent to count of surface pipe as solidated materials plus pole, an agreement betwee istrict office will be notifice II COMPLETION, produpendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, al	orior to plugging; AYS of spud date. ternate II cementing
 Notify the appropri A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	oved notice of intent to count of surface pipe as solidated materials plus pole, an agreement betwee istrict office will be notifice II COMPLETION, produpendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 D	orior to plugging; AYS of spud date. ternate II cementing
 Notify the appropri A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	oved notice of intent to count of surface pipe as solidated materials plus pole, an agreement betwee istrict office will be notifice II COMPLETION, produpendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, al	orior to plugging; AYS of spud date. ternate II cementing
 Notify the appropri A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate of 	oved notice of intent to ount of surface pipe as solidated materials plus oble, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solution of the solution of the solution of the solution.	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, al	orior to plugging; AYS of spud date. ternate II cementing
 Notify the appropri A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate of 	oved notice of intent to ount of surface pipe as solidated materials plus oble, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solution of the solution of the solution of the solution.	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, allowed plugged. In all cases, NOTIFY district office prior to	orior to plugging; AYS of spud date. ternate II cementing
Notify the appropri A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate descriptions or pursuant to appropriate description.	oved notice of intent to ount of surface pipe as solidated materials plus oble, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solution of the solution of the solution of the solution.	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary pinged or production casing is cemented in; ed from below any usable water to surface within 120 District 3 area, all the plugged. In all cases, NOTIFY district office prior to Remember to:	prior to plugging; PAYS of spud date. Iternate II cementing or any cementing.
Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate do If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate di If an ALTERNATE Or pursuant to Appropriate di	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the distent the operator and the distent before well is either pluguction pipe shall be cement the assurface casing order spud date or the well shall be	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, all e plugged. In all cases, NOTIFY district office prior to Remember to: - File Certification of Compliance with the Kansas Surface.	prior to plugging; PAYS of spud date. Iternate II cementing or any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry house 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate described by the completed Ubmitted Electro For KCC Use ONLY API # 15 -	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notificed in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated in the solida	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement in sas surface casing order supply and date or the well shall be	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, also plugged. In all cases, NOTIFY district office prior to Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;	prior to plugging; PAYS of spud date. Iternate II cementing or any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry house the appropriate of the appropri	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement in sas surface casing order supply and date or the well shall be	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, alle plugged. In all cases, NOTIFY district office prior to Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D	prior to plugging; PAYS of spud date. Iternate II cementing or any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate description Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notificed in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated in the solida	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order from the spud date or the well shall be spud feet.	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Dt. 133,891-C, which applies to the KCC District 3 area, also plugged. In all cases, NOTIFY district office prior to the Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spuce	porior to plugging; PAYS of spud date. Iternate II cementing or any cementing. ace Owner Notification rill; I date;
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry house the appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di brighted Electro Ibmitted Electro For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe re	roved notice of intent to count of surface pipe as a solidated materials plus pole, an agreement between istrict office will be notificed in COMPLETION, produce and within 30 days of the solidated in the solida	drill shall be posted on each specified below shall be seen a minimum of 20 feet into the enthe operator and the disease before well is either pluguction pipe shall be cement as surface casing order # spud date or the well shall be spud feet feet feet per ALT I II	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, alle plugged. In all cases, NOTIFY district office prior to File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spucerille acreage attribution plat according to field proration.	prior to plugging; PAYS of spud date. ternate II cementing of any cementing. ace Owner Notification rill; It date; on orders;
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by Conductor pipe required Minimum surface pipe re- Approved by:	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated materials.	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either plugation pipe shall be cement as surface casing order from the spud date or the well shall be spud feet per ALT. I I II	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Dt. 133,891-C, which applies to the KCC District 3 area, also plugged. In all cases, NOTIFY district office prior to the Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spuce	prior to plugging; PAYS of spud date. ternate II cementing or any cementing. ace Owner Notification rill; d date; on orders; kover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement betwee istrict office will be notifice. II COMPLETION, production of within 30 days of the solidated materials. II complete the complete of the solidate of the	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order standard date or the well shall be spud date or the well shall be feet feet per ALT.	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, alle plugged. In all cases, NOTIFY district office prior to Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Detail Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to world.	prior to plugging; PAYS of spud date. ternate II cementing or any cementing. ace Owner Notification rill; d date; on orders; kover or re-entry; leted (within 60 days);
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated materials.	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order standard date or the well shall be spud date or the well shall be feet feet per ALT.	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, all e plugged. In all cases, NOTIFY district office prior to Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spuce. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comp	prior to plugging; PAYS of spud date. Iternate II cementing or any cementing. Package of the company of the c
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	roved notice of intent to count of surface pipe as a solidated materials plus able, an agreement betwee istrict office will be notificed in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated in the surface of the solidated in the surface of the surface	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order standard date or the well shall be spud date or the well shall be feet feet per ALT.	t by circulating cement to the top; in all cases surface pine underlying formation. Strict office on plug length and placement is necessary pinged or production casing is cemented in; ged from below any usable water to surface within 120 Details, 891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spuce. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to world Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting services.	prior to plugging; PAYS of spud date. Iternate II cementing or any cementing. Packed of the company of the co

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		Location of Well: County:
Lease:		feet from N / S Line of Section
Well Numb	per:	feet from E / W Line of Section
Field:		SecTwp S. R
	Acres attributable to well:	is Section. Regular of Irregular
QTR/QTR	/QTR/QTR of acreage:	—
		If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	lease roads, tank batteries, pipelines and electrical lines, as	PLAT rest lease or unit boundary line. Show the predicted locations of its required by the Kansas Surface Owner Notice Act (House Bill 2032). In a separate plat if desired.
2070 ft.		LEGEND
-07011.		· · · · · · · · · · · · · · · · · · ·
		Tank Battery Location
		: : : : : : : : : : : : : : : : : : :
		Lease Road Location
		Eease Noau Location
	: : : : :	: :
	<u> </u>	EXAMPLE
	28	
		. `
		1980' FSL
		SEWARD CO. 3390' FEL
		•

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1359360

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:			
Emergency Pit Burn Pit	Pit is: Proposed Existing		Sec. Twp. R. East West
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(I-1-1-)	Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes N	lo	
· · · · · · · · · · · · · · · · · · ·	Length (fee	,	Width (feet)N/A: Steel Pits
	m ground level to dee		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	ne closed within 365 days of spud date.
Submitted Electronically			
Submitted Lieutionically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numb	per:	Permi	t Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1359360

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🗌 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. et (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, an	d email address.
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: OWENS PETROLEUM, LLC Lease: Collins Well Number: 6-C Field: Humboldt-Chanute Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW - NE - NE - NW	Location of Well: County: Woodson 495
Show locati the well. Show footage to the neares lease roads, tank batteries, pipelines and electrical l	PLAT st lease or unit boundary li ted locations of I 2032). a separate plat if desired.
	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
28	EXAMPLE 1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

July 06, 2017

Bryson Owens Owens Petroleum LLC 1274 202ND RD YATES CENTER, KS 66783-5411

Re: Drilling Pit Application Collins 6-C NW/4 Sec.28-25S-17E Woodson County, Kansas

Dear Bryson Owens:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.