



1359676

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____
---	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---



# GLOBAL OIL FIELD SERVICES, LLC

2861

REMIT TO 24 S. Lincoln  
Russell, KS 67665

SERVICE POINT: Russell, KS

DATE <u>4-4-17</u>	SEC. <u>28</u>	TWP. <u>13</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION <u>103-11</u>	JOB START	JOB FINISH <u>12:30</u>
LEASE <u>RR-111</u>	WELL #.	LOCATION			COUNTY <u>Ellis</u>	STATE <u>KS</u>	

OLD OR NEW (CIRCLE ONE)

CONTRACTOR Fischer Well

TYPE OF JOB Production Well

HOLE SIZE 5 1/2 T.D.

CASING SIZE 5 1/2 DEPTH

TUBING SIZE 3 DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS

DISPLACEMENT

OWNER

CEMENT AMOUNT ORDERED

1 sack 64/100 67.12

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @

HANDLING @

MILEAGE @

TOTAL

EQUIPMENT

PUMP TRUCK CEMENTER Bill

# HELPER John

BULK TRUCK DRIVER

# DRIVER

BULK TRUCK DRIVER

# DRIVER

REMARKS:

P.C. 1174 Test 1000# oil  
spiral bit, etc.  
run 150' at 4pm 6/16  
spot and circ  
etc. test press to 200  
water level, pull tubing

CHARGE TO: ELK Energy Holdings  
STREET 2250 N. R.R. Rd. #110-107  
CITY Wichita STATE KS ZIP 67226

Global Oil Field Services, LLC  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_  
SIGNATURE [Signature]

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

TOTAL

PLUG & FLOAT EQUIPMENT

@

@

@

@

@

TOTAL

SALES TAX (If Any) \_\_\_\_\_  
TOTAL CHARGES \_\_\_\_\_  
DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS



**PAID**  
3/28

**QUALITY OILWELL CEMENTING, INC.**  
PO Box 32 - 740 West Wichita Ave, Russell KS 67665  
Phone: 785-324-1041 fax: 785-483-1087  
Email: cementing@ruraltel.net

Date: 3/5/2017  
Invoice # 109  
P.O.#:  
Due Date: 4/4/2017  
Division: Russell

# Invoice

**Contact:**

**Address/Job Location:**

*EIK Energy*  
*2250 N. Rock Rd.*  
*Ste 118-107*  
*Wichita KS 67226*

**Reference:**

LERoy BROWN 2 26-13-17 #2

**Description of Work:**

PROD STRING

Services / Items Included:	Quantity	Price	Taxable	Item	Quantity	Price	Taxable
Labor		\$ 507.76	No				
Common-Class A	200	\$ 2,267.32	Yes	Bulk Truck Mileage-Job to Nearest Bulk Plant	2	\$40.78	Yes
Gilsonite	850	\$ 870.73	Yes		15	\$35.85	No
Cement Scratchers Cable Type, 5 1/2"	24	\$ 737.56	Yes				
5 1/2" Basket	3	\$ 573.66	Yes				
5 1/2" Turbolizer	8	\$ 393.37	Yes				
Auto Fill Float Shoe, 5 1/2"	1	\$ 229.46	Yes				
Latch Down Plug & Baffle, 5 1/2"	1	\$ 181.66	Yes				
Bulk Truck Matl-Material Service Charge	223	\$ 152.29	No				
Salt (Fine)	15	\$ 134.20	Yes				
Pump Truck Mileage-Job to Nearest Camp	15	\$ 46.10	No				

**Invoice Terms:**

Net 30

Discount Available ONLY if Invoice is Paid & Received within listed terms of invoice: \$ (154.27)

SubTotal: \$ 6,170.74

SubTotal for Taxable Items: \$ 5,293.02

SubTotal for Non-Taxable Items: \$ 723.45

Total: \$ 6,016.47

7.00% Ellis County Sales Tax

Tax: \$ 370.51

**Thank You For Your Business!**

**Amount Due: \$ 6,386.98**

**Applied Payments:**

**Balance Due: \$ 6,386.98**

Past Due Invoices are subject to a service charge (annual rate of 24%)  
This does not include any applicable taxes unless it is listed.  
©2008-2013 Straker Investments, LLC. All rights reserved.

*Kcel*

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 109

Date	Sec.	Twp.	Range	County	State	On Location	Finish
3-5-17	26	13	17	Els	KS		9:00am
Lease				Well No.		Owner	
Leroy Braun				2		To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.	
Contractor				Type Job		Charge To	
WW #12				Production Services		EIK Energy LLC	
Hole Size		T.D.		Street		City State	
7 7/8		3660					
Csg.		Depth		Street		City State	
5 1/2		3652					
Tbg. Size		Depth		Street		City State	
Port Collar		1175					
Cement Left in Csg.		Shoe Joint		Cement Amount Ordered		The above was done to satisfaction and supervision of owner agent or contractor.	
42.50		42.50		200 com 10/salt 5-1 Gilsonite			
Meas Line		Displace		500 gal mod clear + 20BL KCL			
		88 BCL					
EQUIPMENT				Common			
Pumptrk		Cementer		200			
20		Helper					
Bulktrk		Driver		Poz. Mix			
9		Driver					
Bulktrk		Driver		Gel.			
9		Driver					
JOB SERVICES & REMARKS				Calcium			
Remarks:				Hulls			
Rat Hole				Salt			
30SK				15			
Mouse Hole				Flowseal			
				Kol-Seal			
Centralizers				850#			
				Mud CLR 48			
Baskets				CFL-117 or CD110 CAF 38			
D/V or Port Collar				Sand			
5 1/2 set @ 3652 Baffle @ 3609.50				Handling			
Est. Circulation Pump 500 gal mod clear				223			
+ 20BL KCL spgr				Mileage			
Phy Rathole - Cement 5 1/2 with				FLOAT EQUIPMENT			
170SK Clear lines & Displace Phy				Guide Shoe			
Phy Landed @ 2000*				24 Recip. Scratchers			
				Centralizer			
				8			
				Baskets			
				3 cased Blue			
				AFU Inserts			
				Port Collar			
				Float Shoe			
				1			
				Latch Down			
				1			
				Pumptrk Charge			
				prod string			
				Mileage			
				15			
				Tax			
				Discount			
				Total Charge			
X Signature							

# GLOBAL OIL FIELD SERVICES, LLC

3119

REMIT TO

24 S. Lincoln  
Russell, KS 67665

SERVICE POINT:

Russell, KS

DATE	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
2-28-17							
LEASE <u>Zeroy</u> <u>Brown</u>		WELL # <u>2</u>	LOCATION	COUNTY <u>Ellis</u>		STATE <u>KS</u>	
OLD OR <u>NEW</u> (CIRCLE ONE)							

CONTRACTOR	<u>WCO Drilling #12</u>		OWNER		
TYPE OF JOB	<u>Surface</u>				
HOLE SIZE	<u>12 1/4</u>	T.D.	<u>221</u>		
CASING SIZE	<u>8 5/8</u>	DEPTH	<u>212.5</u>		
TUBING SIZE		DEPTH			
DRILL PIPE		DEPTH			
TOOL		DEPTH			
PRES. MAX.		MINIMUM			
MEAS. LINE		SHOE JOINT			
CEMENT LEFT IN CSG.	<u>20 FT</u>				
PERFS					
DISPLACEMENT	<u><del>20</del> 12 3/4 661</u>				
	EQUIPMENT				
PUMP TRUCK # <u>409</u>	CEMENTER	<u>Heath</u>			
	HELPER	<u>Coch</u>			
BULK TRUCK # <u>410</u>	DRIVER	<u>Tom</u>			
BULK TRUCK #	DRIVER				

CEMENT		
AMOUNT ORDERED	<u>150SK COM 3% CC</u>	
	<u>2% gel</u>	
COMMON	@	
POZMIX	@	
GEL	@	
CHLORIDE	@	
ASC	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	@	
MILEAGE		
		TOTAL

REMARKS:

Run 5 JTS of 8 5/8 casing & landing JT  
est Circulation with mud pump  
Hook up and mix 150SK COM and disp  
12 3/4 661 of H2O

Shut in @ 200PSI  
Cement Did Circulate to surface!!

CHARGE TO: Elk Energy

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	
EXTRA FOOTAGE	@
MILEAGE	@
MANIFOLD	@
	@
	@
	@

TOTAL

PLUG & FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	
	@	

TOTAL

Global Oil Field Services, LLC

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS