

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1360396

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Ш

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

NOTICE OF INTENT TO DRILL

| | | | Spot Description: |
|---|--|--|---|
| | month | day year | |
| ODEDATOR: License# | | | (Q/Q/Q/Q) feet from N / S Line of Section |
| | | | feet from E / W Line of Section |
| | | | L OFOTION D L D L O |
| | | | |
| | | Zip: + | (Note: Educate Well of the decision has on reverse state) |
| | | | County: |
| | | | Lease Name: vveii #: |
| | | | Field Name: |
| | · | | is this at rotated, opaced rists. |
| Name: | | | Target Formation(s): |
| Well Drilled For: | Well Class: | Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh F | Rec Infield | Mud Rotary | Ground Surface Elevation:feet MSI |
| Gas Stora | | | Water well within one-quarter mile: |
| Dispo | | Cable | Public water supply well within one mile: |
| Seismic : # 0 | | | Depth to bottom of fresh water: |
| | 51 11 15 15 15 15 15 15 15 15 15 15 15 1 | | Depth to bottom of usable water: |
| | | | Surface Pipe by Alternate: I II |
| If OWWO: old well | I information as follow | /S: | Length of Surface Pipe Planned to be set: |
| Operatori | | | |
| • | | | Projected Total Depth: |
| | | riginal Total Depth: | |
| Original Completion Da | ate O | nginai iotai beptii | Water Source for Drilling Operations: |
| Directional, Deviated or Ho | orizontal wellbore? | Yes | Well Farm Pond Other: |
| | | | ven Tami ona Guien. |
| · | | | DVVK Feitilit #. |
| KCC DKT #: | | | |
| | | | If Yes, proposed zone: |
| | | | 11 165, proposed 20116 |
| | | I | AFFIDAVIT |
| The undersigned hereby | affirms that the drill | ing, completion and eventua | al plugging of this well will comply with K.S.A. 55 et. seq. |
| It is agreed that the follow | ving minimum requi | rements will be met: | |
| | iate district office pr | ior to spudding of well: | |
| 1 Notify the appropri | | t to drill shall be posted on | each drilling rig: |
| Notify the appropri A copy of the appro | | | set by circulating cement to the top; in all cases surface pipe shall be set |
| 2. A copy of the appro | ount of surface pipe | | set by circulating content to the top, in all cases surface pipe shall be set |
| 2. A copy of the appre3. The minimum amo | | lus a minimum of 20 feet int | |
| A copy of the appro The minimum amo through all uncons If the well is dry ho | solidated materials pole, an agreement be | lus a minimum of 20 feet int etween the operator and the | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> |
| A copy of the appro The minimum amo through all uncons If the well is dry ho The appropriate dis | colidated materials pole, an agreement be strict office will be n | olus a minimum of 20 feet int etween the operator and the otified before well is either p | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> olugged or production casing is cemented in; |
| A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE | colidated materials pole, an agreement be strict office will be no II COMPLETION, po | lus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be cem | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. |
| A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. |
| A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to App | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. |
| A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errer #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern d within 30 days of the | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. |
| A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern d within 30 days of the | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errer #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach The appropriate of the pursuant to Approach Ubmitted Electron | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern d within 30 days of the | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. |
| A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern d within 30 days of the | blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errest that the surface of the surface is a real alternate II cementing is the plugged. In all cases, NOTIFY district office prior to any cementing. |
| A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach The appropriate of the pursuant to Approach Ubmitted Electron | solidated materials pole, an agreement be strict office will be n II COMPLETION, popendix "B" - Eastern d within 30 days of the | olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be cem. Kansas surface casing orde he spud date or the well sha | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| 2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed ubmitted Electroic For KCC Use ONLY API # 15 - | colidated materials pole, an agreement be strict office will be now the common of the | olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha | o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach be completed ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required | colidated materials pole, an agreement be lestrict office will be now the strict of the strict | elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing order he spud date or the well shall be ceme feet | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| 2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the appropriate discontinuous of the approach of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the approach of | colidated materials pole, an agreement be lestrict office will be now the strict of the strict | elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing order he spud date or the well shall be ceme feet | co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approach and the completed Ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe recommends Minimum surface pipe recommends The minimum and the approach and the surface pipe recommends 2. A copy of the approach approach and the approach and the surface pipe recommends 4. If the well is dry hot approach and the surface pipe recommends 4. If the well is dry hot approach and the surface pipe recommends 4. If the well is dry hot approach and the surface pipe recommends 5. The appropriate discussion and the surface pipe recommends 6. If the well is dry hot approach and the surface pipe recommends 6. If the well is dry hot approach and the surface pipe recommends 6. If the well is dry hot approach and the surface pipe recommends 6. If the well is dry hot approach and the surface pipe recommends For KCC Use ONLY API # 15 - Conductor pipe required | colidated materials pole, an agreement be lestrict office will be now the strict of the strict | elus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing order he spud date or the well shall be ceme feet | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| 2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Approved by: This authorization expires | colidated materials pole, an agreement be estrict office will be now the strict of the stric | elus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing order he spud date or the well shall be ceme feet | co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1835 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | - | License Number: |
|---|--------------------------------|---|--|
| Operator Address: | | | |
| Contact Person: | | | Phone Number: |
| Lease Name & Well No.: | | | Pit Location (QQQQ): |
| Type of Pit: | Pit is: | | |
| Emergency Pit Burn Pit | Proposed Existing | | SecTwp R |
| Settling Pit Drilling Pit | If Existing, date constructed: | | Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section |
| | | (bbls) | County |
| Is the pit located in a Sensitive Ground Water Area? Yes No | | Ю | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? Yes No | Artificial Liner? | 0 | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | Length (feet | t) | Width (feet) N/A: Steel Pits |
| Depth fro | om ground level to deep | pest point: | (feet) No Pit |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining cluding any special monitoring. |
| Distance to nearest water well within one-mile of pit: | | Depth to shallow Source of inform | west fresh water feet. |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Worko | ver and Haul-Off Pits ONLY: |
| Producing Formation: | | Type of material utilized in drilling/workover: | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must b | e closed within 365 days of spud date. |
| Submitted Electronically | | | |
| | KCC O | OFFICE USE OF | NLY Liner Steel Pit RFAC RFAS |
| Date Received: Permit Numl | ber: | Permi | t Date: Lease Inspection: Yes No |



1360396

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (| Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|---|
| OPERATOR: License # Name: Address 1: Address 2: | Well Location: |
| City: State: + Contact Person: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: |
| Surface Owner Information: Name: | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owner. | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. |
| Submitted Electronically | |



Operator: Stroke of Luck Energy & Exploration, LLC

Lease: Custer Valley

Well #: <u>07-0817</u>


Field: Solomon

QTR/QTR/QTR of Acreage: <u>NE - SW - NW - SW</u>

Location of Well: County: Ellis

Section 24 Township 11 S Range 19 W

Is Section: <u>x</u> Regular / <u>___</u> Irregular



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

July 19, 2017

Jim Henkle Stroke of Luck Energy & Exploration LLC PO BOX 98 TECUMSEH, KS 66542

Re: Drilling Pit Application Custer Valley 07-0817 SW/4 Sec.24-11S-19W Ellis County, Kansas

Dear Jim Henkle:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.

82-3-607.



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

DISPOSAL OF DIKE AND PIT CONTENTS.

| (a) | Each operator shall perform one of the following when disposing of dike or | |
|-------|---|--|
| pit | contents: | |
| (1) | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department; | |
| (2) | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; | |
| or | | |
| (3) | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area | |
| on | | |
| lease | acreage owned by the same landowner or to another producing | |
| | or unit operated by the same operator, if prior written permission | |
| from | the landowner has been obtained; or | |

| | (D) | removal of the contents to a permitted off-site disposal area |
|----------|-----------|---|
| approved | | |
| | | by the department. |
| (b) | Each | violation of this regulation shall be punishable by the following: |
| (1 |) A \$1,0 | 000 penalty for the first violation; |
| (2 | a \$2,5 | 00 penalty for the second violation; and |
| (3 | a \$5,0 | 000 penalty and an operator license review for the third violation. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo |
|--|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo |
| Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application. |