

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1360686

Form CP-4

March 2009

Type or Print on this Form

Form must be Signed

All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

Spot Description: Spot	OPERATOR: License #:			AP	l No. 15		
State Zip Feet from North / South Line of Section Street Feet from Street Feet from Street Feet from Street Feet Feet Feet Feet Feet Feet Feet				I			
City:	Address 1:			_	Sec	c Twp S.	R East West
Contact Person: Fhone (Address 2:			_	Fe	eet from North	/ South Line of Section
Phone (City:	State:	Zip: +	_	Fe	eet from East	/ West Line of Section
Type of Wellt; (Check one)	Contact Person:			Foo	otages Calculated fro	m Nearest Outside	Section Corner:
Water Supply Well Other: Gas Storage Permit #: Lease Name: Well #: Lease Name: Well #: Lease Name: Well #: Date Well Completed: The plugging proposal was approved on: (Date) by: (MCC District Agent's Name) Producing Formation (s): List All (if needed attach another sheet) Depth to Top: Bottom: T.D. Depth to Top: Depth to Top: Depth to Top: Depth to Top: Bottom: T.D. Dep	Phone: ()				NE	NW SE	sw
Water Supply Well Other:	Type of Well: (Check one)	Oil Well Gas Well	OG D&A Cathod	ic Co	untv. —		
ENIR Permit #:	Water Supply Well	Other:	SWD Permit #:		•		
As ACC-1 filed?	ENHR Permit #:	Gas Sto	orage Permit #:				
Depth to Top:	Is ACO-1 filed? Yes	No If not, is wel	I log attached? Yes		•		
Depth to Top:	Producing Formation(s): List /	All (If needed attach anothe	r sheet)	by:			_(KCC District Agent's Name)
Depth to Top: Bottom: T.D. Plugging Completed: Depth to Top: Bottom: T.D. Plugging Completed: Depth to Top: Bottom: T.D. Plugging Completed: Show depth and thickness of all water, oil and gas formations. Oil, Gas or Water Records Casing Size Setting Depth Pulled Out Content Casing Size Setting Depth Pulled Out Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If zeroent or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Plugging Contractor License #: Name: Address 1: Address 2: Zip: +	Depth to	o Top: Botto	om: T.D				
Show depth and thickness of all water, oil and gas formations. Oif, Gas or Water Records Casing Record (Surface, Conductor & Production) Formation Content Casing Size Setting Depth Pulled Out Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If sement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Plugging Contractor License #: Address 1: Address 2: City: State: Zip: + Name: Name of Party Responsible for Plugging Fees: State of County, , ss.	Depth to	o Top: Botto	om: T.D				
Oil, Gas or Water Records Casing Record (Surface, Conductor & Production) Formation Content Casing Size Setting Depth Pulled Out Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If zement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Plugging Contractor License #: Address 1: Address 2: City: State: Zip: + Phone: () Name of Party Responsible for Plugging Fees: State of County,, ss.	Depth to	o Top: Botto	om:T.D		gging Completed.		
Oil, Gas or Water Records Casing Record (Surface, Conductor & Production) Formation Content Casing Size Setting Depth Pulled Out Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If zement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Plugging Contractor License #: Address 1: Address 2: City: State: Zip: + Phone: () Name of Party Responsible for Plugging Fees: State of County,, ss.							
Formation Content Casing Size Setting Depth Pulled Out	Show depth and thickness of	all water, oil and gas form	ations.				
Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If zement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Plugging Contractor License #:	Oil, Gas or Wate	r Records		Casing Recor	d (Surface, Conductor	& Production)	
Plugging Contractor License #: Name:	Formation	Content	Casing	Size	Setting Dep	oth Pulled O	ut
Plugging Contractor License #: Name:							
Plugging Contractor License #: Name:							
Plugging Contractor License #: Name:							
Plugging Contractor License #: Name:							
Plugging Contractor License #: Name:							
Plugging Contractor License #: Name:							
Address 1: Address 2:	cement or other plugs were u	sed, state the character of	same depth placed from (bot	trom), to (top) i	or each plug set.		
City:	33 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
Phone: ()	Address 1:			Address 2:			
Name of Party Responsible for Plugging Fees:	City:			Sta	te:	Zip:	+
State of, ss.	Phone: ()						
	Name of Party Responsible for	or Plugging Fees:					
	State of	County, _		, ss	S.		
		•			_	. 🗆 -	

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

(Print Name)

SURE PUMPING P.O. Box 884

Charalle DRIVER 53350 EleberAdo TRUCK# Serens RANGE FIELD TICKET & TREATMENT REPORT

CEMENT

MOCH # 810724 CEMENT LEFT IN CASING OTHER CASING SIZE & WEIGHT 455 CON TICKET NUMBER LOCATION EXAMINED TOWNSHIP DRIVER Serving 1 MACK Jerem Side RATE TRUCK# SECTION っりかか 1250 637 WATER gal/sk_ HOLE DEPTH TUBING MIX PSI 200 602 WELL NAME & NUMBER 本 67205-Parkeyay My tubing to # DISPLACEMENT PSI Chala SLURRY VOL Car DRILL PIPE HOLE SIZE archine 620-431-9210 or 800-467-8676 CUSTOMER# Chanute, KS 66720 23% REMARKS: SAFLE JOB TYPE Pluc S+e/ba, CASING DEPTH SLURRY WEIGHT wichita DISPLACEMENT DATE

Dressura

and

Stred

hole

to suctince

where

2661

displaced

@n 65

Oumpo

Pressure

hela

10 mins.

050

8

enoto

15-525

TIMICOOK				
CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CEOUSOF	/	PUMP CHARGE	600	1
CECOST +	184	MILEAGE	1300	1200.00
CEONIL Y	,		7.15	536, 25
1 8000	00	Min DWIK Clelistery	660,00	60.00
CASE7 6	80	60/40 4%	20 /	00000
CC53251	100	Cule chi.	100.0	100
108077	de	Comment moride	1.63	125,00
1.5000	2	Corron Send Huille	5	8,8
WECOS)	0	SO JAC	1000	
		Subtotal))	472125
		Becount	45%	2124.56
	-			2596108
Ravin 3737	7	Total	SALES TAX	11 60
T)	Low March		ESTIMATED	2572435
SOLITONE HOME			1	1111

account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form. l acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's

	10
Щ	LIC
Z	ces,
	Servi
80	(ell s
Z	OII W
Ü	0
	4
THE PERSON NAMED IN	

57424 TICKET NUMBER LOCATION FOREMAN

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

620-431-9210 or 800-467-8676	92	CEMENT				
DATE CUSTOMER#	# WELL NAME & NUMBER	ER	SECTION	TOWNSHIP	RANGE	COUNTY
7.19.19 7.396	Floyd A.S			2	1	CHOCO
CUSTOMER						
1) Phar Oil	(OFNOTALION INC.		TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRESS	The shakes		9/7/7	Jelemy M		1
1625 M. WATER CROS.	T. PARKINA		775	1,22		
CITY	STATE ZIP CODE		637	MAIK		
Wichita	K5 67206-6602	7	702	Brass		
JOB TYPE PTA	HOLE SIZE 77/5	HOLE DEPTH		CASING SIZE & WEIGHT 51/2 7	EIGHT 51/27	1112
CASING DEPTH	DRILL PIPE	TUBING			OTHER	
SLURRY WEIGHT	SLURRY VOL	WATER gal/sk		CEMENT LEFT in CASING	CASING	
DISPLACEMENT	DISPLACEMENT PSI	MIX PSI		RATE		1.5
REMARKS: D'S COLD / DIE	1 MAShad 1" down Hila	1 hottores	512%	85/8" CASING TAS	Asid Comes	-158
mixed comost Till use	4 Sol good comes Faturas	1115				
RAW 1" DEST A	Lown Lacida of 419" racine	LIN ANN	As - A Come	CAMELTE 24 TON	OF (45,40 1,3,44)	44.67
Center T.	Tob Complete: 4	12745L 100 + 7	Ser down	,		
			c c			

9203 925 MILEAGE 711 SAFEKS PUNP CHARGE 711 SASS 1 Proc Restar MIC 8235 LLS Hrs SOBL VAC Track SCAL SLATOL SLATO	CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
2003 211 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 111 155 1	F. 0450		PUMP CHARGE	1500,00	1,500.00
4.5 Hrs. 80 Bb. VAC Trust of VZ Gol. M. Sant Trust.	T. 000 7	25	MILEAGE	7.15	10
823 67 SALKS 60 1/0 Pora Restart w 42 Gol. 825 41.5 Hrs 80 Bbi 04c Theore Discourt Discourt M. M	11603	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ĭ.	660,009	76000
825 67 SACKS 60/10 Porms Convert by 42 Gold 8851 4.5 Hrs. 80 Bb. VAC Trusts Discount On M. O.	e a	Tan San San San San San San San San San S	Origin 2007 ST 5. 18 Laden west, Nicht, Un er effig.		
8851 4,5 Hrs 80 Bb. 44c There of the Books convert of 472 Gold. (1) The South of t	E 2011	155	Pint -	5.00	725.00
2851 4.5 Hrs. 80 Bbi. UAC Thurster British Bri	5833	2	110 Pozmix cement ul	16.00	1073.00
2851 4.5 Hr. 80Bb. UAC Trush. Discourt	2.		,		
	VE 0851		80 Bb. VAC Trust	100.00	450.00
			(5:140)		and the second second second second
			10.12.15. V 0.00.01.4 H30.13.15.	0.744/346/20	
Thousand the state of the state			THE CONTRACT OF SECTION SHOWS		26 86Mh
District Control of the Control of t			CONTRACTOR OF THE PROPERTY OF	14 15 15 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 101 0
				Part of Contraction	76 1202-
SOLUTION SULL SULL SULL SULL SULL SULL SULL SUL					
				1	P. 1745
	a n				
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		De Marquell		SALES TAX	
TOTAL	MB 3737	S. S	0	ESTIMATED	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form