

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1361774

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:	
	monun day	year	(9/9/9/9) Sec Twp	.S. R 🔲 E 🔲 W
OPERATOR: License#			feet from	N / S Line of Sectio
			feet from E	E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on	reverse side)
	State: Zip		County:	•
Contact Person:			Lease Name:	
Phone:			Field Name:	
CONTRACTOR: License#	<u> </u>		Is this a Prorated / Spaced Field?	Yes No
Name:			Target Formation(s):	
			Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:	
Oil Enh I	Rec Infield	Mud Rotary		
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes No
Dispo		Cable	Public water supply well within one mile:	
Seismic ;#			Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
If OWWO: old well	I information as follows:		Surface Pipe by Alternate:	
			Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			Projected Total Depth:	
Original Completion Da	ate: Original	Total Depth:	Formation at Total Depth:	
Directional Deviated or He	orizontal wallbara?	Yes No	Water Source for Drilling Operations:	
Directional, Deviated or Ho	onzoniai wellbore :		Well Farm Pond Other:	
			DWR Permit #:	
			(Note: Apply for Permit with DWR	
			Will Cores be taken?	Yes No
			If Yes, proposed zone:	
		AF	FIDAVIT	
The undersigned hereby	affirms that the drilling, co	ompletion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the follow	ving minimum requiremen	its will be met:		
	iate district office <i>prior</i> to a oved notice of intent to dri	ill shall be posted on each	• •	
 A copy of the appression. The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as speciolidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansa	minimum of 20 feet into the n the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order #	by circulating cement to the top; in all cases surface pipe e underlying formation. trict office on plug length and placement is necessary project or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a surface within 120 DA 141 cases, NOTIFY district office prior to a 141 cases.	ior to plugging; YS of spud date. rnate II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approach Or pursuant to Complete 	ount of surface pipe as specialisted materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansad within 30 days of the specialisted in the special stricts of the special stricts and the special stricts are strictly as the special stricts and stricts are strictly as the special stricts are strictly as the strictly as the strictly are strictly as the strictly as t	minimum of 20 feet into the n the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order #	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a	ior to plugging; YS of spud date. rnate II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approach Or pursuant to Complete 	ount of surface pipe as specialisted materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansad within 30 days of the specialisted in the special stricts of the special stricts and the special stricts are strictly as the special stricts and stricts are strictly as the special stricts are strictly as the strictly as the strictly are strictly as the strictly as t	minimum of 20 feet into the n the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order #	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; d from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter e plugged. In all cases, NOTIFY district office prior to a	ior to plugging; YS of spud date. rnate II cementing any cementing.
A copy of the approach of the approach of the well is dry howard of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the approach of the appropriate difference of the approach of the appropriate difference of the appropriate difference of the appropriate difference of the approach of	punt of surface pipe as special control of surface pipe as special dated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order # ad date or the well shall be	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface	ior to plugging; YS of spud date. rnate II cementing any cementing.
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approach of the completed ubmitted Electro For KCC Use ONLY API # 15 -	punt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansed within 30 days of the spunically	minimum of 20 feet into the the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; d from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter e plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	ior to plugging; YS of spud date. rnate II cementing any cementing.
2. A copy of the approach of the minimum amount through all uncons 4. If the well is dry house the appropriate difference of	nunt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be the operator of the well shall be the o	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate dies. If an ALTERNATE Or pursuant to Approach of the completed of the completed of the completed of the complete of the comple	punt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansed within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be the operator of the well shall be the o	e underlying formation. trict office on plug length and placement is necessary properties of production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a surface prior	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification ; ate;
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate diese. 5. The appropriate diese of the appropriate diese of the appropriate diese. 6. If an ALTERNATE or pursuant to Approve the appropriate diese of the approximation of t	nunt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be feetfeet per ALTIIIII	e underlying formation. trict office on plug length and placement is necessary proged or production casing is cemented in; deform below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a september to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud decrease attribution plat according to field proration. Notify appropriate district office 48 hours prior to worko	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification i; late; orders; ver or re-entry;
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate diese. 5. The appropriate diese of the appropriate diese of the appropriate diese. 6. If an ALTERNATE or pursuant to Approve the appropriate diese of the approximation of t	punt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be feetfeet per ALTIIIII	e underlying formation. trict office on plug length and placement is necessary properties of production casing is cemented in; deform below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a 14 plugged. In all cases, NOTIFY district office prior to a 15 plugged. In all cases, NOTIFY district office prior to a 16 plugged. In all cases, NOTIFY district office prior to a 17 plugged. In all cases, NOTIFY district office prior to a 18 p	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification i; late; orders; ver or re-entry; led (within 60 days);

Sida	

1	36	1	7	74
- 1	OU		•	<i>1</i> 4

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

	In all o	cases, pleas	se fully comp	lete this side of	the form.	Include items	1 through 5 at the bottom of this page.
Operator:				Location of Well: County:			
					feet from N / S Line of Section		
Well Number:							feet from E / W Line of Section
Field:				SecTwpS. R L E L W			
Number of Acres						Is Section:	Regular or Irregular
Q IIV Q IIV	QTN of acre	aye		· · · · · · · · · · · · · · · · · · ·			s Irregular, locate well from nearest corner boundary. ner used: NE NW SE SW
lease				d electrical lines,	as requir	se or unit boun	ndary line. Show the predicted locations of asas Surface Owner Notice Act (House Bill 2032). sired.
	:			:			LEGEND
		:	:			:	O Well Location Tank Battery Location Pipeline Location Electric Line Location
							Lease Road Location EXAMPLE
			3				-
	:		: : :				1980' FSL
						φ—	457 ft

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

330 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwp R	
Settling Pit Drilling Pit			Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
		• ,	cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inform	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:	



1361774

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R 🗌 East 🗌 West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City:					
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. et (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this				
form; and 3) my operator name, address, phone number, fax, an	d email address.				
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1					
Submitted Electronically					

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 10, 2017

Taylor Leiker Fossil Resources LLC 111 W. 36TH ST. HAYS, KS 67601

Re: Drilling Pit Application
Plummer Family Trust 1
SE/4 Sec.03-13S-36W
Logan County, Kansas

Dear Taylor Leiker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.


KEEP PITS on EAST side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.

FOSSIL RESOURCES, LLC PLUMMER FAMILY TRUST LEASE SE. 1/4, SECTION 3, T13S, R36W LOGAN COUNTY. KANSAS



^{*} Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

use.


*Ingress plat is opened f tenant o

July 27, 2017

Date

Approximate section lines were determined using the normal standard of care of oilfield surveyors procticing in the state of Kansas. The section corners, which establish the precise section lines, were not necessorily located, and the exact location of the drillsite location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees normless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

FOSSIL RESOURCES, LLC PLUMMER FAMILY TRUST LEASE SE. 1/4. SECTION 3. T135, R36W LOGAN COUNTY. KANSAS



- Eastrailing data is based upon the best section of land containing 640 acres.

July 27, 2017

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977