

DIAMOND TESTING, LLC

TESTER : TIM VENTERS
CELL # 620-388-6333

General Information

Company Name	L.D. DRILLING, INC.	Job Number	T616
Contact	MARILYN DAVIS	Representative	TIM VENTERS
Well Name	SCHREIBER #2-26	Well Operator	L.D. DRILLING, INC.
Unique Well ID	DST #1, FT. SCOTT, 4350-4400	Report Date	2017/06/25
Surface Location	SEC 26-17S-24W, NESS CO. KS.	Prepared By	TIM VENTERS
Well License Number			
Field	MINER		
Well Type	Vertical		

Test Information

Test Type	CONVENTIONAL
Formation	DST #1, FT. SCOTT, 4350-4400
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2017/06/24	Start Test Time	22:05:00
Final Test Date	2017/06/25	Final Test Time	06:27:00

Gauge Name	5504
------------	------

Test Results


RECOVERED: 15' SOCM, 8% OIL, 92% MUD

TOOL SAMPLE: 20% OIL, 80% MUD

L.D. DRILLING, INC.
DST #1, FT. SCOTT, 4350-4400
Start Test Date: 2017/06/24
Final Test Date: 2017/06/25

SCHREIBER #2-26
Formation: DST #1, FT. SCOTT, 4350-4400
Pool: MINER
Job Number: T616

SCHREIBER #2-26





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: SCHREIBER2-26DST1

TIME ON: 22:05 6-24-17
TIME OFF: 06:27 6-25-17

Company L D DRILLING, INC. Lease & Well No. SCHREIBER # 2-26
Contractor L D DRILLING, INC. RIG #1 Charge to L D DRILLING, INC.
Elevation 2447 KB Formation FT. SCOTT Effective Pay _____ Ft. Ticket No. T616
Date 6-25-17 Sec. 26 Twp. 17 S Range 24 W County NESS State KANSAS
Test Approved By KIM SHOEMAKER Diamond Representative TIM VENTERS

Formation Test No. 1 Interval Tested from 4350 ft. to 4400 ft. Total Depth 4400 ft.
Packer Depth 4345 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 4350 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____
Top Recorder Depth (Inside) 4331 ft. Recorder Number 5504 Cap. 5,000 P.S.I.
Bottom Recorder Depth (Outside) 4397 ft. Recorder Number 13819 Cap. 5,025 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 49 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.6 Water Loss 8.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 3,800 P.P.M. Drill Pipe Length 4317 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 4 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 18 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ^{32' DP IN ANCHOR} Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW, BUILDING TO 3 INCHES. (NO BB)
2nd Open: GOOD 2 INCH BLOW, BULDING TO 5 1/4 INCHES. (NO BB)

Recovered <u>15</u> ft. of <u>SOCM, 8% OIL, 92% MUD</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: <u>20% OIL, 80% MUD</u>	Total

Time Set Packer(s) 1:14 AM ^{A.M.} P.M. Time Started Off Bottom 4:14 AM ^{A.M.} P.M. Maximum Temperature 118 deg.
Initial Hydrostatic Pressure..... (A) 2124 P.S.I.
Initial Flow Period..... Minutes 30 (B) 11 P.S.I. to (C) 15 P.S.I.
Initial Closed In Period..... Minutes 45 (D) 276 P.S.I.
Final Flow Period..... Minutes 45 (E) 15 P.S.I. to (F) 18 P.S.I.
Final Closed In Period..... Minutes 60 (G) 195 P.S.I.
Final Hydrostatic Pressure..... (H) 2112 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.