









**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Red Oak Energy Inc.

**32 6s 33w Thomas KS**

7701 E Kellogg Dr Ste 710  
Wichita KS 67207-1738

**Shull 1**

Job Ticket: 64008

**DST#: 3**

ATTN: Sean Deenihan

Test Start: 2017.04.11 @ 09:17:00

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

52000 ppm

Viscosity: 63.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.77 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5500.00 ppm

Filter Cake: 1.00 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
314.00	MCW 5%m 95%w	2.701
400.00	MCW 25%m 75%w	5.611

Total Length: 714.00 ft      Total Volume: 8.312 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: .136 @ 76






Serial #: 8789

Inside

Red Oak Energy Inc.

Shull 1

DST Test Number: 3



Triobite Testing, Inc

Ref. No: 64008

Printed: 2017.04.11 @ 17:01:36