

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1362256
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

| | | |
|-----------------------------------|-----------------|---|
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date |
|-----------------------------------|-----------------|---|

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1362256

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| | |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____ | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
 Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
 Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
| | | | | | |

| | | |
|--|---|---|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ | PRODUCTION INTERVAL: _____ _____ |
|--|---|---|

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1557

| | | | | | | | | | | | | | | | | | |
|-----------------------------------|---------|------|----|----------|---|--------|----|------------|-------|--|----|-------------------------|--|--------|---------|----------|--|
| Date | 3-23-17 | Sec. | 19 | Twp. | 9 | Range | 20 | County | Ellis | State | KS | On Location | | Finish | 1:25 PM | | |
| Lease | | | | | | | | Well No. | | Owner | | | | | | | |
| Contractor | | | | | | | | Well No. | | Owner | | | | | | | |
| Type Job | | | | | | | | Well No. | | Owner | | | | | | | |
| Hole Size | | | | | | | | T.D. | | Charge To | | | | | | | |
| Csg. | | | | | | | | Depth | | Street | | | | | | | |
| Tbg. Size | | | | | | | | Depth | | City State | | | | | | | |
| Tool | | | | | | | | Depth | | The above was done to satisfaction and supervision of owner agent or contractor. | | | | | | | |
| Cement Left in Csg. | | | | | | | | Shoe Joint | | Cement Amount Ordered | | | | | | | |
| Meas Line | | | | | | | | Displace | | Cement Amount Ordered | | | | | | | |
| EQUIPMENT | | | | | | | | | | | | Common | | | | | |
| Pumptrk | | No. | | Cementer | | Helper | | Driver | | Driver | | Driver | | Driver | | Common | |
| Bulktrk | | No. | | Driver | | Driver | | Driver | | Driver | | Driver | | Driver | | Poz. Mix | |
| Bulktrk | | No. | | Driver | | Driver | | Driver | | Driver | | Driver | | Driver | | Gel. | |
| Bulktrk | | No. | | Driver | | Driver | | Driver | | Driver | | Driver | | Driver | | Calcium | |
| JOB SERVICES & REMARKS | | | | | | | | | | | | Hulls | | | | | |
| Remarks: | | | | | | | | | | | | Salt | | | | | |
| Rat Hole | | | | | | | | | | | | Flowseal | | | | | |
| Mouse Hole | | | | | | | | | | | | Kol-Seal | | | | | |
| Centralizers | | | | | | | | | | | | Mud CLR 48 | | | | | |
| Baskets | | | | | | | | | | | | CFL-117 or CD110 CAF 38 | | | | | |
| D/V or Port Collar | | | | | | | | | | | | Sand | | | | | |
| Handling | | | | | | | | | | | | Mileage | | | | | |
| FLOAT EQUIPMENT | | | | | | | | | | | | Guide Shoe | | | | | |
| Centralizer | | | | | | | | | | | | Baskets | | | | | |
| AFU Inserts | | | | | | | | | | | | Float Shoe | | | | | |
| Latch Down | | | | | | | | | | | | D.V. T-111 | | | | | |
| Pumptrk Charge | | | | | | | | | | | | Mileage | | | | | |
| Signature | | | | | | | | | | | | Tax | | | | | |
| | | | | | | | | | | | | Discount | | | | | |
| | | | | | | | | | | | | Total Charge | | | | | |

QUALITY OILWELL CEMENTING, INC. *Q*

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1533

| | | | | | | | | | | | | | | | |
|------|---------|------|----|------|---|-------|----|--------|-------|-------|----|-------------|--|--------|---------|
| Date | 3-23-77 | Sec. | 19 | Twp. | 9 | Range | 26 | County | Ellis | State | KS | On Location | | Finish | 3:00 PM |
|------|---------|------|----|------|---|-------|----|--------|-------|-------|----|-------------|--|--------|---------|

Location *Palo Verde Bullpark 1/4 mi*

Lease *B.L. Hager* Well No. *2 / 1500* Owner *AMDC*

Contractor *Dave* To Quality Oilwell Cementing, Inc.
You are hereby requested to rent cementing equipment and furnish
Type Job *Top Stop* cementer and helper to assist owner or contractor to do work as listed.

Hole Size *7 7/8* T.D. Charge To *American Oil*

Csg. *5 1/2* Depth Street

Tbg. Size Depth City State

Tool *DJ* Depth *1735'* The above was done to satisfaction and supervision of owner agent or contractor.

Cement Left in Csg. Shoe Joint Cement Amount Ordered *305 ckg 80/100 QMDC*

Meas Line Displace *41 1/4 bbl*

EQUIPMENT

Common

| | | | | | | | | | | | | | | | | |
|---------|--------------|----------|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Pumptrk | No. <i>5</i> | Cementer | | | | | | | | | | | | | | |
| | | Helper | <i>Brown</i> | | | | | | | | | | | | | |
| Bulktrk | No. | Driver | <i>David L</i> | | | | | | | | | | | | | |
| Bulktrk | No. | Driver | <i>Dave</i> | | | | | | | | | | | | | |

Poz. Mix

Gel.

Calcium

JOB SERVICES & REMARKS

Hulls

Remarks: Salt

Rat Hole Flowseal

Mouse Hole Kol-Seal

Centralizers Mud CLR 48

Baskets CFL-117 or CD110 CAF 38

D/V or Port Collar Sand

Handling

Mileage

FLOAT EQUIPMENT

*Mixed 305 ckg QMDC
Displaced 41 1/4 bbl H₂O*

Guide Shoe

Centralizer *-7*

Baskets *1*

AFU Inserts

Float Shoe *1*

Latch Down *1*

BV Tool

Pumptrk Charge


Mileage

Tax

Discount

Total Charge

X Signature *Dave Gardner*



QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 010

| | | | | | | | | | | | | | | | |
|------|---------|------|----|------|---|-------|----|--------|-------|-------|----|-------------|--|--------|---------|
| Date | 2-19-17 | Sec. | 19 | Twp. | 9 | Range | 20 | County | Rooks | State | KS | On Location | | Finish | 5:30 PM |
|------|---------|------|----|------|---|-------|----|--------|-------|-------|----|-------------|--|--------|---------|

| | | | | | |
|-------|---------|----------|------|-------|--|
| Lease | Palthar | Well No. | 2-19 | Owner | |
|-------|---------|----------|------|-------|--|

| | | | | |
|------------|----------|-------|-------|--|
| Contractor | Discover | R. 73 | Owner | To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |
|------------|----------|-------|-------|--|

| | | | | |
|----------|---------|--|-----------|--------------|
| Type Job | Surface | | Charge To | American OIL |
|----------|---------|--|-----------|--------------|

| | | | | | |
|-----------|--------|-------|-----|--------|-------|
| Hole Size | 12 1/4 | T.D. | 221 | Street | |
| Csg. | 8 3/4 | Depth | 220 | City | State |

| | | | | | |
|-----------|--|-------|--|--|-----------------|
| Tbg. Size | | Depth | | The above was done to satisfaction and supervision of owner agent or contractor. | |
| Tool | | Depth | | Cement Amount Ordered | 150 8 3/4 3 x 2 |

| | | | | |
|---------------------|-------|------------|-------|--|
| Cement Left in Csg. | 10-15 | Shoe Joint | | |
| Meas Line | | Displace | 13882 | |

EQUIPMENT

| | | | | | |
|---------|----|-----|----------|------|----------|
| Pumptrk | 18 | No. | Cementer | Dave | Common |
| | | | Helper | | |
| Bulktrk | | No. | Driver | | Poz. Mix |
| | | | Driver | | Gel. |
| Bulktrk | 9 | No. | Driver | Doug | Calcium |
| | | | Driver | | |

JOB SERVICES & REMARKS

| | |
|--------------------|-------------------------|
| Remarks: | Hulls |
| Rat Hole | Salt |
| Mouse Hole | Flowseal |
| Centralizers | Kol-Seal |
| Baskets | Mud CLR 48 |
| D/V or Port Collar | CFL-117 or CD110 CAF 38 |
| | Sand |
| | Handling |
| | Mileage |

FLOAT EQUIPMENT

| | |
|--|-------------|
| | Guide Shoe |
| | Centralizer |
| | Baskets |
| | AFU Inserts |
| | Float Shoe |
| | Latch Down |

| | |
|----------------|--------------|
| Pumptrk Charge | |
| Mileage | |
| | Tax |
| | Discount |
| | Total Charge |

X Signature *[Signature]*

