

__ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1362476

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:			
monur day year				
PERATOR: License#	feet from N / S Line of Section			
ame:	feet from E / W Line of Sectio			
ddress 1:	Is SECTION: Regular Irregular?			
ddress 2:	(Note: Locate well on the Section Plat on reverse side)			
	,			
ontact Person:	•			
none:				
ONTRACTOR: License#				
Well Drilled For: Well Class: Type Equipment:				
Oil Enh Rec Infield Mud Rotary				
Gas Storage Pool Ext. Air Rotary				
Disposal Wildcat Cable				
Seismic ; # of Holes Other	·			
Other:				
If OWNO, old wall information as follows:				
III OVVVVO. Old well information as follows.				
Operator:	Length of Conductor Pipe (if any):			
Well Name:				
Original Completion Date: Original Total Depth:				
	Water Source for Drilling Operations:			
	Well Farm Pond Other:			
•	DWR Permit #:			
	(Note: Apply for Permit with DWR)			
OO DICT !!				
CC DKT #:	Will Cores be taken?			
CC DKT #:	Will Cores be taken? Yes No			
	If Yes, proposed zone:			
AF	If Yes, proposed zone:			
f AFl he undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:			
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	If Yes, proposed zone:			
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.			
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig;			
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set			
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the discontinuation.	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the state of the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus as specified below shall be set through all unconsoli	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;			
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the proved intention of the proved one of the proved and the proved intention of the proved inte	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.			
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the proved intention of the proved one of the proved and unconsolidated price as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strong of the proved in the discontinuous control of the proved in the discontinuous control of the proved in the pr	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In thic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.			
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the state of the posted on each and the interval of the state of the posted on each and the interval of the state of the posted on each and the interval of the posted of the posted on each and the interval of the posted of the posted of the posted on each and the interval of the posted of the poste	If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Litrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.			
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the provided intention of the provided intention of the posted on each and the interval of the posted on each and the provided intention of the posted on each and the provided intention of the provided intention of the posted on each and the provided intention of the provided intention of the posted on each and the provided intention of the provided intent	If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Litrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification			
month day year Country Sec. Tup, S. R. E W				
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the posted on each and the posted of the posted on each and the po	If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Lucit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;			
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a specified below shall be extended to the set through all unconsolidated materials plus a specified below shall be extended to the set through all unconsolidated materials plus a specified below shall be extended to the set through all unconsolidated materials plus a specified below shall be extended to the set through all unconsolidated materials plus a minimum of 20 feet into the shall be extended to the set through all unconsolidated materials plus a minimum of 20 feet into the shall be extende	If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Lucit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;			
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the dise of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed. Submitted Electronically For KCC Use ONLY API # 15	If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Lucit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate district office will be notified before well is either plugger. [S. The appropriate	FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Lucit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;			
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the shall be set through all unconsolidated materials plus a minimum of 20 feet into the shall	If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Lucit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the standard interval interv	If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);			

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

1	3	62476	í

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



1650 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:				
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date cor Pit capacity:	Existing extructed: extructed: extracted (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)				
Depth fro	om ground level to dee	epest point:	(feet) No Pit				
material, thickness and installation procedure.			acluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	ıl utilized in drilling/workover:				
Number of producing wells on lease:		Number of world	king pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				



Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB	3-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	_
Email Address:	_
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	_
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factoric land in the surface owner(s). KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the e owner(s). To mitigate the additional cost of the KCC performing this ress of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 hands form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ling fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
Submitted Electronically	

STATE OF KANSAS STATE CORPORATION COMMISSION

15-179-20009-0000

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission WELL PLUGGING RECORD

State Corporation Commission 212 North Market, Insurance Bldg. Wichita, Kansas	She	ridan	Count	y. Sec. 3/8	Twp. 8s Rg	e. 29w (E)(W)
NORTH	Location as "NE	E/CNWXSWX" o	r footage fro	_{om lines} SE er. Inc.		<u>, </u>
	Lease Name	John O Mosier B				Well No. 2
	Office Address	0. Box	352, R	ussell,	Kansas	
		ell (completed a	-	-	Dryho	1,/18 67
	· -	plugging filed				4/18 19 67 4/18 19 67
		plugging med plugging approve				4/18 ₁₉ 67
	Plugging commo				,	4/18 19 67
						<u>4/18</u> ₁₉ 67
	Reason for aban	donment of well	or producin	g formation		
		well is abandone		_		
Locate well correctly on above	Was permission menced? Y		the Conserv	ation Division	or its agents be	efore plugging was com-
Section Plat Name of Conservation Agent who super			. Nich	ols, Mo	rland, K	ansas
Producing formation	D	epth to top	Botton	n	Total Depth	of Well 4130 Feet
Show depth and thickness of all water,	oil and gas formation	ıs.			•	
OIL, GAS OR WATER RECORDS						CASING RECORD
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED DUT
	·	-				
	· · · · · · · · · · · · · · · · · · ·					
		 	<u> </u>		-	
Plug # 2 Plug # 3 Plug # 3	2 210' 20 3 35' 10	SX. cemer SX. cemer SX. cemer	it			
Comple	eted: * 8:3	O A.M. 4/	/18/67	0. 4	Ä	
				N. Y. C.	6.	
					Op (C)	
				Con To	Or No	<u> </u>
				4 2 2	2 60,0	
	<u>.,,</u>			No. P. Phy. Tohia Pon	* 100°	
				16 ON	'^	
				King Jon	1/4/S/2 1	lost lot
					40 40 C	1000
		· · · · · · · · · · · · · · · · · · ·	 			
Name of Plugging Contractor		description is neces				
Address	0. Box 35	2. Russe	ll, Kan	sas 676	65	
	್ - ಇವ್ - - ಕ ರ್ಮನ್ಮಾ	<u>م د ه</u> د د محد د	*	· Fre ware	(2) (2) Server 19.	
STATE OF KANSAS		NII OF	RUSSELL		, 88.	
JOHN O. FARMEI well, being first, duly sworn on oath, s				•		r) of the above-described sined and the log of the
above-described well as filed and that)	
		(Signature)	Som	WO. Z	arme	<u>√</u>
is a most on a line		,	70. Bo	× 352, F	Russell,	Kansas
	0.1	·		Apr	(Address)	67
SUBSCRIBED AND SWORN TO Befor	e me this	day of_		7/1	, 19	9 <u>67</u>
	15 1071		<u> </u>	delen n Carlso	/ Car	Notary Public.
My commission expires February	15, 1971		Hele	in Gal 150	ווע	g & worrd.

_
-1
- 3
1
1
- 1
,
-
_
3-1
⋖
7
_
_
-
- 74
~
4
1

7 · · ·		AC	DRESS	Box	352	, Ru	sse	LL.	Kar	ısa:	š	 -	Give detail water, oil o	ed d r ga	escription and s.	thickness	of all form	ation drilled thro
	640 Acre N	4	co	_{UNTY} S I	neri	dan _{ec}	38	TV	_{MP.} 8s	.	RGE.	29w	(Forme	ztion	Тор	Bottom	Form
160 160	ate well co	160	OFF DRI DAT	MPANY (FICE AD ELING S TE OF F LL LOCA and vation (R	DPERATION DRESS B. TARTED TARTED STED S	NG JO OX 3 4/10 DOUCTION E 1/4 I	hn (52, 1967, NE 1/4 ft. E	Rust of RICK FE	Farn ssel Ng fin COM West Li West Li	ISHED	Kar Kar 1/18 North Quarte	of South	hale & Redbe Anhyd Shale Shale	e d ri	te shells	1012 1960 2125 2383 2420 2870	2125 2383 2420 2870 3350	-
				OIL OF	GAS SA	ANDS OR	ZONES						Lime Shale	c	lima		3410	
	Nan	ne		From	То			Name			From	To	Lime	G	rime	3410 3820		
1						4							Line			5020	טכוד	
2						5							•					
3	<u>-</u>			<u> </u>		6 .	· · · · · · · · · · · · · · · · · · ·			<u>, </u>	<u> </u>	<u> </u>	•					
		— _I . <u> </u>	n To	Any No. of	Chata		ormatio		From	rd To	0:	of Shot			·			
FOI	mation	Froi	1 10	140. 01	311012		ormano.		110111		3120	OI Shor						
	· · · · ·	_	+	†							1							
										· ·			123		3			
					CASING	RECORD							`	>	Sic			
			Amount	7	· - 		, .		nt Pulled		acker			Ž	Ž g			Log Top
Size	Wt.	Thds.	Make	Ft.	In.	Ft.	In.	Size	Lengi	h Del	oth Set	Make	· 3	¥	0 18	•		
	-		-	 	+		┝─┼		-	+-			ં કું જ	•	5 × 3	-		Heebner
					1				1	_			. E. C.		Z 3,			Toronto
Liner Re	cord: Amo	eunt.		Kir	d		Top_			Botton	`		APR 2		Wichita, Kanaas			Lansing B/Kansa
						AND MUD							•	ģ	35 \ L	X		T.D.
Size	Amount Se Ft. In		J	hemical . Mo		lethod of ementing	Amo	ount	Mudd Metl		I .	eults Note)	i	Ő	16. 1	5		
E /8		2 1 1		×	-		 				(500	11010)		Ö	,\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			<u> </u>
-5/4	-41		40.5		-+-		1	\dashv						1			} 	
Note: W	that metho	od was	used to	protect s	ands if	outer strii	ngs wer	re pull	ed?							4		
NOTE: W	Vere botto	m hole t	duas use	4?	If so	, state kir	nd. dept	thi set i	and rest	ılts ob	rained							
11072. 7	vere some	, ,,,,,,	,			USED	,,	.,,	4,10	00	- Cilia					}		
Rotary To	ools were	used fro	_ 0_	feet to		Disie to	ols were	e used	from _		feet to					1		
	feet, c					fee				fee				n _i n	ard die na	ılı.		
Type Rig	·			Rota									32.5Kb	a,		100		1
				INIT	AL PROD	UCTION	TEST				-						·····	
Describe	initial tes	t- wheth	er by flo	w throug	tubing	or tasin	g or by	pump	oing				countiesé de	cordi	ag to the recor	ds of this	worn upon office and to	oath, state that the best of my
Amount	of Oil Pro	duction		_bbls_S	ze of ch	oke, if an	y		ength of	test.		Water	·	. (1 de 18	•	Norm and ti
	n								-				- TT 1			3	0.1	U
			<u> </u>										1463	. 💎	d at grows, bri	efore me t	his 21	day of
₩													My Commiss	ióh i	expires Z/	5//1		111
3 A																		110100

ugh, contents of sand, whether dry,

urface hale hale & shells le & redbed	212	212		·[
hale & shells le & redbed			1	1 - 1	
le & redbed		1012			
le & redbed	1012	1960			
		2125	1		
edbed	2125	2383	İ		
nhydrite	2383	2420			
nale & shells	2420	2870	<u>`</u>		
nale & shells nale & lime	2870	3350			
ime	3350	3410		1 :	
hale & lime	3410	3820	,		
ime		4130		-	
	7020	7170		.	
•					
~ Š					
ન જું				.	
APR 2 130/ CONSERVATION DIVISION			,		
APR 2 133/ WSERVATION DIVISIO			Log Tops		
₹ 5 %			Log Tops;		
			Hooknor	2025	
			Heebner	3835	•
€ 4 8			Toronto	3857	
4 5%	ì		Lansing K.C.	3873	
	χ		B/Kansas City	4109	,
~ \\e	'		T.D.	4130	į
8/14/			•	1	
17/0					
~ `	1				
·				·	
				1	
!					
					*
Chillian St. sternill	Ye				
Bern D. Comment	1000			ļ 1	

Helen Carlson

John O. Farmer, Inc. Hoxie (Mosier B #2) Location Map 8/7/2017

