For KCC Use: Effective Date: District # _ SGA? Yes No

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1362761

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

ш

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	•
Contact Person:	County: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes Yes
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Donth:	
Original Completion Date: Original Total Depth:	Formation at Total Depth:
rirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	— — —
Sottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
ubmitted Electronically	Remember to:
·	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
For KCC Use ONLY	- File Certification of Compliance with the Kansas Surface Owner Notification
For KCC Use ONLY API # 15	
For KCC Use ONLY API # 15 Conductor pipe required feet	- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
For KCC Use ONLY API # 15 Conductor pipe required feet Minimum surface pipe required feet per ALT I II	 File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
For KCC Use ONLY API # 15 Conductor pipe required feet Minimum surface pipe required feet per ALT I II	 File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Conductor pipe requiredfeet	 File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

	W

1362761

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



1811 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West		
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section		
(If WP Supply API No. or Year Drilled)	Workover Pit Haul-Off Pit Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
, , , , , , , , , , , , , , , , , , , ,	Length (fee	,	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the lin	m ground level to dee		dures for periodic maintenance and determining		
material, thickness and installation procedure.	iei		icluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of worl	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numb	oer.	Dormi	t Date: Lease Inspection: Yes No		
Date Neceived Feitill Nullik	Лог.	FEIIII	t Date Lease IIIspection res NO		



1362761


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	#.O.10000 2010.11
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.
Submitted Electronically	



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 09, 2017

Lester Town Town Oil Company Inc. 16205 W 287TH ST PAOLA, KS 66071-8482

Re: Notice of Intent to Drill Breshears 17-5 SE/4 Sec.16-12S-21E Leavenworth County, Kansas

Dear Mr. Town:

Records indicate that a domestic water well is located less than 660 feet from this proposed location. Eastern Kansas Surface Casing Order #133,891-C for Area 3, paragraph 2 states, "No well shall be drilled closer than 660 feet of an existing domestic or municipal water well without written owner notification, a copy of which must be attached to the drilling intent form during filing. Special casing and cementing requirements may be imposed in those areas producing fresh and usable water."

Please provide us with a copy of the owner notification to further the processing of your notice of intent to drill. A copy of the water well record is attached.

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department

1 1 00 4 7 1			WATE	R WELL RECORD	Form WWC-5	KSA 82a-	1212		
	ON OF WAT		Fraction		l l	ion Number	Township Num	ber	Range Number
	LEAVENW		NE 1/4			16	т 12	S	R 21 (E)W
Distance a		from nearest town ${}^{1}_{4}W$, 3/4 N o	•	ddress of well if locate	ed within city?				
2 WATER	R WELL OW		llison						
_	Address, Box						Board of Agr	iculture. Di	vision of Water Resources
City, State,			dsville, F	rs 66111			Application N		VIOLOTI OF TYGIOT TIDOGUTOG
					120'	# C! E\/A7			
AN "X"	IN SECTION								
	<u> </u>								1-31-90
†	- 1								
-	- NW	- NF							ping gpm
i	- 1								ping gpm
w -	-			•					to
2	-	! X V		O BE USED AS:			3 Air conditioning		jection well
1 -	- sw	SE	1 Domestic	3 Feedlot			-		ther (Specify below)
	1	1	2 Irrigation		-	•			
, L				pacteriological sample	submitted to De	•			no/day/yr sample was sub-
-	\$		nitted				er Well Disinfected?		
		ASING USED:		5 Wrought iron	8 Concre				. X Clamped
1 Ste		3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welde	i
2 PV	-	4 ABS		7 Fiberglass					led
									. to ft.
Casing hei	ght above la	nd surface	2.4 "	.in., weight 282	2	Ibs./f	t. Wall thickness or	gauge No.	258
TYPE OF	SCREEN OF	R PERFORATION	MATERIAL:		7 PV	<u> </u>		tos-cemen	ł
1 Ste	el	3 Stainless s	steel	5 Fiberglass	8 RM	P (SR)	11 Other	(specify) .	
2 Bra	ass	4 Galvanized	d steel	6 Concrete tile	9 ABS	3	12 None	used (ope	n hole)
SCREEN (OR PERFOR	ATION OPENING	S ARE:	5 Gauz	zed wrapped		8 Saw cut		11 None (open hole)
1 Co	ntinuous slo	3 Mill	slot	6 Wire	wrapped		9 Drilled holes		
2 Lou	uvered shutt	er 4 Key	punched	7 Torch	n cut		10 Other (specify)		
SCREEN-F	PERFORATE	D INTERVALS:							
			From	L19 ft. to .	120	ft., Fron	1	ft. to	
G	RAVEL PAG	CK INTERVALS:	From	.24 ft. to .	120	ft., Fron	3	ft. to	
			From	ft. to		ft., Fron	1	ft. to	ft.
6 GROUT	MATERIAL	: 1 Neat ce	ment	0.0	0.0-1-		Other . holepl		
Grout Inter		i iveal ce	IIIGIR	2 Cement grout	3 Bentor	nite 4			±
				•			-	_	ft. to
I	rvals: Fror		. to 24	•			ft., From		ı
What is the	rvals: Fror e nearest so	$1,\ldots,4,\ldots$ ft urce of possible co	to24	ft., From	ft. t	o	ft., From ock pens	14 Aba	ft. toft.
What is the	rvals: Fror e nearest so	n4ft urce of possible co 4 Lateral	to24 ontamination: lines	7 Pit privy	ft. t	o	ft., From ock pens torage	14 Aba	ft. toft.
What is the 1 Se 2 Se	rvals: From e nearest so optic tank ower lines	n4ft urce of possible co 4 Lateral 5 Cess p	to24 contamination: lines cool	7 Pit privy 8 Sewage lag	ft. t	o	ft., From ock pens storage eer storage	14 Aba 15 Oil 16 Oth	. ft. to
What is the 1 Se 2 Se 3 Wa	rvals: From e nearest so ptic tank ewer lines atertight sew	n4ft urce of possible co 4 Lateral	to24 contamination: lines cool	7 Pit privy	ft. t	0	ft., From cock pens torage er storage icide storage	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well
What is the 1 Se 2 Se	rvals: From e nearest so ptic tank ewer lines atertight sew	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	to24 contamination: lines cool	7 Pit privy 8 Sewage lag 9 Feedyard	ft. t	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Was Direction for	rvals: Fror e nearest so ptic tank wer lines atertight sew rom well?	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West	to 24 contamination: lines cool ge pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction for	rvals: From e nearest so optic tank ewer lines atertight sew rom well?	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown	to24ontamination: lines lool ge pit	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction for FROM 0 7	rvals: From e nearest so ptic tank ewer lines atertight sew rom well?	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone-	to 24 contamination: lines cool ge pit LITHOLOGIC Brown	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11	rvals: From e nearest so optic tank over lines atertight sew rom well?	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone-I	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction for FROM 0 7 11 15	rvals: From e nearest so eptic tank ewer lines atertight sew rom well? TO 7 11 15 22	urce of possible co 4 Lateral 5 Cess per lines 6 Seepag West Clay-Brown Sandstone-I	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Was Direction fr FROM 0 7 11 15 22	rvals: From e nearest so eptic tank wer lines atertight sew rom well? TO 7 11 15 22 38	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey Limestone-	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11 15 22 38	rvals: From e nearest so optic tank over lines atertight sew rom well? TO 7 11 15 22 38 42	n4ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey Limestone- Shale-Grey	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Was Direction from 0 7 11 15 22 38 42	rvals: From e nearest so eptic tank ever lines atertight sew rom well? TO 7 11 15 22 38 42 45	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey Shale-Blac	to24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11 15 22 38 42 45	rvals: From e nearest so eptic tank ewer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay—Brown Sandstone—I Limestone—I Shale—Grey Shale—Blac Limestone—I Shale—Blac Limestone—I	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey k Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11 15 22 38 42 45 50	rvals: From e nearest so ptic tank ever lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone-I Limestone-I Shale-Grey Limestone-I Shale-Grey Shale-Blac Limestone-I Shale-Grey Shale-Blac Limestone-I	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey k Grey	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Was Direction from 0 7 11 15 22 38 42 45 50 56	rvals: From e nearest so eptic tank ewer lines atertight sew from well? TO 7 11 15 22 38 42 45 50 56	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone-I Limestone-I Shale-Grey Limestone-I Shale-Grey Shale-Blac Limestone-I Shale-Grey Limestone-I Limestone-I Shale-Grey Limestone-I Limestone-I Limestone-I Limestone-I Limestone-I Limestone-I Limestone-I	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey k Grey Tan 3 GPN	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11 15 22 38 42 45 50 56 59	rvals: From e nearest so optic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey Limestone- Shale-Grey Shale-Blac Limestone- Shale-Grey Limestone- Shale-Grey Limestone- Shale-Grey Limestone- Shale-Grey Limestone- Shale-Grey Limestone-	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey k Grey Tan 3 GPN	7 Pit privy 8 Sewage lag 9 Feedyard	goon	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Was Direction from 0 7 11 15 22 38 42 45 50 56 59 67	rvals: From e nearest so optic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey Limestone- Shale-Grey Shale-Blac Limestone- Shale-Grey Limestone- Shale-Grey Limestone- Shale-Grey Limestone- Shale-Grey Limestone- Shale-Grey Limestone-	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey K Grey Tan 3 GPM	7 Pit privy 8 Sewage lag 9 Feedyard	poon FROM	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11 15 22 38 42 45 50 56 59 67 84	rvals: From e nearest so optic tank inver lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84 111	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey k Grey Tan 3 GPN Grey	7 Pit privy 8 Sewage lag 9 Feedyard	poon FROM	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Was Direction from 0 7 11 15 22 38 42 45 50 56 59 67	rvals: From e nearest so optic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey k Grey Tan 3 GPN Grey	7 Pit privy 8 Sewage lag 9 Feedyard	poon FROM	o	ft., From ock pens torage ter storage icide storage y feet?	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well ner (specify below)
What is the 1 Se 2 Se 3 Wa Direction for FROM 0 7 11 15 22 38 42 45 50 56 59 67 84 111	rvals: From e nearest so eptic tank ewer lines atertight sew from well? TO	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone-I Limestone-I Shale-Grey Limestone-I	to 24	7 Pit privy 8 Sewage lag 9 Feedyard	goon FROM	10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar TO	ft., From cock pens ctorage cer storage icide storage y feet? PLU	14 Aba 15 Oil 16 Oth 218 GGING IN	. ft. to
What is the 1 Se 2 Se 3 Wa Direction for FROM 0 7 11 15 22 38 42 45 50 56 59 67 84 111 7 CONTE	rvals: From e nearest so eptic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84 111 120	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone-I Limestone-I Shale-Grey Limestone-I Shale-Grey Shale-Grey Limestone-I	to . 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey Tan 3 GPN Grey Grey Grey Grey S CERTIFICATI	7 Pit privy 8 Sewage lag 9 Feedyard LOG ON: This water well v	poon FROM PROM PROM PROM PROM PROM PROM PROM P	10 Livest 11 Fuel s 12 Fertilii 13 Insect How mar TO	nstructed, or (3) plu	14 Aba 15 Oil 16 Oth 218 GGING IN	r my jurisdiction and was
What is the 1 Se 2 Se 3 Was Direction from 0 7 11 15 22 38 42 45 50 56 59 67 84 111 7 CONTECTION TO THE COMPLET COMPLE	rvals: From e nearest so eptic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84 111 120 RACTOR'S Con (mo/day/	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey Limestone- Shale-Grey Shale-Blac Limestone- Shale-Grey	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey Tan 3 GPN Grey Grey Grey S CERTIFICATI 1-90	7 Pit privy 8 Sewage lag 9 Feedyard LOG ON: This water well v	poon FROM PROM PROM PROM PROM PROM PROM PROM P	10 Livest 11 Fuel s 12 Fertilii 13 Insect How mar TO	nstructed, or (3) plud is true to the best	14 Aba 15 Oil 16 Oth 218 GGING IN	r my jurisdiction and was wledge and belief. Kansas
What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 7 11 15 22 38 42 45 50 56 59 67 84 111 7 CONTE	rvals: From e nearest so eptic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84 111 120 RACTOR'S Con (mo/day/d Contractor)	urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag West Clay-Brown Sandstone- Limestone- Shale-Grey	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey Tan 3 GPN Grey Grey Grey S CERTIFICATI 1-90	7 Pit privy 8 Sewage lag 9 Feedyard LOG ON: This water well v	yas (1) construction	10 Livest 11 Fuel s 12 Fertili: 13 Insect How mar TO	nstructed, or (3) plud is true to the best on (mo/dat/yr).	14 Abi 15 Oil 16 Oth 218 GGING IN	r my jurisdiction and was wledge and belief. Kansas
What is the 1 Se 2 Se 3 Wa Direction fi FROM 0 7 11 15 22 38 42 45 50 56 59 67 84 111 7 CONTF completed Water Well under the	rvals: From e nearest so optic tank wer lines atertight sew rom well? TO 7 11 15 22 38 42 45 50 56 59 67 84 111 120 RACTOR'S (on (mo/day/d) Contractor' business name	an	to 24 contamination: lines cool ge pit LITHOLOGIC Brown Grey Grey Tan 3 GPN Grey Grey S CERTIFICATI 1-90	7 Pit privy 8 Sewage lag 9 Feedyard LOG ON: This water well v	PROM PROM PROM PROM PROM PROM PROM PROM	10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar TO cted, (2) reco and this record s completed of by (signate	nstructed, or (3) plud is true to the best on (mo/day/yr).	14 Aba 15 Oil 16 Oth 218 GGING IN	r my jurisdiction and was wledge and belief. Kansas

Town Oil Company 16205 W. 287th Street Paola, KS 66071

August 14, 2017

James Belt 12699 214th Street Linwood, KS 66052

Mr. Belt,

This letter is to notify you that Town Oil Company submitted intent(s) to drill wells within 660 feet of your water well. The wells are located in Sec 16 Twp 12S R21E, Well 17-5 1811 FSL 466 FEL. This notification is required by the Kansas Commission Corporation.

If you should have any questions, please do not hesitate to contact me at (913) 294-2125.

Regards,

Lester Town

Town Oil Company

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 29, 2017

Lester Town Town Oil Company Inc. 16205 W 287TH ST PAOLA, KS 66071-8482

Re: Drilling Pit Application
Breshears 17-5
SE/4 Sec.16-12S-21E
Leavenworth County, Kansas

Dear Lester Town:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.