

For KCC Use: Effective Date: District # _ SGA? Yes No

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Ш

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

NOTICE OF INTENT TO DRILL

			Spot Description:
	month	day year	
ODEDATOR: License#			(Q/Q/Q/Q) feet from N / S Line of Section
			feet from E / W Line of Section
			L OFOTION D L D L O
		Zip: +	(Note: Educate Well of the decision has on reverse state)
			County:
			Lease Name: vveii #:
			Field Name:
	·		is this at rotated, opaced rists.
Name:			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:feet MSI
Gas Stora		= '	Water well within one-quarter mile:
Dispo		Cable	Public water supply well within one mile:
Seismic : #0			Depth to bottom of fresh water:
	o		Depth to bottom of usable water:
			Surface Pipe by Alternate: I II
If OWWO: old well	I information as follow	/S:	Length of Surface Pipe Planned to be set:
Operatori			
•			Projected Total Depth:
		riginal Total Depth:	
Original Completion Da	ale O	nginai iotai beptii	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes	Well Farm Pond Other:
			ven Tami ona Guien.
·			DVVK Feitilit #.
KCC DKT #:			
			If Yes, proposed zone:
			11 165, proposed 20116
			AFFIDAVIT
The undersigned hereby	affirms that the drill	ing, completion and eventua	al plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum requi	rements will be met:	
	iate district office pr	ior to spudding of well:	
1 Notify the appropri		t to drill shall be posted on a	each drilling rig:
 Notify the appropri A copy of the appro 		•	set by circulating cement to the top; in all cases surface pipe shall be set
2. A copy of the appro	nunt of surface pipe		set by circulating content to the top, in all cases surface pipe shall be set
2. A copy of the appre3. The minimum amo		lus a minimum of 20 feet int	
 A copy of the appro The minimum amo through all uncons If the well is dry ho 	solidated materials pole, an agreement be	olus a minimum of 20 feet int etween the operator and the	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
 A copy of the appro The minimum amo through all uncons If the well is dry ho The appropriate dis 	solidated materials pole, an agreement be strict office will be n	olus a minimum of 20 feet int etween the operator and the otified before well is either p	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> olugged or production casing is cemented in;
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE 	colidated materials pole, an agreement be strict office will be n II COMPLETION, po	lus a minimum of 20 feet int etween the operator and the otified before well is either p roduction pipe shall be ceme	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	solidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to App 	solidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	solidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed 	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed 	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach The appropriate of the pursuant to Approach Ubmitted Electron 	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errest that the surface of the surface is a real alternate II cementing is the plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach The appropriate of the pursuant to Approach Ubmitted Electron 	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed ubmitted Electroic For KCC Use ONLY API # 15 -	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approach of the approach of the well is dry howard of the appropriate displayed in the approach of the appropriate displayed in the approach of the appropriate displayed in the approach of the appro	colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the appropriate discontinuous of the approach of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the approach of	colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approach and the completed Ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe recommends Minimum surface pipe recommends The minimum and the approach and	colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well shall be ceme feet	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Approved by: This authorization expires	colidated materials pole, an agreement be estrict office will be now the strict of the stric	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well shall be ceme feet	co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Nell Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as rec	LAT lease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired.
,,	1320 ft.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location
	Electric Line Location Lease Road Location
	EXAMPLE :
10	
	1980' FSL
	: SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	Ou	billit ili Duplicat		
Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(п ил Зарру ягт но. от теат Бишеа)		(bbls)	County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the lin material, thickness and installation procedure.			edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	oer:	Pormi	it Date: Lease Inspection: Ves No	



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1362978

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	the batteries, pipelines, and electrical lines. The locations shown on the plant the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted out (House Bill 2032), I have provided the following to the surface potential of the Form C-1, Form CB-1, Form T-1, or Form peing filed is a Form C-1 or Form CB-1, the plat(s) required by this		
form; and 3) my operator name, address, phone number, fax, an	nd email address.		
KCC will be required to send this information to the surface own	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1			
Submitted Electronically			



fall & Associates

Stake and Elevation Service P.O. Box 222 Pretty Prairie, KS. 67570 785-243-7506

Date 8-8-17

