

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1363142

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monur day	year	Sec Twp S. R 🔲 E
PERATOR: License#			feet from N / S Line of Se
			feet from E / W Line of Se
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	e Equipment:	Ground Surface Elevation:feet
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispos		Cable	
Seismic ;# of			Depth to bottom of tresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well i	information as follows:		Surface Pipe by Alternate: I III
			Length of Surface Pipe Planned to be set:
•			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	te: Original Total	I Depth:	Formation at Total Depth:
inactional Devicted on Ho	wimo mtolollborno O	□ Vee □ Ne	Water Source for Drilling Operations:
Directional, Deviated or Hor	rizontal wellbore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
			FIDAVIT
		AFI	IDAVII
he undersigned hereby a	affirms that the drilling, compl		ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, compl	etion and eventual plu	
t is agreed that the following	ring minimum requirements w	etion and eventual pluill be met:	
is agreed that the following is agreed that the following.		etion and eventual plu ill be met: dding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following to the sagreed that the following the appropriation is a copy of the appropriation of the minimum amounts are sagreed to the sagreed that the following the fol	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie	etion and eventual plu ill be met: dding of well; nall be posted on each ed below shall be set	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the following Notify the appropriation A copy of the appropriation The minimum amount through all unconsorted 	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minir	etion and eventual plu ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 agreed that the following Notify the appropriance A copy of the appropriance The minimum amount through all unconso If the well is dry hole 	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimule, an agreement between the	etion and eventual plu ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In trict office on plug length and placement is necessary prior to plugging;
 is agreed that the following Notify the appropriang A copy of the appropriang The minimum amount through all unconso If the well is dry hole The appropriate dis 	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimule, an agreement between the strict office will be notified before	etion and eventual plu ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis- pore well is either plugg	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 agreed that the following Notify the appropriang A copy of the appropriang The minimum amount through all unconsons If the well is dry hold The appropriate dis If an ALTERNATE II 	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production prod	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either pluggoipe shall be cemente	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 is agreed that the following Notify the appropriang A copy of the appropriang The minimum amount through all unconso If the well is dry hole The appropriate dis If an ALTERNATE II Or pursuant to Appendix 	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimal plus a	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either plugg- pipe shall be cemente urface casing order #"	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
is agreed that the followi Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dis If an ALTERNATE II Or pursuant to Appe	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimal plus a	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either plugg- pipe shall be cemente urface casing order #"	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the following Notify the appropriang A copy of the appropriang The minimum amount through all unconsong If the well is dry hold The appropriate dise If an ALTERNATE II Or pursuant to Appendix 	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimal plus a	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either plugg- pipe shall be cemente urface casing order #"	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the following Notify the appropriang A copy of the appronsimals The minimum amount through all unconsoins If the well is dry hole The appropriate dis If an ALTERNATE II Or pursuant to Appendix 	ring minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either plugg- pipe shall be cemente urface casing order #"	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the following Notify the appropriang A copy of the appronsimals The minimum amount through all unconso If the well is dry hole The appropriate dis If an ALTERNATE II Or pursuant to Appendix 	ring minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either plugg- pipe shall be cemente urface casing order #"	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ring minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified beform I COMPLETION, production pendix "B" - Eastern Kansas sur within 30 days of the spud days	etion and eventual plu ill be met: dding of well; nall be posted on each ad below shall be set mum of 20 feet into the experator and the dis- pre well is either plugg- pipe shall be cemente urface casing order #"	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed Ubmitted Electron For KCC Use ONLY	ring minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimale, an agreement between the strict office will be notified beform a COMPLETION, production pendix "B" - Eastern Kansas sur within 30 days of the spud data	etion and eventual pluill be met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the e operator and the dis- ore well is either plugg bipe shall be cemente urface casing order #* ate or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the tot office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the following and the superoprians of the approprians of the approprians of the appropriate distribution of the superopriate distribution of the super	ring minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud data	etion and eventual pluill be met: dding of well; all be posted on each ed below shall be set mum of 20 feet into the operator and the distore well is either pluggible shall be cemente furface casing order # ate or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the tot office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production prendix "B" - Eastern Kansas struithin 30 days of the spud data	etion and eventual pluill be met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the operator and the dist pre well is either plugg pipe shall be cemente arface casing order #* ate or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	ring minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud data	etion and eventual pluill be met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the operator and the dist pre well is either plugg pipe shall be cemente arface casing order #* ate or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the tot office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following and the superoprians of the approprians of the approprians of the appropriate distribution of the superopriate distribution of the super	ring minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production prendix "B" - Eastern Kansas struithin 30 days of the spud data	etion and eventual pluill be met: dding of well; all be posted on each ed below shall be set mum of 20 feet into the eoperator and the dispose well is either pluggoipe shall be cemente urface casing order # ate or the well shall be eet	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the tot office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appromust be completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by:	ring minimum requirements we ate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specificalliant of surface pipe as specifically a minimal of surface pipe as specifically a greenent between the strict office will be notified before I COMPLETION, production prendix "B" - Eastern Kansas surface within 30 days of the spud days of the spu	etion and eventual pluill be met: dding of well; all be posted on each ed below shall be set mum of 20 feet into the eoperator and the dispose well is either pluggoipe shall be cemente urface casing order # ate or the well shall be eet	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the drilling rig; by circulating formation. In the set of plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. It is gray and the set of spud date. It is gray and the set of surface prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed IDMITTED Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires	ring minimum requirements we ate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specificalliant of surface pipe as specifically a minimal of surface pipe as specifically a greenent between the strict office will be notified before I COMPLETION, production prendix "B" - Eastern Kansas surface within 30 days of the spud days of the spu	etion and eventual pluidling of well; all be posted on each and below shall be set mum of 20 feet into the operator and the distore well is either pluggible shall be cemente urface casing order # ate or the well shall be eet the per ALT. I II	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the total fice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1491 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inform	west fresh water feet.		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)	
OPERATOR: License #	Well Location:	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ect (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 15, 2017

Lester Town Town Oil Company Inc. 16205 W 287TH ST PAOLA, KS 66071-8482

Re: Drilling Pit Application Breshears 17-3 SE/4 Sec.16-12S-21E Leavenworth County, Kansas

Dear Lester Town:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.