

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1363363

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	month da	y year	Spot Description:	
	o.u.	, , , , , , , , , , , , , , , , , , , ,	Sec Twp S. R E	: [
OPERATOR: License#			feet from N / S Line of	Section
Name:			feet from E / W Line of	Section
Address 1:			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on reverse side)	
City:	State: 2	Zip: +	County:	
Contact Person:			Lease Name: Well #:	
hone:			Field Name:	
CONTRACTOR: License#			Is this a Prorated / Spaced Field?	ΠN
lame:			Target Formation(s):	
Well Drilled For:	Wall Class	Tuna Equipment	Nearest Lease or unit boundary line (in footage):	
	Well Class:	Type Equipment:		et MS
Oil Enh F		Mud Rotary		
Gas Stora	· 🛏	Air Rotary		
Dispo	<u> </u>	Cable	Depth to bottom of fresh water:	
Seismic ;# o			Depth to bottom of usable water:	
Otner:			Surface Pipe by Alternate: I II	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
·				
			Projected Total Depth:	
Original Completion Da	ate: Origin	al Total Depth:		
Directional, Deviated or Ho	rizontal wellhore?	Yes No	Water Source for Drilling Operations:	
			Well Farm Pond Other:	
•			DVK Permit #.	
Bottom Hole Location:			(Note: Apply for Permit with DWR )	
Bottom Hole Location:			(Note: Apply for Permit with DWR )  Will Cores be taken?	
Bottom Hole Location:			(Note: Apply for Permit with DWR )	
Bottom Hole Location:			(Note: Apply for Permit with DWR )  Will Cores be taken?	N
Bottom Hole Location: CCC DKT #:		AF	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes  If Yes, proposed zone:	1
Bottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling,	<b>AF</b> completion and eventual p	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes, proposed zone:	
Sottom Hole Location: CCC DKT #: The undersigned hereby t is agreed that the follow	affirms that the drilling,	AF completion and eventual pents will be met:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes, proposed zone:	
Sottom Hole Location:  CCC DKT #:  The undersigned hereby t is agreed that the follow  1. Notify the approprise	affirms that the drilling, ving minimum requirementate district office prior to	AF completion and eventual pents will be met:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:   FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.	1
CCC DKT #: The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amo	affirms that the drilling, ving minimum requirement ate district office <i>prior</i> to both the control of the control of surface pipe as s	AF completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be see	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set	
CCC DKT #: The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse	affirms that the drilling, ving minimum requirement ate district office <i>prior</i> to coved notice of intent to count of surface pipe as solidated materials plus a	AF completion and eventual p ents will be met: o spudding of well; drill shall be posted on eac pecified below shall be se a minimum of 20 feet into t	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:   FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.	1
CCC DKT #: The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to both the district of surface pipe as solidated materials plus alle, an agreement between	AF completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the di	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging;	<u> </u>
the undersigned hereby is agreed that the follow  1. Notify the appropriate is accepted all unconsequents.  4. If the well is dry ho  5. The appropriate dispersions.	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to both the district of intent to compare the district of surface pipe as solidated materials plus alle, an agreement betweetict office will be notifice.	AF completion and eventual pents will be met: o spudding of well; drill shall be posted on eac pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plug	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;	
the undersigned hereby is agreed that the follow 1. Notify the appropri. 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to both the district of intent to compare the district of surface pipe as solidated materials plus alle, an agreement betwee strict office will be notifice.	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and placement is necessary prior to plugging; aged from below any usable water to surface within 120 DAYS of spud date.	
CCC DKT #: The undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections.  4. If the well is dry hour is appropriate displayed in the appropriate	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to coved notice of intent to count of surface pipe as solidated materials plus alle, an agreement betwee strict office will be notifice II COMPLETION, producendix "B" - Eastern Kar	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in sas surface casing order #	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;	
CCC DKT #: The undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections.  4. If the well is dry hour is appropriate displayed in the appropriate	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to coved notice of intent to count of surface pipe as solidated materials plus alle, an agreement betwee strict office will be notifice II COMPLETION, producendix "B" - Eastern Kar	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in sas surface casing order #	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  The drilling rig;  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  E133,891-C, which applies to the KCC District 3 area, alternate II cementing	
CCC DKT #: The undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections.  4. If the well is dry hour is appropriate displayed in the appropriate	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to coved notice of intent to count of surface pipe as solidated materials plus alle, an agreement betwee strict office will be notifice II COMPLETION, producendix "B" - Eastern Kar	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in sas surface casing order #	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  The drilling rig;  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  E133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby Is agreed that the follow In Notify the appropriate A copy of the appropriate A copy all unconsess. If the well is dry how The appropriate dis If an ALTERNATE of the Appropriate of the Appropriate Ap	affirms that the drilling, ving minimum requirement that district office <b>prior</b> to eved notice of intent to eved notice of intent to solidated materials plus a le, an agreement between the complete of the solid that is a significant of the solid that is a sign	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in as surface casing order #	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  The drilling rig;  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  E133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby It is agreed that the follow It is agreed that the follow It is accept of the appropriate of the appropriate distribution of the approp	affirms that the drilling, ving minimum requirement that district office <b>prior</b> to eved notice of intent to eved notice of intent to solidated materials plus a le, an agreement between the complete of the solid that is a significant of the solid that is a sign	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in as surface casing order #	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It has drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  E133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby Is agreed that the follow In Notify the appropriate A copy of the appropriate A copy all unconsess. If the well is dry how The appropriate dis If an ALTERNATE of the Appropriate of the Appropriate Ap	affirms that the drilling, ving minimum requirement that district office <b>prior</b> to eved notice of intent to eved notice of intent to solidated materials plus a le, an agreement between the complete of the solid that is a significant of the solid that is a sign	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in as surface casing order #	(Note: Apply for Permit with DWR )  Will Cores be taken?	
the undersigned hereby is agreed that the follow  1. Notify the appropriate A copy of the approx  3. The minimum amonthrough all unconsed. If the well is dry ho  5. The appropriate dise. If an ALTERNATE of pursuant to Approx  be completed.  Ibmitted Electron  For KCC Use ONLY	affirms that the drilling, ving minimum requirement to describe the district office <b>prior</b> to describe the described of the	completion and eventual pents will be met: o spudding of well; drill shall be posted on eace pecified below shall be see a minimum of 20 feet into the enthe operator and the died before well is either plugation pipe shall be cement as surface casing order appud date or the well shall be	(Note: Apply for Permit with DWR )  Will Cores be taken?	
he undersigned hereby is agreed that the follow  1. Notify the appropriate of the composition of the propriate of the composition of the propriate of the composition of the propriate of the pro	affirms that the drilling, ving minimum requirement ate district office <b>prior</b> to boved notice of intent to out on the surface pipe as solidated materials plus alle, an agreement betwee strict office will be notifice to the product of the surface of the surfac	completion and eventual pents will be met: o spudding of well; drill shall be posted on eace pecified below shall be seen a minimum of 20 feet into the entire operator and the died before well is either pluguation pipe shall be cement as surface casing order pud date or the well shall be	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  String of this well will comply with K.S.A. 55 et. seq.  The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  E133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed  Ubmitted Electrol  For KCC Use ONLY  API # 15 -  Conductor pipe required	affirms that the drilling, ving minimum requirement ate district office <i>prior</i> to boved notice of intent to ount of surface pipe as solidated materials plus ale, an agreement betweet in COMPLETION, producted "B" - Eastern Kard within 30 days of the sonically	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in as surface casing order appud date or the well shall be made of the well shall be considered by the same of the well shall be considered by the well	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  String of this well will comply with K.S.A. 55 et. seq.  Which drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to ene underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;	
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria It is acropy of the appropria It is dry ho and through all unconse If the well is dry ho It is dry h	affirms that the drilling, ving minimum requirement ate district office <i>prior</i> to boved notice of intent to ount of surface pipe as solidated materials plus ale, an agreement betweet in COMPLETION, producted "B" - Eastern Kard within 30 days of the sonically	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement in as surface casing order appud date or the well shall be made of the well shall be considered by the same of the well shall be considered by the well	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes If Yes, proposed zone:  FIDAVIT  String of this well will comply with K.S.A. 55 et. seq.  The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  E133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	
CCC DKT #:  The undersigned hereby t is agreed that the follow  1. Notify the appropria 2. A copy of the approduce and through all unconses.  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE or pursuant to Approduce and the completed and the completed.  Ubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required.	affirms that the drilling, ving minimum requirement ate district office <i>prior</i> to coved notice of intent to count of surface pipe as solidated materials plus alle, an agreement between strict office will be notifice. If COMPLETION, produced "B" - Eastern Karls within 30 days of the senically	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement asas surface casing order step pud date or the well shall be the period of the well shall be refer to the metal shall be refer to the well shall be referred to	(Note: Apply for Permit with DWR )  Will Cores be taken?	
For KCC Use ONLY  API # 15 -  Conductor pipe required.  MICC DKT #:  CCC DKT #	affirms that the drilling, ving minimum requirement ate district office <i>prior</i> to boved notice of intent to ount of surface pipe as solidated materials plus ale, an agreement betweetrict office will be notificall COMPLETION, producted "B" - Eastern Kard within 30 days of the solically	completion and eventual pents will be met: o spudding of well; drill shall be posted on each pecified below shall be sea minimum of 20 feet into the enthe operator and the died before well is either plugiction pipe shall be cement asas surface casing order step pud date or the well shall be the period of the well shall be refer to the metal shall be refer to the well shall be referred to	Will Cores be taken?  If Yes, proposed zone:  SFIDAVIT  Stugging of this well will comply with K.S.A. 55 et. seq.  Sch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to ene underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and greated in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	

please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Si	ᄱ	$T_1$	M

1	2	62	2	63
1	.1	n.1	۱.٦	n.3

For KCC Use ONLY	
API # 15	


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 6 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:					
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West		
Settling Pit Drilling Pit	Settling Pit Drilling Pit If Existing, date constructed:  Workover Pit Haul-Off Pit		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallor Source of inforr	west fresh water feet. nation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	ксс	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS		
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		



1363363

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	3			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
are preliminary non-binding estimates. The locations may be entered on Select one of the following: <ul> <li>I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filling in connection with this form; 2) if the form be</li> </ul>	batteries, pipelines, and electrical lines. The locations shown on the plat of the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Cut (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form reing filed is a Form C-1 or Form CB-1, the plat(s) required by this			
form; and 3) my operator name, address, phone number, fax, an	ıd email address.			
KCC will be required to send this information to the surface own	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 16, 2017

Rob Eberhart Bobcat Oilfield Service, Inc. 602 W. AMITY SUITE 103 LOUISBURG, KS 66053-8108

Re: Drilling Pit Application Nutt AW-2-17 SW/4 Sec.13-16S-21E Miami County, Kansas

Dear Rob Eberhart:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

82-3-607.

Kansas
Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

## HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

**DISPOSAL OF DIKE AND PIT CONTENTS.** 

(a)	Each operator shall perform one of the following when disposing of dike or			
pit				
(1)	contents: Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;			
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;			
or				
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area			
on				
lease	acreage owned by the same landowner or to another producing			
	or unit operated by the same operator, if prior written permission			
from	the landowner has been obtained; or			

		(D)	removal of the contents to a permitted off-site disposal area
approved			
			by the department.
(b)		Each v	iolation of this regulation shall be punishable by the following:
	(1)	A \$1,00	00 penalty for the first violation;
	(2)	a \$2,50	00 penalty for the second violation; and
	(3)	a \$5,00	00 penalty and an operator license review for the third violation.

<u>File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.</u>

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo  If yes, written permission from the land owner must be obtained. Attach
written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.