ORRECTION #1	

For KCC	Use:			
Effective	Date:			_
District #				_
SGA?	Yes	No		

Minimum surface pipe required_

(This authorization void if drilling not started within 12 months of approval date.)

_ Agent: .

This authorization expires:

Approved by:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1363620

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

		-1		Spot Description:	
	month	day	year	Sec TwpS.	R E W
OPERATOR: License#				(Q/Q/Q/Q) feet from N /	
Name:				feet from E /	W Line of Section
Address 1:				Is SECTION: Regular Irregular?	
Address 1:					
City:				(Note: Locate well on the Section Plat on rev	erse side)
Contact Person:				County:	
Phone:				Lease Name:	_ Well #:
				Field Name:	
CONTRACTOR: License#_				Is this a Prorated / Spaced Field?	Yes No
Name:				Target Formation(s):	
Well Drilled For:	Well Class:	Tvp	e Equipment:	Nearest Lease or unit boundary line (in footage):	
		-77	7	Ground Surface Elevation:	feet MSI
Oil Enh Re			Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storag		i	Air Rotary Cable	Public water supply well within one mile:	Yes No
Seismic ;# of			Cable	Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
Other.				Surface Pipe by Alternate:	
If OWWO: old well in	nformation as follow	/s:		Length of Surface Pipe Planned to be set:	
_				Length of Conductor Pipe (if any):	
Operator:					
Well Name:				Projected Total Depth:	
Original Completion Dat	e: O	riginai Iota	i Depth:	Formation at Total Depth:	
Directional, Deviated or Hori	izontal wellbore?		Yes No	Water Source for Drilling Operations:	
If Yes, true vertical depth:				Well Farm Pond Other:	
Bottom Hole Location:				DWR Permit #:	Ly
KCC DKT #:				(Note: Apply for Permit with DWR	. — —
				Will Cores be taken?	Yes No
				If Yes, proposed zone:	
			ΔFF	IDAVIT	
The undersigned hereby a	ffirms that the drill	ing compl			
		-		gging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following	ng minimum requi	rements w	ill be met:	gging of this well will comply with K.S.A. 55 et. Seq.	
It is agreed that the following 1. Notify the appropriate	ng minimum requi te district office <i>pr</i>	rements w	ill be met: dding of well;		
It is agreed that the following 1. Notify the appropriat 2. A copy of the approximation 1.	ng minimum requi te district office <i>pr</i> ved notice of inten	rements w rior to spud t to drill sh	ill be met: dding of well; nall be posted on each	drilling rig;	hall ha and
It is agreed that the following the sagreed that the following the appropriation of the approximation of the approximation of the minimum amount is sagreed that the following the sagreed that the following the following that the following that the following the foll	ng minimum requite district office <i>pr</i> ved notice of intenint of surface pipe	rements w ior to spuc t to drill sh as specifie	ill be met: dding of well; nall be posted on each ed below shall be set l	drilling rig; by circulating cement to the top; in all cases surface pipe s i	hall be set
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriation 3. The minimum amount through all unconsological streets.	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p	rements w rior to spuce t to drill sh as specified lus a minii	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe so	
It is agreed that the following the appropriation of the appropriation o	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p e, an agreement be	rements wifer to spud to drill shas specified as specified blus a miniculation	ill be met: dding of well; eall be posted on each ed below shall be set I mum of 20 feet into the e operator and the disti	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary prior	
It is agreed that the following the appropriate 2. A copy of the appropriate 3. The minimum amount through all unconsolution 4. If the well is dry hole 5. The appropriate dist	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p e, an agreement be trict office will be n	rements ware to spuce to drill state as specificallus a minical etween the otified before the cotified betore the cotified betore the cotified bet	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary prior ed or production casing is cemented in;	to plugging;
It is agreed that the following the appropriate of	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p e, an agreement be trict office will be n COMPLETION, p	rements w ior to spuce to drill sh as specified shus a minimal etween the otified beforeduction	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary prior	to plugging; of spud date.
1. Notify the appropriat 2. A copy of the approv 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p e, an agreement be trict office will be n COMPLETION, p endix "B" - Eastern	rements w ior to spuce t to drill sh as specificallus a minimal etween the otified beforeduction Kansas se	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary prior ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS	to plugging; of spud date. te II cementing
It is agreed that the following agreed that the following and the appropriate appropriate and the following and the following all unconsolous and the following agreement and the following appropriate distribution and the following agreement and the following agreement appropriate distribution and the following agreement agreement and the following agreement agreement and the following agreement and the following agreement agreement agreement agreement	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p e, an agreement be trict office will be n COMPLETION, p endix "B" - Eastern	rements w ior to spuce t to drill sh as specificallus a minimal etween the otified beforeduction Kansas se	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary <i>prior</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
1. Notify the appropriat 2. A copy of the approv 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ng minimum requi te district office <i>pr</i> ved notice of inten- int of surface pipe lidated materials p e, an agreement be trict office will be n COMPLETION, p endix "B" - Eastern	rements w ior to spuce t to drill sh as specificallus a minimal etween the otified beforeduction Kansas se	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary <i>prior</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
It is agreed that the following agreed that the following and the appropriation of the appropriation of the appropriation of the appropriation of the appropriate disting an ALTERNATE II or pursuant to Appendix agreement of the appropriate of the appropriation o	ng minimum requite district office <i>pr</i> ved notice of intenint of surface pipe lidated materials pe, an agreement betrict office will be n COMPLETION, pendix "B" - Eastern within 30 days of the	rements w ior to spuce t to drill sh as specificallus a minimal etween the otified beforeduction Kansas se	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary <i>prior</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
It is agreed that the following agreed that the following and the appropriation of the appropriation of the appropriation of the appropriation of the appropriate disting an ALTERNATE II or pursuant to Appendix agreement of the appropriate of the appropriation o	ng minimum requite district office <i>pr</i> ved notice of intenint of surface pipe lidated materials pe, an agreement betrict office will be n COMPLETION, pendix "B" - Eastern within 30 days of the	rements w ior to spuce t to drill sh as specificallus a minimal etween the otified beforeduction Kansas se	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary <i>prior</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing
It is agreed that the following agreed that the following and the appropriation of the appropriation of the appropriation of the appropriation of the appropriate disting an ALTERNATE II or pursuant to Appendix agreement of the appropriate of the appropriation o	ng minimum requite district office <i>pr</i> ved notice of intenint of surface pipe lidated materials pe, an agreement betrict office will be n COMPLETION, pendix "B" - Eastern within 30 days of the	rements w ior to spuce t to drill sh as specificallus a minimal etween the otified beforeduction Kansas se	ill be met: dding of well; nall be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary prior ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing cementing.
It is agreed that the following the superopriar of the appropriar of the appropriar of the appropriar of the appropriate of the appropriate distorated for pursuant to Appendix the appropriate of the appr	ng minimum requite district office <i>pr</i> ved notice of intenint of surface pipe lidated materials pe, an agreement betrict office will be n COMPLETION, pendix "B" - Eastern within 30 days of the	rements wifor to spud to drill shas specification of the shas specification of the spud data.	ill be met: dding of well; all be posted on each ed below shall be set I mum of 20 feet into the e operator and the distr ore well is either plugg pipe shall be cemented urface casing order #1 ate or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe so a underlying formation. rict office on plug length and placement is necessary <i>prior</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing cementing.

feet per ALT.

- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

For KCC Use ONLY
API # 15 -

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1463 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1363620

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Duplicate

Operator Name:		-	License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date cons	structed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inform	west fresh water feet.		
feet Depth of water wellfeet			well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Works		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of work	rking pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	nust be closed within 365 days of spud date.		
Submitted Electronically					
	KCC O	OFFICE USE OF	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1363620


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CE	3-1 (Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	·		
Address 2:			
City: State: Zip:+	the lease below:		
Contact Person:	_		
Phone: () Fax: () Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads,	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat ed on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will	ce Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form orm being filed is a Form C-1 or Form CB-1, the plat(s) required by this ax, and email address.		
KCC will be required to send this information to the surfac	I acknowledge that, because I have not provided this information, the se owner(s). To mitigate the additional cost of the KCC performing this lress of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 hand form and the associated Form C-1, Form CB-1, Form T-1, or Form	dling fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.		
Submitted Electronically			



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 17, 2017

Lester Town Town Oil Company Inc. 16205 W 287TH ST PAOLA, KS 66071-8482

Re: Drilling Pit Application API 15-103-21453-00-00 Breshears 17-3 SE/4 Sec.16-12S-21E Leavenworth County, Kansas

Dear Lester Town:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: Breshears 17-3

API/Permit #: 15-103-21453-00-00

Doc ID: 1363620

Correction Number: 1

Approved By: Rick Hestermann 08/17/2017

Field Name	Previous Value	New Value
ElevationPDF	880 Estimated	878 Estimated
Feet to Nearest Water Well Within One-Mile of	623	532
Pit Ground Surface Elevation	880	878
KCC Only - Approved By	Rick Hestermann 08/15/2017	Rick Hestermann 08/17/2017
KCC Only - Approved Date	08/15/2017	08/17/2017
KCC Only - Date Received	08/14/2017	08/17/2017
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=16&t 886	ation.cfm?section=16&t 977
Number of Feet East or West From Section Line	886	977
Number of Feet North or South From Section Line	1491	1463

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	1491	1463
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 63142	//kcc/detail/operatorE ditDetail.cfm?docID=13 63620

Summary of Attachments

Lease Name and Number: Breshears 17-3

API: 15-103-21453-00-00

Doc ID: 1363620

Correction Number: 1

Approved By: Rick Hestermann 08/17/2017

Attachment Name

MAP

Fluid