

### Kansas Corporation Commission Oil & Gas Conservation Division

1363912

Form ACO-1 November 2016 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
□ <b>0</b>	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
□ Dual Completion Permit #:	Location of fluid diamonal if hauland offsite.
EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:					Lease Na	ıme: _			Well #:	
SecTwp	oS. F	R	East	West	County: _					
<b>INSTRUCTIONS:</b> Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.										
Final Radioactivit files must be sub							gs must be ema	iled to kcc-wel	l-logs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests T			Ye	es No		L		on (Top), Depth		Sample
Samples Sent to	Geological Sur	vey	Ye	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run Geolgist Report / List All E. Logs R	_		<ul><li> Y€</li><li> Y€</li></ul>	es No						
			Repo		RECORD conductor, surfa	Ne	w Used	on, etc.		
Purpose of Str	ing Siz	e Hole		e Casing	Weight		Setting	Type of	# Sacks	Type and Percent
Fulpose of Sti	"' <sup>g</sup> D	rilled	Set	(In O.D.)	Lbs. / F	t.	Depth	Cement	Used	Additives
				ADDITIONAL	CEMENTING	i / SQL	JEEZE RECORD			
Purpose:		Depth Bottom	Type	of Cement	# Sacks U	sed		Type an	d Percent Additives	
Perforate Protect Cas	sing									
Plug Back Plug Off Zo										
1 lug Oli 20	JIIC .									
Did you perform	a hydraulic fractu	ring treatment o	n this w	ell?			Yes	No (If No,	skip questions 2 ar	nd 3)
2. Does the volume	e of the total base	fluid of the hydr	aulic fra	cturing treatmen	t exceed 350,00	00 gallo	ns? Yes	No (If No,	skip question 3)	
3. Was the hydrauli	ic fracturing treatr	nent information	submit	ted to the chemic	cal disclosure re	egistry?	Yes	No (If No,	fill out Page Three	of the ACO-1)
Date of first Produc	ction/Injection or F	Resumed Produc	ction/	Producing Met	hod:					
Injection:				Flowing	Pumping		Gas Lift C	other (Explain)		
Estimated Produc Per 24 Hours	tion	Oil Bbls	S.	Gas	Mcf	Wat	er Bl	ols.	Gas-Oil Ratio	Gravity
DISPO	OSITION OF GAS	:		N	METHOD OF C	OMPLE	TION:			N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole	Perf.			nmingled	Тор	Bottom
(If vente	d, Submit ACO-18.	)				(Submit	ACO-5) (Subi	mit ACO-4)		
Shots Per	Perforation	Perforation	1	Bridge Plug	Bridge Plug		Acid,	Fracture, Shot, (	Cementing Squeeze	Record
Foot	Тор	Bottom		Туре	Set At			(Amount and k	Kind of Material Used)	
						-				
TUBING RECORE	): Size:		Set At:	<u> </u>	Packer At:					

Form	ACO1 - Well Completion
Operator	TDR Construction, Inc.
Well Name	BECKMEYER 12A
Doc ID	1363912

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10	8.625	10	21	Portland	4	50/50 POZ
Production	6.750	4.500	8	820	Portland	148	50/50 POZ

Lease Owner: TDR

#### WELL LOG

Thickness of Strata	Formation	Total Depth	
0-35	Soil-Clay	35	
23	Shale	58	
6	Lime	64	
4	Shale	68	
16	Lime	84	
7	Shale	91	
10	Lime	101	
6	Shale	107	
5	Lime	112	
15	Shells	127	
18	Shale	145	
22	Sandy Shale	167	
20	Lime	187	
74	Shale	261	
23	Lime	284	
20	Shale	304	
9	Lime	313	
21	Shale	334	
2	Lime	336	
20	Shale	356	
2	Lime	358	
15	Shale	373	
8	Lime	381	
3	Shale	384	
13	Lime	397	
9	Shale	406	
23	Lime	429	
3	Shale	432	
4	Lime	436	
5	Shale	441	
6	Lime	447	
124	Shale	571	
6	Sand	577	
46	Shale	623	
7	Lime	630	
42	Shale	672	
4	Lime	676	
14	Shale	690	
5	Lime	695	
26	Shale	721	

Lease Owner: TDR

# Franklin County, KS Town Oilfield Service, Inc. Commenced Spudding: Well:Beckmeyer 12A (913) 294-2125 8/7/17

9 Shale 731 1 Sand 732 14 Sand 746 14 Sandy Shale 760 80 Shale 840-TD	1	Lime	722
1     Sand     732       14     Sand     746       14     Sandy Shale     760	9		
14         Sand         746           14         Sandy Shale         760			
14 Sandy Shale 760	14		
		Sandy Shale	
		Shale	
			The second secon
		<del></del>	
		<del>-  </del>	+
		-	
			<del></del>
		<del></del>	
		<del></del>	
		+	
		<b>4</b>	<del></del>
		1	

# **Short Cuts**

TANK CAPACITY

BBLS. (42 gal.) equals D<sup>2</sup>x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

#### TO FIGURE PUMP DRIVES

- \* D Diameter of Pump Sheave
- \* d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

\*C - Shaft Center Distance

D - RPMxd over SPMxR d - SPMxRxD over RPM SPM - RPMXD over RxD R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) +  $\frac{(D-d)^2}{4C}$ 

\* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

# Log Book

Well No.	2 A	
FarmBec	kme ye	
KS (State)	Fra	(County)
32 (Section)	/5 (Township)	(Range)
For TDR	Construct (Well Owner)	ion
15-05	9-271	149

Town Oilfield Services, Inc. 1207 N. 1st East Louisburg, KS 66053 913-710-5400

ECKNEY & Farm: Franklin county	CASING AND TUBING MEASUREMENTS
KS State; Well No. 12A	Feet In. Feet In. Feet In.
Elevation 1016	The Ralle
Commenced Spuding A 5 7 20 17	700 PAITIC
Finished Drilling Aug 9 8017	5003 =100
Driller's Name Wesley Dollard	4
Driller's Name	840 TD 0
Oriller's Name	
Tool Dresser's Name Ryan Ward	100
Fool Dresser's Name	
Tool Dresser's Name	
Contractor's Name	
32 15 21	
(Section) (Township) (Range)	
Distance fromft.	- 08)
Distance from E line, 2135 ft.	
1 sacks	
1 hrs	
3/4 60rehale	
/2 Casing and Tubing	
RECORD	
RESOND	
0" Set 10" Pulled	
8" Set 8" Pulled	
6%" Set 6%" Pulled	
4" Set 6" Pulled	
2" Set 2" Pulled	-1-

Thickness of Strata	Formation	Total Depth	7,-	Remarks	
0-35	Soil -clay	35	S1		
23	shale/	58			17
6	Lime	64		14	
4	. Shale	68	1.47		
16	lime	84	≪ ≪	Ŋ.	1
_ 7	Shale	91	Vi.		. 4
10	Lime	101			3.5
6	Shale_	107			
_5	Lime	112			
15	Shells	127		* 1	
18	Shale	145	redbed		
22	Sandy Shale	167		A 10	
20	Lime	187			
74	Shale	26	2)		150
23	Lime	284	-	. 724	i,
20	Shale	304	1		
9	Lime	3/3		11	(4.5)
21	Shale	334	1 19		
2	Line	336			
20	Shale	356		-	
2	Lime	358			
15	Shale	373		2101	
8	Lime	381			
3	Shale	384			
13	Line	397			
9	Shale	406	-		ls.
23	Lime	1429			

		429	
Thickness of Strata	Formation	Total Depth	Remarks
3	Shale	432	
4	Lime	436	(
5	Shal-e	441	
6	Lime	447	Heltha
124	Shalfe	571	
6	Sane	577	- Groken-good Oil Show
46	Shele	623	Jan Jan Oll Colo
7_	Lime	630	-
42	Shale	672	
4	Lime	676	
14	Shale	690	
5	Lime	695	
26	Shale	721	Control of the contro
	Lime	722	
9	Shale	731	
	sand	732	broken - not much oil
14	Sand	746	broken- good Oil Show
14	sindy shale	160	TOP 8 best saturation
80	shale	840	TD
			2
			*

-4-

### Town Oilfield Service

P.O Box 339 Louisburg, Ks 66053 913-837-8400

Ticket Number_	-
Location	
Foreman	

### Field Ticket & Treatment Report

### Cement

D-+-	Customan	Mall Mar	ne & Number	Section	Township	Range	Coun
Date	Customer#						
8-9-17		Beck	neyer 12 /		/\$	21	FI
Customer			Malling Ac	01622			
Į			City		State	Zip Code	
Job Type low	g Strike Hole Si	ze <u>43/4</u>	Hole Depth	840	Casing Size 8	& Weight_ 4	1/2
Casing Depth_	820 Drill Pipe		Tubing		Other		
Displacement	Displacer	ment PSI	Mix PSI		Rate		
_							
Remarks							
Account Code	Quantity or U	Jnits	Description o	Services or I	Product	Unit Price	Tota
			Pump Charge				1700
			Cement Truck				
							250
			Water Truck				
	148		Water Truck Cement			10	25-0
	148						25-0
	148		Cement				25 C 1400
	148		Cement Gel				25 C 1400
	148		Cement Gel			10	250 250 1400 42
	148		Cement Gel			/O  Sales Tax	25 C 1400 42
	148		Cement Gel			10	25 C 1400 42
eation S	148	Titl	Cement Gel Plug		Date	/O  Sales Tax	250 1400 4/2

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.