

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1364124

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | month day | year | Spot Description: | |
|--|---|--|--|---|
| | | , 00. | Sec Twp S. R | E' |
| OPERATOR: License# | | | feet from N / | S Line of Section |
| Name: | | | feet from E / | W Line of Section |
| Address 1: | | | Is SECTION: Regular Irregular? | |
| | | | (Note: Locate well on the Section Plat on reverse | side) |
| City: | State: Zip: | + | County: | |
| | | | Lease Name: W | ell #: |
| Phone: | | | Field Name: | |
| CONTRACTOR: License# | | | Is this a Prorated / Spaced Field? | Yes N |
| lame: | | | Target Formation(s): | |
| Well Drilled For: | Well Class: 7 | ivno Equipment: | Nearest Lease or unit boundary line (in footage): | |
| | | ype Equipment: | Ground Surface Elevation: | |
| Oil Enh I | | Mud Rotary | Water well within one-quarter mile: | Yes N |
| Gas Stora | • = | Air Rotary | Public water supply well within one mile: | Yes |
| Dispo | | Cable | Depth to bottom of fresh water: | |
| Seismic ;# | | | Depth to bottom of usable water: | |
| Other: | | | Surface Pipe by Alternate: I II | |
| If OWWO: old well | information as follows: | | Length of Surface Pipe Planned to be set: | |
| | | | Length of Conductor Pipe (if any): | |
| · | | | Projected Total Depth: | |
| | ate: Original To | | Formation at Total Depth: | |
| Original Completion Da | ate Original it | лат Бертп | Water Source for Drilling Operations: | |
| Directional, Deviated or Ho | orizontal wellbore? | Yes No | Well Farm Pond Other: | |
| | | | | |
| Bottom Hole Location: | | | DWR Permit #:(Note: Apply for Permit with DWR) | |
| CC DKT #: | | | Will Cores be taken? | Yes N |
| | | | If Yes, proposed zone: | |
| | | | | |
| | | | | |
| | | ' | FIDAVIT | |
| The undersigned hereby | 0. | npletion and eventual pl | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. | |
| The undersigned hereby | affirms that the drilling, con | npletion and eventual pl | | |
| The undersigned hereby t is agreed that the follow | ving minimum requirements ate district office <i>prior</i> to sp | npletion and eventual plans will be met: budding of well; | ugging of this well will comply with K.S.A. 55 et. seq. | |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri | ving minimum requirements ate district office <i>prior</i> to sp oved notice of intent to drill | npletion and eventual pl will be met: budding of well; shall be posted on each | ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig; | |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amo | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as spec | npletion and eventual plants will be met: budding of well; shall be posted on each ified below shall be set | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall | be set |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amouthrough all uncons | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as specolidated materials plus a m | npletion and eventual pl will be met: budding of well; shall be posted on each ified below shall be set nimum of 20 feet into the | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall e underlying formation. | |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amounthrough all uncons 4. If the well is dry ho | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between | npletion and eventual plants will be met: budding of well; shall be posted on each ified below shall be set nimum of 20 feet into the operator and the dis | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall e underlying formation. It ict office on plug length and placement is necessary prior to prior | |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified by | npletion and eventual planning will be met: budding of well; shall be posted on each iffed below shall be set in mum of 20 feet into the operator and the dispersor well is either plug. | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall e underlying formation. | olugging; |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified bull COMPLETION, production bendix "B" - Eastern Kansas | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall e underlying formation. It ict office on plug length and placement is necessary prior to paged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of salas,891-C, which applies to the KCC District 3 area, alternate II | plugging; pud date. cementing |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified bull COMPLETION, production bendix "B" - Eastern Kansas | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In drilli | plugging; pud date. cementing |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified bull COMPLETION, production bendix "B" - Eastern Kansas | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall e underlying formation. It ict office on plug length and placement is necessary prior to paged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of salas,891-C, which applies to the KCC District 3 area, alternate II | plugging; pud date. cementing |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amore through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate descentible. | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified but COMPLETION, production bendix "B" - Eastern Kansas di within 30 days of the spud | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall e underlying formation. It ict office on plug length and placement is necessary prior to paged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of salas,891-C, which applies to the KCC District 3 area, alternate II | plugging; pud date. cementing |
| is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified but COMPLETION, production bendix "B" - Eastern Kansas di within 30 days of the spud | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall e underlying formation. It ict office on plug length and placement is necessary prior to paged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of salas,891-C, which applies to the KCC District 3 area, alternate II | plugging; pud date. cementing |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate be completed. | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified but COMPLETION, production bendix "B" - Eastern Kansas di within 30 days of the spud | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall e underlying formation. It ict office on plug length and placement is necessary prior to paged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of salas,891-C, which applies to the KCC District 3 area, alternate II | plugging; pud date. cementing |
| The undersigned hereby 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified but COMPLETION, production bendix "B" - Eastern Kansas di within 30 days of the spud | npletion and eventual planting will be met: budding of well; shall be posted on each iffed below shall be set inimum of 20 feet into the operator and the dispersive well is either pluging pipe shall be cemented surface casing order # | n drilling rig; by circulating cement to the top; in all cases surface pipe shall e underlying formation. trict office on plug length and placement is necessary prior to paged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of singless of the total plugged. In all cases, NOTIFY district office prior to any cere | plugging; pud date. cementing nenting. |
| he undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a complete co | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified but COMPLETION, production bendix "B" - Eastern Kansas di within 30 days of the spud | npletion and eventual planting will be met: budding of well; shall be posted on each ified below shall be set nimum of 20 feet into the operator and the disefore well is either plugin pipe shall be cemented as surface casing order # date or the well shall be | augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall e underlying formation. Itrict office on plug length and placement is necessary prior to peed or production casing is cemented in; Indicated from below any usable water to surface within 120 DAYS of second from below any usable water to surface within 120 DAYS of second from below any usable water to surface within 120 DAYS of second from below any usable water to surface within 120 DAYS of second from below any usable water to surface within 120 DAYS of second from below any usable water to surface within 120 DAYS of second from the surface prior to any cere and the s | plugging; pud date. cementing nenting. |
| he undersigned hereby is agreed that the follov 1. Notify the appropri 2. A copy of the appropri 3. The minimum amore through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di pursuant to Appropriate di Complete Comp | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified but COMPLETION, production of the modern of the special within 30 days of the spudinically | npletion and eventual plant will be met: budding of well; shall be posted on each ified below shall be set nimum of 20 feet into the operator and the disefore well is either plugen pipe shall be cemented a surface casing order # date or the well shall be | n drilling rig; by circulating cement to the top; in all cases surface pipe shall e underlying formation. trict office on plug length and placement is necessary prior to peed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of sel 133,891-C, which applies to the KCC District 3 area, alternate II explugged. In all cases, NOTIFY district office prior to any cere. Remember to: File Certification of Compliance with the Kansas Surface Owner. | plugging; pud date. cementing nenting. |
| the undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the comp | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified by II COMPLETION, production pendix "B" - Eastern Kansas of within 30 days of the spudinically | npletion and eventual planting of well; shall be posted on each iffed below shall be set nimum of 20 feet into the operator and the discrete well is either plugen pipe shall be cemented surface casing order # date or the well shall be belowed to the well shall be the well | In drilling rig; In drilling | pud date. cementing nenting. er Notification |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the approduction of the appropriate of | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as special olicitated materials plus a mole, an agreement between strict office will be notified by the complex of the special within 30 days of the spud nically | npletion and eventual planting will be met: budding of well; shall be posted on each ified below shall be set nimum of 20 feet into the operator and the discefore well is either plugen pipe shall be cemented as surface casing order # date or the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the cement o | In drilling rig; by circulating cement to the top; in all cases surface pipe shall e underlying formation. trict office on plug length and placement is necessary prior to peed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of section of surface with the KCC District 3 area, alternate II expluged. In all cases, NOTIFY district office prior to any cere with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | pud date. cementing nenting. er Notification |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the approduction of the appropriate of | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified by II COMPLETION, production pendix "B" - Eastern Kansas of within 30 days of the spudinically | npletion and eventual planting will be met: budding of well; shall be posted on each ified below shall be set nimum of 20 feet into the operator and the discefore well is either plugen pipe shall be cemented as surface casing order # date or the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the well shall be determined by the cement of the cement o | In drilling rig; by circulating cement to the top; in all cases surface pipe shall e underlying formation. trict office on plug length and placement is necessary prior to peed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of seed f | pud date. cementing nenting. er Notification |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appro- 3. The minimum among through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required of the minimum surface pipe recompleted approved by: This authorization expire | ving minimum requirements ate district office <i>prior</i> to spoved notice of intent to drill ount of surface pipe as speciolidated materials plus a mole, an agreement between strict office will be notified by II COMPLETION, production pendix "B" - Eastern Kansas of within 30 days of the spudicition of the spudicities of the spudicition of the spudicition of the spudicities of the spudicition of the spudicities o | npletion and eventual plant will be met: budding of well; shall be posted on each iffed below shall be set in mum of 20 feet into the the operator and the disperore well is either plugin pipe shall be cemented a surface casing order # date or the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the well shall be determined by the state of the state of the well shall be determined by the state of the well shall be determined by the state of the state of the well shall be determined by the state of the state | In drilling rig; by circulating cement to the top; in all cases surface pipe shall e underlying formation. trict office on plug length and placement is necessary prior to peed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of section of surface with the KCC District 3 area, alternate II expluged. In all cases, NOTIFY district office prior to any cere with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | pud date. cementing nenting. er Notification e-entry; nin 60 days); |

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| 1 | 3 | 64 | 1 | 24 |
|---|---|----|---|----|
| | | | | |

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | - | License Number: | | | |
|---|-------------------------|--|--|--|--|--|
| Operator Address: | | | | | | |
| Contact Person: | | Phone Number: | | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | | | | |
| Emergency Pit Burn Pit | Proposed | Existing | SecTwp R | | | |
| Settling Pit Drilling Pit | If Existing, date cons | structed: | Feet from North / South Line of Section | | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | | | |
| | | (bbls) | County | | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes N | Ю | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? Yes No | Artificial Liner? | 0 | How is the pit lined if a plastic liner is not used? | | | |
| Pit dimensions (all but working pits): | Length (feet | t) | Width (feet) N/A: Steel Pits | | | |
| Depth fro | om ground level to deep | pest point: | (feet) No Pit | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining cluding any special monitoring. | | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallow Source of inform | west fresh water feet. | | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Worko | ver and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of materia | l utilized in drilling/workover: | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must b | e closed within 365 days of spud date. | | | |
| Submitted Electronically | | | | | | |
| | KCC O | OFFICE USE OF | NLY Liner Steel Pit RFAC RFAS | | | |
| Date Received: Permit Numl | ber: | Permi | t Date: Lease Inspection: Yes No | | | |



1364124

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CI | B-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|--|
| OPERATOR: License # | Well Location: |
| Name: | |
| Address 1: | • |
| Address 2: | |
| City: | the lease helpw |
| Contact Person: | _ |
| Phone: () Fax: () Email Address: | |
| Surface Owner Information: | |
| Name: | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | _ |
| the KCC with a plat showing the predicted locations of lease roads, | athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| owner(s) of the land upon which the subject well is or will | be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this ax, and email address. |
| KCC will be required to send this information to the surface |). I acknowledge that, because I have not provided this information, the se owner(s). To mitigate the additional cost of the KCC performing this dress of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 hand form and the associated Form C-1, Form CB-1, Form T-1, or Form | dling fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. |
| Submitted Electronically | |



BOX 8604 - PRATT, KS 67124 (620) 672-6491

OIL FIELD SURVEYORS

720171

| VAL | ENERGY, INC | 1-24 THELMA SMITH |
|---|--|---------------------------------------|
| COWLE | OPERATOR Y 24 32s 5e | |
| TOTAL PROPERTY OF THE PARTY OF | $\frac{Y}{INTY}$ $\frac{24}{S}$ $\frac{32s}{T}$ $\frac{5e}{R}$ | |
| Z | VAL ENERGY, INC 125 N Market Suite 1 Wichita, KS 67202 | 1110 ELEVATION: 1286 GR |
| | Sign (Sign) | |
| AUTHORIZED | D BY: Todd Allam | |
| | sc | SCALE; 1" = 1000' |
| | echnical services to located bore hole. | te |
| | arface casing recovered what is site. | hile |
| Le | evel area, rocky pasture. | <u> </u> |
| | gress from east side of se 181 St Rd. | section |
| | | * * * * * * * * * * * * * * * * * * * |
| * | *** | 24 |
| 0 | LD BORE HOLE | least gra |
| | · | * NEAL 2 |
| | | + Kd |
| | | * 181 s |
| 11 | • | X |
| | нwy 160 | |
| | | DATE STAKED: 8/1/17 |

| To: STATE COR | | | |
|---------------------------------|---|--|--|
| | PORATION COMMISS | SION | API NUMBER 15- 935 23485 |
| CONSERVAL | ION DIVISION - F | PLUGGING SECTION / | NENESW, SEC. 24, 7 32 S. R.S. OM |
| 200 COLOR | ADO DERBY BUILD KANSAS 67202 | 1 NG | |
| | N'S PLUGGING REF | PORT | 2970 feet from W/E section lin |
| | License / 9 | | Lease Name Smith Well # / |
| Орегатог | Bus to | + al + yes | County Owles 114. |
| | 120 5 N. | | Well Total Depth 3530 arbucked |
| Address | | | |
| | Julin | after 16. | Surface Casing: Size 15 feet 300 |
| | | | |
| Abandoned | 011 Well | Gas Well | Input Well D&A |
| | l as hereinafte | |)-1 |
| Plugging | Contractor | pleynold De | License Number |
| Address | 0201 | Coelege Ti | Kofeld |
| Company 1 | o plug at: Hour | -: Day: | 8 Month: 10 Year: 1984 |
| Company 1 | | ved from | eo Reynolds |
| | • | <u> </u> | (phone) |
| | | store | (phone) |
| were: | 35 gux | · 60 3500 | |
| | 35 suc | @ 350 | |
| | 25519 | @ 601 | |
| | · . | | |
| | | | |
| | | | |
| | | | |
| • | | Plugging Pro | posal Received by 6- Ward (TECHNICIAN) |
| | | | oposal Received by G- Ward (TECHNICIAN) |
| | | ended by Agent?: | All Part None |
| | 1 | | All Part None |
| Operation | | ended by Agent?: | All Part None |
| Operation | ns Completed: F | ended by Agent?: | All Part None |
| Operation | ns Completed: F | ended by Agent?: | All Part None |
| Operation | ns Completed: F | ended by Agent?: | All Part None |
| Operation | ns Completed: F | ended by Agent?: | posal Received by G. Ward (TECHNICIAN) All X Part None S Month: Vear: 1984 ept 4 opprox 3:00 and pax coment Pulled Bull pupe Coment. Av Rud Holes on Morare Hole Av Rud Holes on Morare Hole |
| Operation | ns Completed: F | ended by Agent?: | All Part None |
| Operation | ns Completed: F | ended by Agent?: | posal Received by G. Ward (TECHNICIAN) All Year: 1984 posses Coment Sulled Sull pupe Coment, Pulled page to 60° 6 cucul av Red Ather moves the Control of |
| Operation ACTUAL PI Consol 310 | ns Completed: F | ended by Agent?: | posal Received by G. Ward (TECHNICIAN) All Year: 1984 posses Coment Sulled Sull prips Coment, Pulled prips Come |
| Operation | ns Completed: F | ended by Agent?: Hour: 5.30 Moay: Aan Drill portled 35 1 35 500 con To Surface- | posal Received by G. Ward (TECHNICIAN) All Year: 1984 posses Coment Sulled Sull prips Coment, Pulled prips Come |
| Operation ACTUAL PI Consol 310 | LUGGING REPORT Luddled Well end gatles Kelment | ended by Agent?: Hour: 5.30 Moay: Aan Drill portled 35 1 35 500 con To Surface- | posal Received by G. Ward (TECHNICIAN) All Year: 1984 part Oppose 300 and part Coment Pulled Dull pripe Got ment Pulled pripe Got Av Red Holes on Mount Hele OPT 15 1984 |
| Operation ACTUAL PI Consol 310 | LUGGING REPORT Luddled Well end gatles Kelment | ended by Agent?: Hour: 5.30 May: An Dill portled 35 A 35 SAD CON A Surface - 5.323 onal description | posal Received by G. Ward (TECHNICIAN) All Year: 1984 part Oppose 300 and part Coment Pulled Dull pripe Got ment Pulled pripe Got Av Red Holes on Mount Hele OPT 15 1984 |
| Operation ACTUAL PI Consol 310 | LUGGING REPORT LUGGING REPORT Ledeled Well And gather Long the Coment Long the district observations | ended by Agent?: Hour: 5.30 May: An Dill portled 35 A 35 SAD CON A Surface - 5.323 onal description | posal Received by G. Ward (TECHNICIAN) All Year: 1984 part None Year: 1984 And Coment Pulled Dull pripe Coment Pulled pripe Coment Not Had for More following fo |

STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Bullding Wichita, Kansas 67202

WELL PLUGGING RECORD K.A.R.-82-3-117

API NUMBER 15-035-23,485 Smith LEASE NAME

| | TY | PE | OR | PR | INT | | |
|-------|----|------|------|-----|-----|-----|-------|
| NOTIC | E: | FI | 1.1 | out | CO | mpi | etely |
| and | | | | | | | |
| offl | Ce | l by | 1 th | In | 3.0 | day | S . |

WELL NUMBER NE NE SW SPOT LOCATION SEC. 24 TWP. 32SRGE. 5 (E) XXXX

| LEASE OPERATORBut | rnette Uil & Gas | uo. | | | | NTY Cow1 | ev | |
|--|--|------------------------|-------------|------------|--|------------------------|-----------------------------|-------------|
| ADDRESS 1205 Nort | h "C", Wellington | , Kansas | 671 | .52 | | | ompleted_ | 10-8-84 |
| A CO. Sec. 1 and the second se | and qualifying and the second | | | | Dat | e Well C | ompleted_ | 10.0.07 |
| PHONE # (316) 326 | -7312 OPERATO | RS LICENS | SE NO | . 9560 | Plu | igging Co | mmenced | 10-8-84 |
| Character of Well (Oll, Gas, D&A, SWI | D & A | | | | Plu | igging Co | mple†ed <u></u> | 10-8-84 |
| Did you notify the | KCC/KDHE Joint Di | strict 0 | ffice | prior to | plugging | this wel | Yes. | grand |
| Which KCC/KDHE Jol | | | | | | | | |
| Is ACO-1 flied? | If not, | Is well | log a | ittached? | | | | |
| Producing formatio | | | | | | | | |
| Show depth and thi | ckness of all wate | r, oll a | nd ga | s format | lons. | | | |
| OIL, GAS OR WATER | RECORDS | | | | CASING RI | ECORD | | |
| Formation | Content | From | Ϊο | Slze | Put In | Pulle | d out | |
| | | | | | | | | - |
| | | | | | | | | |
| | | | | | | | | |
| Describe in detail the mud fluid was the hole. If cemen depth placed, from | placed and the med t or other plugs w | thod or m vere used | etho sta | ds used to | n Introduc haracter o | Ing IT in f same ar | 1 FO 1 d | |
| 35 sacks @ 35 | 00 ' | | | | | | | |
| 35 sacks @ 35 | 0.1 | | | | and any factor of the factor o | | | |
| 25_sacks_@_60 | P | | | | | | | - |
| (If add | litional description | on is nec | essa | ry, use B | ACK of thi | s form.) | | |
| | | | | | | | | 24 |
| Name of Plugging C Address 0201 Co1 | lege, Winfield, K | ansas 6 | 7156 | | | - CTA | - RECE | IVED |
| | and the second s | | | | | | | ION COMMISS |
| STATE OF ANSAD | C | OUNTY OF | Co | wley | | ,55• | OCT 1 | 5 1984 |
| Clarence W. | Burnette | | | (empl | oyee of op | erator) | ζδ <u>N</u> SERVATIO | N DIVISION |
| (cperator) of abov | ve-described ⊭ell, | la gnled | rst | duly swor | n on oath, | says: | ^{n a ⊤} Wichita, I | (ansas |

the log of the above-described well as filed that the same are true and

SUBSCRIBED AND SWORN TO before this

PATRICIA REYNOLDS STATE NOTARY PUBLIC

I have knowledge of the facts, statements, and matters herein contained and

COWLEY COUNTY, KANSAS My Appt. Expires 1-29-88

Natary Public

My Commission expires:

correct, so help me God,

Rovised Of

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 22, 2017

Dustin WYer Val Energy, Inc. 125 N MARKET ST STE 1110 WICHITA, KS 67202-1728

Re: Drilling Pit Application Thelma 1-24 SW/4 Sec.24-32S-05E Cowley County, Kansas

Dear Dustin WYer:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.

82-3-607.

Kansas
Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

DISPOSAL OF DIKE AND PIT CONTENTS.

| (a) | Each operator shall perform one of the following when disposing of dike or |
|-------|---|
| pit | contents: |
| (1) | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department; |
| (2) | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; |
| or | |
| (3) | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area |
| on | |
| lease | acreage owned by the same landowner or to another producing |
| | or unit operated by the same operator, if prior written permission |
| from | the landowner has been obtained; or |

| | (D) removal of the contents to a permitted off-site disposal area | |
|----------|---|----|
| approved | | |
| | by the department. | |
| (b) | Each violation of this regulation shall be punishable by the following | : |
| (1) | A \$1,000 penalty for the first violation; | |
| (2) | a \$2,500 penalty for the second violation; and | |
| (3) | a \$5,000 penalty and an operator license review for the third violatic | n. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo |
|--|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo |
| Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application. |