

__ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1364370

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

· · dav vear	Spot Description:
month day year	
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWN/Or old well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes Yes	Talli Total Gallon
Bottom Hole Location:	DWK Pelliit #.
CCC DKT #:	(Note: Apply for Fernik Wall BWY)
	Will Cores be taken? Yes New Y
	II 165, proposed 20116.
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventu	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on	each drilling rig;
2. The minimum amount of confere pine as an existed below about the	e set by circulating cement to the top; in all cases surface pipe shall be set
	, ,
through all unconsolidated materials plus a minimum of 20 feet in	
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	e district office on plug length and placement is necessary <i>prior to plugging</i> ;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either	plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date.
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc	plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sh	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sh	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sh	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY	plugged or production casing is cemented in; hented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15 -	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY API # 15	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15 -	plugged or production casing is cemented in; hented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15	plugged or production casing is cemented in; hented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY API # 15	plugged or production casing is cemented in; hented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orc must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15	plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Operator: _			Location of Well: County:		
Lease:			feet from N / S Line of Section		
Well Numb	er:		feet from E / W Line of Section		
Field:			SecTwpS. R E W		
			Is Section: Regular or Irregular		
QTR/QTR/	QTR/QTR of acreage:				
			If Section is Irregular, locate well from nearest corner boundary.		
			Section corner used: NE NW SE SW		
		PI	.AT		
	Show location of the		ease or unit boundary line. Show the predicted locations of		
		•	uired by the Kansas Surface Owner Notice Act (House Bill 2032).		
	rodo roddo, tarm battorroo,	You may attach a se	eparate plat if desired.		
		848 ft.	parato piar ii addinoai		
	: :	: : :	:		
			LEGEND		
	: :		LEGEND		
2126 ft			O Well Location		
212011			Tank Battery Location		
	: :	::	: Pipeline Location		
		: : : : : : : : : : : : : : : : : : : :	: Electric Line Location		
			Lease Road Location		
			Eease Road Location		
			EXAMPLE		
	: :	· · · · · · · · · · · · · · · · · · ·			
		30			
	: : : : : : : : : : : : : : : : : : : :	: : :			
	: :	: : :			
	; ;	: :	1980' FSL		
	· · · · · · · · · · · · · · · · · · ·	:: :			
	: :	: : : :	:		
			:; :		
	1 : :		SEWARD CO. 3390' FEL		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.




Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Pit is:				
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwpR East West	
Settling Pit Drilling Pit			Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:			Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	pest point:	(feet) No Pit	
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
City: State: Zip:+			
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			





00-02s-30w-999 CRD NO.

00-02s-30w

PRO-STAKE

Construction Site Staking

LLC

13473 INVOICE NO. Nebraska
Colorado Kansas

Oklaho

Three Forks Resources, LLC OPERATOR

Decatur County, KS
COUNTY

May Trust #1-30 (MAIN)

30 02s 30w Sec Twp Rng.

Office/Fax: (620) 276-6159 - Cell: (620) 272-1499 burt@prostakellc.com

P.O. Box 2324 Garden City, Kansas 67846

LEGEND

tank battery

■ staked loc.

⇒ prod. well/aband. well

■ house

□ building

□ transmission powerline

3 phase powerline

single phase powerline

rece

gravel / sand rd.
gravel trail / lease rd.
dirt rd.
dirt trail / lease rd.
Hwy / blacktop rd.

848' FNL - 2126' FWL LOCATION SPOT

LEASE NAME

2846.8' GR ELEVATION

39.855011600 NAD 83 LAT

100.732709899 NAD 83 LONG | SCALE: 1" = 1000' |
| DATE STAKED: July 12th, 2017 |
| MEASURED BY: Bryen M. |
| DRAWN BY: Bryen M. |
| AUTHORIZED BY: Larry W. |
| DATE REVISED:

<u>DIRECTIONS:</u> From the NW corner of Oberlin, KS at the intersection of Hwy 83 / Buffalo Ave & Hwy 36 / Frontier Pkwy – Now go 10 miles West on Hwy 36 / Frontier Pkwy – Now go 2 miles North on 100th Rd to the NE corner of section 30-02s-30w – Now go approximately 0.6 mile West on 100th Rd to ingress stake South into – Now go approximately 880' South around a terrace through worked farm ground into staked location

Final ingress must be verified with landowner or operator.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.

LANDOWNER/CONTACT: Roger May – (785)475-3369 (H)

(785)475-7065 (C)

