Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1365100

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|--|---|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R 🗌 East 🗌 West |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip: + | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth: | Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt. |
| □ Deepening □ Re-perf. □ Conv. to ENHR □ Conv. to SWD □ Plug Back □ Conv. to GSW □ Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls Dewatering method used: |
| Dual Completion Permit #: | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | QuarterSec. TwpS. R East West County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|-----------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| ☐ Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

| je Two | | |
|--------|------|-----|
| | 1365 | 100 |

| Operator Name: | | | Lease Name: _ | | | Well #: | |
|--|----------------------------|--|----------------------|---------------------|------------------------|---|-------------------------------|
| Sec Twp | S. R [| East West | County: | | | | |
| INSTRUCTIONS: Show open and closed, flowing and flow rates if gas to a | g and shut-in pressur | res, whether shut-in pre | ssure reached stati | c level, hydrosta | tic pressures, bott | | |
| Final Radioactivity Log, files must be submitted | | | | ogs must be ema | iled to kcc-well-lo | gs@kcc.ks.go | v. Digital electronic log |
| Drill Stem Tests Taken (Attach Additional Sh | neets) | Yes No | | | on (Top), Depth an | | Sample |
| Samples Sent to Geological | gical Survey | ☐ Yes ☐ No | Nam | e | | Тор | Datum |
| Cores Taken Electric Log Run | | Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | CASING Report all strings set-c | RECORD Ne | | ion etc | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONAL | CEMENTING / SQL | JEEZE RECORD | | | |
| Purpose: Perforate Protect Casing Plug Back TD | Depth Top Bottom | Type of Cement | # Sacks Used | | Type and P | ercent Additives | |
| Plug Off Zone | | | | | | | |
| Did you perform a hydraulic Does the volume of the tota Was the hydraulic fracturing | al base fluid of the hydra | ulic fracturing treatment ex | _ | Yes ? Yes Yes | No (If No, ski | p questions 2 ai p question 3) out Page Three | , |
| Shots Per Foot | | N RECORD - Bridge Plug otage of Each Interval Per | | Acid, Fra (Ai | d Depth | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | |
| Date of First, Resumed P | roduction, SWD or ENHI | R. Producing Meth | | Gas Lift C | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil Bb | ols. Gas | Mcf Wate | er B | bls. G | as-Oil Ratio | Gravity |
| DISPOSITION | N OF GAS: | | METHOD OF COMPLE | ETION: | | PRODUCTION | ON INTERVAL: |
| Vented Sold | Used on Lease | Open Hole | | Comp. Cor | mmingled mit ACO-4) | | |
| (If vented, Subm | nit ACO-18.) | Other (Specify) | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Owens Petroleum LLC |
| Well Name | RENO 20 |
| Doc ID | 1365100 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|-----|-------------------|-----|----------------------------|
| Surface | 11 | 7 | 20 | 20 | Portland | 7 | na |
| Production | 5.625 | 2.875 | 6.5 | 875 | Pozmix | 112 | na |
| | | | | | | | |
| | | | | | | | |

Superior Building Supply, Inc. 215 West Rutledge Yates Center, KS 66783

620-625-2447

Invoice # Page
159152 001
Invoice Date
07-20-2017 10:38:04

SOLD TO: Owens Scott 1274 202nd Rd. Yates Center, KS 66783

620-625-3607

Superior Building Supply, Inc., 215 West Rutledge, Yates Center, KS 66783 Please Remit To: PO# Order # Type Sld.By Cust.# SIm. Terms O36070 159152 MED Store reno 20 br House Net 10th Price Extended Price Description Quantity UM Item # 13.90 97.30 Portland Cement 94# 7.000 EA MA1235 Taxable: 97.30 LET US E-MAIL YOUR INVOICES & STATEMENTS 9.24 Tax: 0.00 Non-Tax: 106.54 Total: Received by:

3613AY Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881

FED ID# MC ID# 48-1214033

165290

HURRICANE SERVICES INC

104 Prairie Plaza Parkway Garnett, KS 66032

Ph: 785-448-3100 Fax: 785-448-3102

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200

Wichita, KS 67202

Customer:

OWENS PETROLEUM 1274 202ND ROAD

YATES CENTER, KS 66783

Invoice Date: Invoice #: Lease Name: 7/25/2017 0033820 RENO

Well #: County:

20 WOODSON

| Date/Description | HRS/QTY | Rate | Total |
|--------------------------|---------|---------|----------|
| Ticket 50317 Longstring | 0.000 | 0.000 | 0.00 |
| Heavy Eq mileage one way | 50.000 | 3.250 | 162.50 |
| Light Eq mileage one way | 50.000 | 1.500 | 75.00 |
| Bulk truck #241 | 1.000 | 300.000 | 300.00 |
| Cement Pozmix 70/30 | 112.000 | 10.275 | 1,150.80 |
| Bentonite Gel | 398.000 | 0.225 | 89.55 |
| Top rubber plug 2 7/8" | 1.000 | 22.500 | 22.50 |
| Cementer #230 | 1.000 | 506.250 | 506.25 |
| FLO Seal | 28.000 | 1.613 | 45.15 |

Total 2,351.75

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.



250 N. Water, Ste 200 - Wichita, Ks 67202

HURRICANE SERVICES INC

104 Prairie Plaza Parkway - Garnett, Ks 66032

| Gustomer | Owens F | Owens Petroleum | | | | mer Name: Bryson Owens | | | | 50317 | | |
|--------------------------|--|-----------------|-----------------|---------------------------------|------------------------------|------------------------|------------|-----------|--------|----------------|--------------------------|--|
| Address | | | | Contractor: | Owens | | Data: | 7/25/2017 | | | | |
| City, State, Zip: | | | | Job (ype | Longstring | | Well Type; | New Oil | | | | |
| Service District: | ervice District: Madison, KS | | Wall Datalis: | Sec | | Twp: | | R: | Γ | | | |
| Well name & No. | Reno # 20 | | | Well Locations | Piqua | County: | Woodson | State: | Kansas | | | |
| Equipment# | Driver | Equipment # | Driver | Equipment# | Driver | TRUCK CALLED | | | | Αij | TIME | |
| 230 | Kevin | | | | | ARRIVED AT JOB | | | | AN | | |
| 241 | Jesse | | | | | START OPERATION | | | | PM | | |
| 25 | Jake | | <u> </u> | | | FINISH OPER | | | | PM AM PW | | |
| | | | ļ , | | | RELEASED | | | | AN PN | | |
| in to a susince a second | PROFESSION SPANNESS FOR COMMERCE AND ADMINISTRATION OF THE PERSON OF THE | | 7 -7 CHTLATHURE | Managada California da managaya | S) and compared and a second | MILES FROM | STATION TO | MELL | · | | TO STORY OF THE STORY OF | |

On location safety meeting. Spot in and rig up. Hook up to lubing @ 880'. Break circulation with 8 bbl fresh water. Mix and pump 9 bbl gel, followed by 5 bbl freah water. Mix and pump 112 sacks cement. Stop. Wash pump and lines. Drop plug. Start displacement. Displace 4.9 bbl water. Pressured up to 1250#. Release pressure to 400 PSI. Shut in well, Wash up pump. Rig down and leave location.

| | | | | | | *** 1 | | | |
|--|--|---------------------------------|--------------------|--|--------------------|---|--|---------------|---------------------------------------|
| Product/Service Code | Description | | Unit of Measure | Quantity | List Price/Unit | Gross | | | - |
| C001 | Heavy Equip. One Way | | mi | 50.00 | | | | | Net Amou |
| C002 | Light Equip. One Way | | mi | 50.00 | | \$162.5 | | | \$162. |
| C004 | Minimum Ton Mile Charge | | ea | 1.00 | | \$75.00 | | - | \$75. |
| CP008 | 70/30 Pozmix Cement | | sack | 112.00 | | \$300,00 | | | \$300. |
| CP013 | Bentonite Gel | | lb | 198.00 | | \$1,534.40 | | | \$1,150. |
| CP037 | Rubber Plug 2 7/8 | | ea | 1.00 | | \$59.40 | | | \$44. |
| CP013 | Bentonite Gel | | lb | 200,00 | | \$30.00 | | | \$22, |
| 0020 | Cement Pump | | ea | | | \$60.00 | + | | \$45. |
| CP017 | FLO-Seal | | i b | 1.00 | | \$675.00 | | | \$506. |
| | 1 20 002 | | - 10 | 28.00 | \$2.15 | \$60,20 |). | | \$45. |
| | | | | + | | | ļ | | |
| | | | | | | | | | |
| | | | | - | | | | | · |
| | | | · | | | | ļ | | |
| | | | | ļ | | | ļ. <u>.</u> | | |
| | ļ | | | | | | <u> </u> | | |
| | | | | | | <u> </u> | <u> </u> | | _ |
| | | | | | | | 1 | | |
| ···· | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | · · · · · · · · · · · · · · · · · · · |
| | | | | | | | | | |
| | | · | | | | | | | |
| | | | | | | | | | :- |
| | | | | | | | | | |
| | | | 1000年96年 | No. 50 Carlo Lakes San C | kana mad | July 190 Section | E. Colored and Color | 72.15 | William Francis |
| | | | | 5 10 10 10 10 10 10 10 10 10 10 10 10 10 | 24-6 | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | 1 1-22 to 22 to 25 | 72626. | |
| RMS: Cash in adver | ice unless Hurricano Bervices Inc. (HSI) i | has annouved credit prior to | | <u>[46] 11 (115년)</u> - | | Carlo Carlo Carlo | | Agrica a | |
| e. Credit terms of se | e for approved accounts are total knybics Past due accounts may pay interest on | due on or before the 30th day | ή <u> </u> | -, | Gross: | \$ 2,956.50 | Net: | | \$2,351.7 |
| e of 1 1/4% permonth | or the maximum allowable by applicable | state or faderal laws if such | Total | Faxable | \$ - | Tax Rate: | | | |
| rnav to affect the co | sser amount. In the event it is necessary | recrose to any off food disputs | Frac and Acid serv | ice irealments desig | ned with intent to | | Sale Tax: | \$ | |
| ndirectly incurred for | not the collection of said account, Customer hereby agrees to pay all feas direct curred for such collection. In the event that Customer's account with HSI quent, HSI has the right to revoke any and all discounts previously applied in | | | n on newly drilled or a not taxable, | existing wells are | isting wells are | | | |
| ring al net involce pi | ico. Upon revocation, the full invoice orie | e without discount will | P-/ - | | | 711 | Total: | ¥. | 2,351.7 |
| ome immedialely du | e and subject to collection. Prices quoten is date of issue, Pricing does not include | Date of | Service: | 7/25/2017 | | | | | |
| 'Oyaillas and stated p | rice adjusiments. Aciual chames may va | or depending upon time | HSI Repre | eseniative: | ive: Jake Heard | | | | |
| ipment, and material 30 days net payment | ultimately required to perform these servicems or cash. | ricas. Discount rate is based | | | Customer Comments: | | | | |

or royalities and stated price adjustments, Actual charges may vary depending upon time, equipment, and material utilinately required to penform these services, Discount rate is based on 30 days net payment terms or cash.

<u>DISCLAMMER NOTICE</u>:

This technical data is presented in good faith, but no warranty is given by and H.S.I assumes no itability for advice or recommendations made concerning results to be obtained from the use of any product or service. The information presented is HGI best estimate of the actual results that may be achieved and should be used for comparison purposes and make no quarantee of future production performance. Customer warrants that wall and all associated equipment in acceptable condition to receive services by H.S.I. thewise, the customer will guarantee proper operational care of all customer owned production and associated equipment, while H.S.I. Is on location performing services which could adversely affect the performance of such services. performance of such services.

CUSTOMER AUTHORIZED AGENT