

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1365218

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

ш

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date: | Spot Description: | | | | | |
|---|--|--|--|--|--|--|
| | Sec Twp S. R Te I | | | | | |
| ODEDATOR II' " | feet from N / S Line of Section | | | | | |
| OPERATOR: License# | feet from E / W Line of Section | | | | | |
| Name: | Is SECTION: Regular Irregular? | | | | | |
| Address 1: | 13 OLOTION. Tregular: | | | | | |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) | | | | | |
| Contact Person: | County: | | | | | |
| Phone: | Lease Name: Well #: | | | | | |
| | Field Name: | | | | | |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? | | | | | |
| Name: | Target Formation(s): | | | | | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): | | | | | |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS | | | | | |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: | | | | | |
| Disposal Wildcat Cable | Public water supply well within one mile: | | | | | |
| Seismic: # of Holes Other | Depth to bottom of fresh water: | | | | | |
| Other: | Depth to bottom of usable water: | | | | | |
| Outon. | Surface Pipe by Alternate: I III | | | | | |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: | | | | | |
| | Length of Conductor Pipe (if any): | | | | | |
| Operator: | Projected Total Depth: | | | | | |
| Well Name: Original Total Depth: | Formation at Total Depth: | | | | | |
| Original Completion Date Original Total Deptil | Water Source for Drilling Operations: | | | | | |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other: | | | | | |
| f Yes, true vertical depth: | | | | | | |
| Bottom Hole Location: | DWR Permit #:(Note: Apply for Permit with DWR) | | | | | |
| KCC DKT #: | Will Cores be taken? | | | | | |
| | If Yes, proposed zone: | | | | | |
| | II 163, proposed zone. | | | | | |
| AF | FIDAVIT | | | | | |
| The undersigned hereby affirms that the drilling, completion and eventual pl | ugging of this well will comply with K.S.A. 55 et. seq. | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | |
| It is agreed that the following minimum requirements will be met: | | | | | | |
| It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; | | | | | |
| t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. | | | | | |
| t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. | | | | | |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface of the set of | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification | | | | | |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disense of the surface district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the complete of the surface casing order and the disense of the surface casing order and the disense of the surface casing order and the disense of the surface casing order and the surface of the surfa | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; | | | | | |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification | | | | | |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; | | | | | |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; | | | | | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disection of the set | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; | | | | | |

SEWARD CO. 3390' FEL

1980' FSL

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Location of Well: County: ___

| Lease: | | | | | | | | feet from | N / S Line of Section |
|---------------------------------------|---|----------|---------------|---|--|---------------|---------------------------|-----------------|-----------------------|
| Well Number: | | | | | feet from E / W Line of Section SecTwpS. R E W Is Section:Regular orIrregular | | | | |
| | | | | ; | | | | | |
| Number of Acres attributable to well: | | | | | | | | | |
| QIR/QIR | /QIK/QIK UI a | reage | | | | | | | |
| | | | | | | | er used: NE | | rest corner boundary. |
| | | | | | · | ocollori come | 7 doca142 | | |
| | | | | | | | | | |
| | | | | | PLAT | | | | |
| | | | | • | | | dary line. Show the | • | |
| | lease roads, to | | oipeiines and | You may atta | | - | as Surface Owner ired. | r Notice Act (H | ouse Biii 2032). |
| | | 1668 ft. | | | | , | | | |
| | : | : | : | : | : | : | | | |
| | | | | | | | | LEGEN | ND |
| | | | | | ··· ······ | | |) Well Loc | cation |
| | | | | | | | | _ | attery Location |
| | • | | | • | | | | | Location |
| 983 ft. | | | | | | | | | Line Location |
| 303 II. | | 9 : | : | | : | : | | Lease R | Road Location |
| | : | : | : | : | : | : | | | |
| | | | | | | | EXAME | PIF : | : |
| | : | : | : | : | : | : | | <u> </u> | |
| | | | 4 | | | : | | : | ······ |
| | : | | : | ······ | : | | | | |
| | : | : | : | : | : | : | | | i |
| | | | | : | | : | | | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.




Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | | |
|---|-------------------------|--|--|--|--|--|
| Operator Address: | | | | | | |
| Contact Person: | | | Phone Number: | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | · | | | |
| Emergency Pit Burn Pit | Proposed | Existing | SecTwpR East West | | | |
| Settling Pit Drilling Pit | If Existing, date cons | structed: | Feet from North / South Line of Section | | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity: | | | Feet from East / West Line of Section | | | |
| | | (bbls) | County | | | |
| Is the pit located in a Sensitive Ground Water Area? Yes No | | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? Artificial Liner? Yes No | | 0 | How is the pit lined if a plastic liner is not used? | | | |
| Pit dimensions (all but working pits): | Length (feet | t) | Width (feet) N/A: Steel Pits | | | |
| Depth fro | om ground level to deep | pest point: | (feet) No Pit | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining cluding any special monitoring. | | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallowest fresh water feet. Source of information: | | | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: | | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | | |
| Submitted Electronically | | | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | | | | |
| Date Received: Permit Numl | ber: | Permi | t Date: Lease Inspection: Yes No | | | |



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (| Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | | | | |
|---|--|--|--|--|--|--|
| OPERATOR: License # | Well Location: | | | | | |
| Name: | SecTwpS. R 🔲 East 🗌 West | | | | | |
| Address 1: | County: | | | | | |
| Address 2: | Lease Name: Well #: | | | | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description o | | | | | |
| Contact Person: | the lease below: | | | | | |
| Phone: () Fax: () | | | | | | |
| Email Address: | | | | | | |
| Surface Owner Information: | | | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | | | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | | | | |
| City: State: Zip:+ | | | | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead. | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form | | | | | |
| CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a | peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address. | | | | | |
| KCC will be required to send this information to the surface ov | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. | | | | | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. | | | | | |
| Submitted Electronically | | | | | | |

RIAW TTC 174. SECTION 4. T22S. R STAFFORD COUNTY, KANSAS EXPLORATION, RADIUM EAST LEASE STRATAKAN NW. 1/4.



2CALE 1" = 1000'

* ingress and egress to location as shown on this pid is per usage only and may not be legally opened for public use. Conrect lendowner. tenant and county road department for access.

* Contraiting auto is based upon the bast abus secrion of land containing 640 acres.

201 22. August

SERVICES, INC. (620)792-1977 OILFIELD KANSAS CENTRAL

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

August 31, 2017

Justin R. Prater StrataKan Exploration, LLC 100 S MAIN PLAINVILLE, KS 67663

Re: Drilling Pit Application Radium East 4-1 NW/4 Sec.04-22S-14W Stafford County, Kansas

Dear Justin R. Prater:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.