

- If well will not be drilled or permit has expired (See: authorized expiration date)

please check the box below and return to the address below.

Signature of Operator or Agent:

Well will not be drilled or Permit Expired Date: ___

For KCC Use: Effective Date: District # SGA? Yes No

__ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1365501

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R DE W
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	fact from F / W Line of Continu
Address 1:	L OFOTION OR L O
Address 2:	
City: State: Zip:	+
Contact Person:	County
Phone:	Lease Name: vveii #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Ed	quipment: Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mu	Ground Surface Elevation:feet MSL
	Water well within one-quarter mile: Yes No
	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
outon	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Onestate	
Operator:	Desire to d Total Desetts
Well Name: Original Total De	
Original Completion Date Original Total De	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWK Femili #.
KCC DKT #:	(Note: Apply for 1 errink with DWK
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completic	on and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will b	
 Notify the appropriate district office prior to spudding 	
2. A convert the approved notice of intent to drill about	be posted on each drilling rig,
2. A copy of the approved notice of intent to drill shall	alow shall he set by circulating coment to the ton; in all cases surface nine shall he set
3. The minimum amount of surface pipe as specified b	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set
The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur	n of 20 feet into the underlying formation.
3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur4. If the well is dry hole, an agreement between the op	n of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;
3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur4. If the well is dry hole, an agreement between the op5. The appropriate district office will be notified before	n of 20 feet into the underlying formation. Perator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; well is either plugged or production casing is cemented in;
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe 	n of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa 	n of 20 feet into the underlying formation. Determine the district office on plug length and placement is necessary <i>prior to plugging</i> ; well is either plugged or production casing is cemented in; a shall be cemented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa 	n of 20 feet into the underlying formation. terator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa 	n of 20 feet into the underlying formation. terator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date 	n of 20 feet into the underlying formation. terator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date 	on of 20 feet into the underlying formation. Deterator and the district office on plug length and placement is necessary <i>prior to plugging;</i> Well is either plugged or production casing is cemented in; Each shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. The ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur If the well is dry hole, an agreement between the op The appropriate district office will be notified before If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date 	n of 20 feet into the underlying formation. perator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; e shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date Submitted Electronically For KCC Use ONLY	n of 20 feet into the underlying formation. Deterator and the district office on plug length and placement is necessary prior to plugging; Well is either plugged or production casing is cemented in; Ea shall be cemented from below any usable water to surface within 120 DAYS of spud date. The ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date 5. Submitted Electronically For KCC Use ONLY API # 15 -	n of 20 feet into the underlying formation. Deterator and the district office on plug length and placement is necessary prior to plugging; Well is either plugged or production casing is cemented in; Description shall be cemented from below any usable water to surface within 120 DAYS of spud date. Determine the ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date Submitted Electronically For KCC Use ONLY	n of 20 feet into the underlying formation. Deterator and the district office on plug length and placement is necessary prior to plugging; Well is either plugged or production casing is cemented in; Deshall be cemented from below any usable water to surface within 120 DAYS of spud date. Determine the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date 5. Submitted Electronically For KCC Use ONLY API # 15 -	run of 20 feet into the underlying formation. Deterator and the district office on plug length and placement is necessary prior to plugging; Well is either plugged or production casing is cemented in; Description shall be cemented from below any usable water to surface within 120 DAYS of spud date. Determine the well shall be plugged. In all cases, NOTIFY district 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date Submitted Electronically For KCC Use ONLY API # 15	reactor and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; e shall be cemented from below any usable water to surface within 120 DAYS of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	run of 20 feet into the underlying formation. Deterator and the district office on plug length and placement is necessary prior to plugging; Well is either plugged or production casing is cemented in; Description shall be cemented from below any usable water to surface within 120 DAYS of spud date. Determine the well shall be plugged. In all cases, NOTIFY district 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

949 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1365501

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	lo	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
			dures for periodic maintenance and determining cluding any special monitoring.
· · · · · · · · · · · · · · · · · · ·		Depth to shallow Source of inforr	west fresh water feet.
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1365501

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: sheet listing all of the information to the left for each su owner information can be found in the records of the re	
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations. 	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. cct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	•
API # 15	*

American Warrior, Inc.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

Logan

Lease:	Dirks	949feet from N / X S Line of Section
Well Number: -		1004 feet from E / X W Line of Section
Field:	Logan	Sec. 22 Twp. 14 S. R. $35\overline{W}$ E \overline{X} W
	res attributable to well:	Is Section: X Regular or Irregular
		If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	-	PLAT rest lease or unit boundary line. Show the predicted locations of
lea	· •	ns required by the Kansas Surface Owner Notice Act (House Bill 2032). The a separate plat if desired.
		LEGEND
		O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
(Farm Ti	rail) 22	(No Road)
	1004	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.