


Gore Oil Co.
Start Test Date: 2017/06/22
Final Test Date: 2017/06/23

Chesney Unit #104
Formation: Lan A-C
Job Number: W292

Chesney Unit #104 DST 3





Diamond Testing General Report

Wil Steinbeck
TESTER
CELL: 620-282-9067

General Information

Company Name	Gore Oil Co.	Job Number	W292
Contact	Cade Canaday	Representative	Wilbur Steinbeck
Well Name	Chesney Unit #104	Well Operator	Duke 8
Unique Well ID		Report Date	2017/06/22
Surface Location	12-8s-17w Rooks/Kan	Prepared By	Wilbur Steinbeck
Field	Wildcat	Qualified By	Cade Canaday

Test Information

Test Type	DST Conventional
Formation	Lan A-C
Well Fluid Type	
Test Purpose	

Start Test Date	2017/06/22	Start Test Time	19:50:00
Final Test Date	2017/06/23	Final Test Time	01:30:00

Test Recovery

RECOVERY:

5' Mud with heavy oil spots
5' Total Fluid

Tool Sample=Mud with heavy oil spots



DIAMOND TESTING
 P.O. Box 157
HOISINGTON, KANSAS 67544
 (800) 542-7313

TIME ON: 19:50
 TIME OFF: 1:30

DRILL-STEM TEST TICKET
 FILE: Chesney Unit #104 DST 3

Company Gore Oil Lease & Well No. Chesney Unit #104
 Contractor Duke 8 Charge to Gore
 Elevation 1974 KB Formation Lan A-C Effective Pay _____ Ft. Ticket No. W292
 Date 6/22/17 Sec. 12 Twp. 8 S Range 17 W County Rooks State KANSAS
 Test Approved By Cade Canaday Diamond Representative WIL STEINBECK

Formation Test No. 3 Interval Tested from 3064 ft. to 3128 ft. Total Depth 3128 ft.
 Packer Depth 3059 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3064 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3050 ft. Recorder Number 5965 Cap. 5000 P.S.I.
 Bottom Recorder Depth (Outside) 3065 ft. Recorder Number 5587 Cap. 5000 P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 61 Drill Collar Length 0 ft. I.D. 2 1/4 in.
 Weight 9.1 Water Loss 8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 2000 P.P.M. Drill Pipe Length 3031 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number J&J Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? No Reversed Out No Anchor Length 64 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: Surface blow died in 22 min No Return
 2nd Open: No Blow No Return

Recovered 5 ft. of Mud with heavy oil spots
 Recovered 5 ft. of Total Fluid
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Recovered _____ ft. of _____	Insurance
Remarks: <u>Tool Sample= Mud with heavy oil spots</u>	Total

Time Set Packer(s) 21:05 A.M. P.M. Time Started Off Bottom 00:05 A.M. P.M. Maximum Temperature 103
 Initial Hydrostatic Pressure..... (A) 1424 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 10 P.S.I. to (C) 12 P.S.I.
 Initial Closed In Period..... Minutes 60 (D) 791 P.S.I.
 Final Flow Period..... Minutes 30 (E) 11 P.S.I. to (F) 15 P.S.I.
 Final Closed In Period..... Minutes 60 (G) 157 P.S.I.
 Final Hydrostatic Pressure..... (H) 1409 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.