

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1366268

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:	
	monun day	year	Twp	.S. R E W
OPERATOR: License#			feet from	N / S Line of Sectio
			feet from E	E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on	reverse side)
	State: Zip		County:	•
Contact Person:			Lease Name:	
Phone:			Field Name:	
CONTRACTOR: License#	<u> </u>		Is this a Prorated / Spaced Field?	Yes No
Name:			Target Formation(s):	
			Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:	
Oil Enh I	Rec Infield	Mud Rotary		
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes No
Dispo		Cable	Public water supply well within one mile:	
Seismic ;#			Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
If OWWO: old well	I information as follows:		Surface Pipe by Alternate:	
			Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			Projected Total Depth:	
Original Completion Da	ate: Original	Total Depth:	Formation at Total Depth:	
Directional Deviated or He	orizontal wallbara?	Yes No	Water Source for Drilling Operations:	
Directional, Deviated or Ho	onzoniai wellbore :		Well Farm Pond Other:	
			DWR Permit #:	
			(Note: Apply for Permit with DWR	
			Will Cores be taken?	Yes No
			If Yes, proposed zone:	
		AF	FIDAVIT	
The undersigned hereby	affirms that the drilling, co	ompletion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the follow	ving minimum requiremen	its will be met:		
	iate district office <i>prior</i> to a oved notice of intent to dri	ill shall be posted on each	• •	
 A copy of the appression. The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as speciolidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansa	minimum of 20 feet into the n the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order #	by circulating cement to the top; in all cases surface pipe e underlying formation. trict office on plug length and placement is necessary project or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a surface within 120 DA 141 cases, NOTIFY district office prior to a 141 cases.	ior to plugging; YS of spud date. rnate II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approach Or pursuant to Complete 	ount of surface pipe as specialisted materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansad within 30 days of the specialisted in the special stricts of the special stricts and the special stricts are special stricts.	minimum of 20 feet into the n the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order #	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a	ior to plugging; YS of spud date. rnate II cementing
 A copy of the approach The minimum among through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approach Or pursuant to Complete 	ount of surface pipe as specialisted materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansad within 30 days of the specialisted in the special stricts of the special stricts and the special stricts are special stricts.	minimum of 20 feet into the n the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order #	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; d from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter e plugged. In all cases, NOTIFY district office prior to a	ior to plugging; YS of spud date. rnate II cementing any cementing.
A copy of the approach of the approach of the well is dry howard of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the appropriate difference of the approach of the appropriate difference of the approach of the appropriate difference of the approach of the approac	punt of surface pipe as special control of surface pipe as special dated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order # ad date or the well shall be	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface	ior to plugging; YS of spud date. rnate II cementing any cementing.
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approach of the completed ubmitted Electro For KCC Use ONLY API # 15 -	punt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansed within 30 days of the spunically	minimum of 20 feet into the the operator and the dis before well is either pluggion pipe shall be cemente as surface casing order # ad date or the well shall be	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; d from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter e plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	ior to plugging; YS of spud date. rnate II cementing any cementing.
2. A copy of the approach of the minimum amount through all uncons 4. If the well is dry house the appropriate difference of	nunt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be the operator of the well shall be the o	e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate dies. If an ALTERNATE or pursuant to Approach of the complete	punt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansed within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be the operator of the well shall be the o	e underlying formation. trict office on plug length and placement is necessary properties of production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a surface prior	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification ; ate;
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate diese. 5. The appropriate diese of the appropriate diese of the appropriate diese. 6. If an ALTERNATE or pursuant to Approve the appropriate diese of the approximation of t	nunt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be feetfeet per ALTIIIII	e underlying formation. trict office on plug length and placement is necessary proged or production casing is cemented in; deform below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a september to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud decrease attribution plat according to field proration. Notify appropriate district office 48 hours prior to worko	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification i; late; orders; ver or re-entry;
2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry house of the appropriate diese. 5. The appropriate diese of the appropriate diese of the appropriate diese. 6. If an ALTERNATE or pursuant to Approve the appropriate diese of the approximation of t	punt of surface pipe as special collidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	minimum of 20 feet into the the operator and the distribution before well is either pluggion pipe shall be cemente as surface casing order # and date or the well shall be feetfeet per ALTIIIII	e underlying formation. trict office on plug length and placement is necessary properties of production casing is cemented in; deform below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a 14 plugged. In all cases, NOTIFY district office prior to a 15 plugged. In all cases, NOTIFY district office prior to a 16 plugged. In all cases, NOTIFY district office prior to a 17 plugged. In all cases, NOTIFY district office prior to a 18 p	ior to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification i; late; orders; ver or re-entry; led (within 60 days);

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

635 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
(II WI Supply All Five. St. Teal Brilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallow	west fresh water feet.
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	Date: Lease Inspection: Yes No



1366268


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R 🔲 East 🗌 West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	State: Zip:+ If filing a Form T-1 for multiple wells on a lease, enter the legal descript	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form	
CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.	
KCC will be required to send this information to the surface ov	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Stewart Producers, Inc.	Location of Well: County: Ness
Lease: Cunningham	635 feet from N / X S Line of Section
Well Number: 1	1460 feet from E / X W Line of Section
Field: Wildcat	Sec 19 Twp. 18 S. R. 24 EXW
Number of Acres attributable to well:	
QTR/QTR/QTR of acreage: NW - SW - SE - SW	ls Section: Regular or Irregular
andinarion acleage	
(\ //	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
1.	
DI A	-
PLA Show location of the well. Show footage to the nearest leas	
lease roads, tank batteries, pipelines and electrical lines, as requir	
You may attach a sepa	
\\\	LEGEND
	: O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	<u>.</u>
	EXAMPLE
40	
19	
//	
//	
	1980' FSL
	Ĭ I
1/	
1460 ft.	
f \ */	
	SEWARD CO. 3390' FEL

635 ft

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

September 20, 2017

Mark Thompson Stewart Producers, Inc. 301 N 27TH ST. PO BOX 546 MT. VERNON, IL 62864-0546

Re: Drilling Pit Application Cunningham 1 SW/4 Sec.19-18S-24W Ness County, Kansas

Dear Mark Thompson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

KEEP PITS on North side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.