

Kansas Corporation Commission Oil & Gas Conservation Division

1366893

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month day	year	Spot Description:	
	a a a a a a a a a a a a a a a a a a a	, ·	Sec Twp S.	
PERATOR: License#			feet from N /	\vdash
ame:			feet from E /	W Line of Section
			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on reve	erse side)
•		ip: +	County:	
ontact Person:			Lease Name:	Well #:
hone:			Field Name:	
ONTRACTOR: License#_			Is this a Prorated / Spaced Field?	Yes No
ame:			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Re	ec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Storag		Air Rotary	Water well within one-quarter mile:	Yes N
Dispos		Cable	Public water supply well within one mile:	Yes N
Seismic : # of			Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I II	
If OWWO: old well in	nformation as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
•			Projected Total Depth:	
		I Total Depth:	Formation at Total Depth:	
	· ·		Water Source for Drilling Operations:	
Directional, Deviated or Hori	izontal wellbore?	Yes No	Well Farm Pond Other:	
f Yes, true vertical depth:			DWR Permit #:	
			(Note: Apply for Permit with DWR)
(CC DKT #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
		AFF	FIDAVIT	
he undersigned hereby a	affirms that the drilling o		agging of this well will comply with K.S.A. 55 et. seg.	
t is agreed that the followi	0.		333 2. 2 3 13 1 35.11pij 11 11 37.1. 00 01. 004.	
· ·				
	te district office <i>prior</i> to		drilling rig:	
			by circulating cement to the top; in all cases surface pipe sf	nall he set
2. A copy of the approv	nt of surface nine as sn			ian be set
 A copy of the approx The minimum amou 			e underlying formation.	
 A copy of the approx The minimum amouthrough all unconsol 	lidated materials plus a	minimum of 20 feet into the	e underlying formation. rict office on plug length and placement is necessary <i>prior</i>	to plugging;
 A copy of the approx The minimum amou through all unconso If the well is dry hole The appropriate dist 	lidated materials plus a e, an agreement betwee trict office will be notified	minimum of 20 feet into the en the operator and the dist d before well is either plugg	rict office on plug length and placement is necessary prior led or production casing is cemented in;	. 66 67
 A copy of the approx The minimum amou through all unconso If the well is dry hole The appropriate dist If an ALTERNATE II 	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, product	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of the surface within 120 DAYS of	of spud date.
 A copy of the approximate. The minimum amounthrough all unconsorus. If the well is dry holes. The appropriate distriction. If an ALTERNATE II. Or pursuant to Appear 	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, produc endix "B" - Eastern Kans	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented sas surface casing order #1	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated	of spud date.
 A copy of the approximate. The minimum amount through all unconsorus. If the well is dry holes. The appropriate distriction. If an ALTERNATE II. Or pursuant to Appear 	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, produc endix "B" - Eastern Kans	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented sas surface casing order #1	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of	of spud date.
 A copy of the approximate. The minimum amount through all unconsorus. If the well is dry holes. The appropriate distriction. If an ALTERNATE II. Or pursuant to Appear 	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, produc endix "B" - Eastern Kans	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented sas surface casing order #1	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated	of spud date.
 A copy of the approx The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appearust be completed 	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, product endix "B" - Eastern Kans within 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented sas surface casing order #1	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated	of spud date.
 A copy of the approx The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appearust be completed 	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, product endix "B" - Eastern Kans within 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented sas surface casing order #1	rict office on plug length and placement is necessary <i>prior</i> led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any	of spud date.
2. A copy of the approx 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed ubmitted Electron	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, product endix "B" - Eastern Kans within 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemented sas surface casing order #1	rict office on plug length and placement is necessary <i>prior</i> led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any Remember to:	of spud date. te II cementing cementing.
A copy of the approx The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appearust be completed and the completed of the complete of the c	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either plugg ction pipe shall be cemente sas surface casing order #1 and date or the well shall be	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface O	of spud date. te II cementing cementing.
2. A copy of the approx 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed Jubmitted Electron For KCC Use ONLY API # 15 -	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cementer as surface casing order #1 and date or the well shall be	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill;	of spud date. te II cementing cementing.
A copy of the approx The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appearust be completed and the completed of the complete of the c	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cementer as surface casing order #1 and date or the well shall be	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any surface Prior to any 1 File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	of spud date. te II cementing cementing.
2. A copy of the approx 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kans within 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cemented as surface casing order #1 and date or the well shall be the feet	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date.	of spud date. te II cementing cementing.
2. A copy of the approx 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed Jubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe required	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cementer as surface casing order #1 and date or the well shall be be feet feet per ALT. I I II	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration ord	of spud date. te II cementing cementing. where Notification
2. A copy of the approx 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed UDMITTED For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sp	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cementer as surface casing order #1 and date or the well shall be be feet feet per ALT. I I II	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date.	of spud date. te II cementing cementing. where Notification ers; or re-entry;
2. A copy of the approx 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appeared to the completed of the completed of the completed of the complete of the comp	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sparitically	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cementer as surface casing order #1 and date or the well shall be the feet per ALT. I II	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration ord - Notify appropriate district office 48 hours prior to workover	of spud date. te II cementing cementing. where Notification where Notification ers; or re-entry; (within 60 days);
2. A copy of the approx 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe required Approved by:	lidated materials plus a e, an agreement betwee trict office will be notified COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sparitically	minimum of 20 feet into the en the operator and the dist d before well is either pluggetion pipe shall be cementer as surface casing order #1 and date or the well shall be the feet per ALT. I II	rict office on plug length and placement is necessary prior led or production casing is cemented in; d from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration ord - Notify appropriate district office 48 hours prior to workover - Submit plugging report (CP-4) after plugging is completed	of spud date. te II cementing cementing. where Notification ers; or re-entry; (within 60 days); ater.

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

2860 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.




Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:				
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West	
Settling Pit Drilling Pit If Existing, date cor		structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	pest point:	(feet) No Pit	
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)
OPERATOR: License # Name: Address 1: Address 2: City: State: Zip: +	Well Location: SecTwpS. R East West County: Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice Advanced	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Cut (House Bill 2032), I have provided the following to the surface exacted: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar I have not provided this information to the surface owner(s). I ackCC will be required to send this information to the surface own task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. Exhowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

Smoil + GAS INC

Goode A # 7-10

		The state of the s	
			Name of the state
	44444		
	NENW	NWNE	NENE
NW	NEW		
,			
		5115'-	
600de A #7-10			SENE
Goode A For-10	SENW	SWNE	
10 mg/m = 10 mg/			
	of the state of th		
	1200	NWSE	NESE
WSW	NESW		
o'			
786			
N			
	SESW	SWSE	SESE
swsw	TO CO.		

Section:	17

Twp: 33S

Range: 10E

Name:

Goode A

LEGEND

Well location O
Tank Battery
pipeline
Electric line
lease road

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

September 14, 2017

Stan Miller, Sr. SM Oil & Gas, Inc. PO BOX 189 SKIATOOK, OK 74070-0189

Re: Drilling Pit Application Goode A 7-10 NW/4 Sec.17-33S-10E Chautaugua County, Kansas

Dear Stan Miller, Sr.:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.