

Spud date: \_

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1367204

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	month day	year	Spot Description:
		you.	Sec Twp S. R E
OPERATOR: License#			feet from N / S Line of S
lame:			
ddress 2:			(Note: Locate well on the Section Plat on reverse side)
		b: +	County:
			Lease Name: Well #:
			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:fee
Gas Stora		Air Rotary	Water well within one-quarter mile:
Dispo		Cable	Public water supply well within one mile:
Seismic ; # c			Depth to bottom of fresh water:
			Depth to bottom of usable water:
			Surface Pipe by Alternate: II II
It OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			_ Projected Total Depth:
Original Completion Da	ate: Original	l Total Depth:	Formation at Total Depth:
		□ □	Water Source for Drilling Operations:
Pirectional, Deviated or Ho		Yes No	
			DWK Pelliii #
ottom Hole Location:			(11010111, pp.) 1011 0111111 111111 111111
CC DKT #·			<ul><li>Will Cores be taken?</li><li>Yes</li></ul>
CC DKT #:			
CC DKT #:			If Yes, proposed zone:
CCC DKT #:		AI	If Yes, proposed zone:
he undersigned hereby	affirms that the drilling, c	<b>Al</b> ompletion and eventual p	If Yes, proposed zone:
he undersigned hereby		<b>Al</b> ompletion and eventual p	If Yes, proposed zone:
The undersigned hereby is agreed that the follow	affirms that the drilling, c ving minimum requiremen ate district office <i>prior</i> to	All ompletion and eventual points will be met: spudding of well;	If Yes, proposed zone:
the undersigned hereby is agreed that the follow  1. Notify the appropriation of the appropri	affirms that the drilling, c ving minimum requiremen ate district office <i>prior</i> to oved notice of intent to dr	All completion and eventual process will be met:  spudding of well; we posted on ear	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;
he undersigned hereby is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo	affirms that the drilling, c ving minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as sp	ompletion and eventual points will be met: spudding of well; rill shall be posted on ea ecified below shall be se	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse	affirms that the drilling, c ving minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as spolidated materials plus a	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be seminimum of 20 feet into the	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.
the undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho	affirms that the drilling, c ving minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as sp bolidated materials plus a le, an agreement betwee	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be seminimum of 20 feet into the operator and the discomplete.	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  at by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  strict office on plug length and placement is necessary prior to plugging;
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis	affirms that the drilling, coing minimum requirement ate district office <i>prior</i> to eved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be seminimum of 20 feet into the operator and the did before well is either plus	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
he undersigned hereby is agreed that the follow  1. Notify the appropria  2. A copy of the approduce of the well is dry ho  5. The appropriate dis  6. If an ALTERNATE I	affirms that the drilling, coing minimum requirement ate district office <i>prior</i> to eved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, productive	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be se minimum of 20 feet into the the operator and the did before well is either plustion pipe shall be cemen	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  at by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  strict office on plug length and placement is necessary prior to plugging;
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling, c ving minimum requirement ate district office <i>prior</i> to oved notice of intent to dr unt of surface pipe as sp olidated materials plus a le, an agreement betwee strict office will be notified II COMPLETION, product aendix "B" - Eastern Kans	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  at by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
the undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling, coing minimum requirement ate district office <i>prior</i> to eved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in COMPLETION, producted in Complement in	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling, coing minimum requirement ate district office <i>prior</i> to eved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in COMPLETION, producted in Complement in	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispenses the completed dis	affirms that the drilling, c ving minimum requirement ate district office <b>prior</b> to oved notice of intent to drunt of surface pipe as sp olidated materials plus a le, an agreement between strict office will be notified I COMPLETION, production pendix "B" - Eastern Kans I within 30 days of the sp	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate desertions of the completed of	affirms that the drilling, c ving minimum requirement ate district office <b>prior</b> to oved notice of intent to drunt of surface pipe as sp olidated materials plus a le, an agreement between strict office will be notified I COMPLETION, production pendix "B" - Eastern Kans I within 30 days of the sp	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby is agreed that the follow  1. Notify the appropriate and through all unconses.  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE I Or pursuant to Appropriate distance and the completed.	affirms that the drilling, c ving minimum requirement ate district office <b>prior</b> to oved notice of intent to drunt of surface pipe as sp olidated materials plus a le, an agreement between strict office will be notified I COMPLETION, production pendix "B" - Eastern Kans I within 30 days of the sp	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the approduce of the approduce of the approduce of the approduce of the appropriate displayed of the appropriate displayed of the appropriate of the appropriate of the appropriate of the appropriate of the approduce of the appropriate of the appropri	affirms that the drilling, c ving minimum requirement ate district office <b>prior</b> to oved notice of intent to drunt of surface pipe as sp olidated materials plus a le, an agreement between strict office will be notified I COMPLETION, production pendix "B" - Eastern Kans I within 30 days of the sp	ompletion and eventual parts will be met: spudding of well; still shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plugation pipe shall be cementas surface casing order and date or the well shall be surfaced.	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ibmitted Electroi  For KCC Use ONLY  API # 15 -	affirms that the drilling, c ving minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as sp oblidated materials plus a le, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kans I within 30 days of the sp	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plugition pipe shall be cementas surface casing order and date or the well shall in	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the approduce of the approduce of the appropriate displayed in the well is dry ho 5. The appropriate displayed of the appropriate displayed of the appropriate of the appropri	affirms that the drilling, coining minimum requirement ate district office <i>prior</i> to exed notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted "B" - Eastern Kans within 30 days of the sponically	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the enthe operator and the did before well is either plute etion pipe shall be cemen eas surface casing order and date or the well shall be	If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby is agreed that the follow  1. Notify the appropriate and through all unconsects. The minimum amount through all unconsects. If the well is dry ho  5. The appropriate disense and the appropriate disense a	affirms that the drilling, c ving minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as sp oblidated materials plus a le, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kans I within 30 days of the sp	ompletion and eventual parts will be met: spudding of well; fill shall be posted on ea ecified below shall be se minimum of 20 feet into the enthe operator and the did before well is either plute etion pipe shall be cemen eas surface casing order and date or the well shall be	If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  JDMITTED Electroi  For KCC Use ONLY  API # 15 -  Conductor pipe required and Minimum surface pipe received.	affirms that the drilling, coining minimum requirement ate district office <i>prior</i> to exed notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted "B" - Eastern Kans within 30 days of the sponically	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order and date or the well shall if the properties of the properties of the well shall if the properties of the well shall if the properties of the well shall if the properties of the properties of the well shall if the properties of the properties	If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby to a sagreed that the follows 1. Notify the appropria 2. A copy of the approach of the approach of the approach of the appropriate displays a same of the appropriate of the appropriate displays a same of	affirms that the drilling, coring minimum requirement ate district office <i>prior</i> to execute the correct of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted "B" - Eastern Kans I within 30 days of the sponically	ompletion and eventual parts will be met: spudding of well; rill shall be posted on ea ecified below shall be se minimum of 20 feet into the operator and the did before well is either plustion pipe shall be cementas surface casing order and date or the well shall if the properties of the properties of the well shall if the properties of the well shall if the properties of the well shall if the properties of the properties of the well shall if the properties of the properties	If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2310 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date con  Pit capacity:	Existing extructed: extructed: extracted (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No  Artificial Liner?  Yes N		lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.			acluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	ıl utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:  Yes No		



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🗌 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location. CP-1 that I am filing in connection with this form; 2) if the form is	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form pening filed is a Form C-1 or Form CB-1, the plat(s) required by this		
form; and 3) my operator name, address, phone number, fax, a			
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the /ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

#### Additional Lease Holder Address

Debra Reynolds
147 Dina St
Cloverdale, Ca 95425

Sandra Priscilla Pease

209 Albertz St

Cloverdale, Ca 95425



Stake and Elevation Service P.S. Bex 222 Protty Prairie, KS. 67570 785-243-7506

Date 8-23-17

Invoice Number 0822171 **GREAT PLAINS ENERGY** 1-30 Reynolds Operator Number Farm Name 1320 Graham-KS 24w 2310'FSL 1 FWL County-State S Location 2546 **Great Plains Energy** -2532-Gr. Elevation 6121 S 58th. Street Suite B Dan Ordered By: Lincoln, NE 68516 Scale 1"=1000" 1320 Set 5' iron rod & 4' wood stake on slight slope bottom of grass waterway Stake Set 4' wood stake 330'W as Alt. on moderate slope plowed field. Alt. Elev. = 2546 Gr.



## **Fall & Associates**

#### Stake and Elevation Service P.O. Bex 222 Protty Prairie, KS. 67570 785-243-7506

Date 8-23-17

Invoice Number 0822171 **GREAT PLAINS ENERGY** 1-30 Reynolds Operator Number Farm Name 1320 Graham-KS 9s 24w 2310'FSL 1 FWL County-State T R Location 2546 **Great Plains Energy** 2532-Gr. Elevation 6121 S 58th. Street Suite B Ordered By: Dan Lincoln, NE 68516 Scale 1"=1000" 1650' -Set 5' Iron rod & 4' wood stake on slight slope bottom of grass waterway\_\_\_\_ Stake Set 4' wood stake 330'W as Alt. on moderate slope plowed field. Alt. Elev. = 2546 Gr.

