

# For KCC Use: Effective Date: District # Composed Supposed Suppo

SGA? Yes No

Spud date: \_

1367452

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

Ш

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

### NOTICE OF INTENT TO DRILL

			Spot Description:
	month	day year	
ODEDATOR: License#			(Q/Q/Q/Q) feet from N / S Line of Section
			feet from E / W Line of Section
			L OFOTION D L D L O
		Zip: +	(Note: Educate Well of the decision has on reverse state)
			County:
			Lease Name: vveii #:
			Field Name:
	·		is this at rotated, opased rists.
Name:			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:feet MSI
Gas Stora		= '	Water well within one-quarter mile:
Dispo		Cable	Public water supply well within one mile:
Seismic : #0			Depth to bottom of fresh water:
	o		Depth to bottom of usable water:
			Surface Pipe by Alternate: I II
If OWWO: old well	I information as follow	/S:	Length of Surface Pipe Planned to be set:
Operatori			
•			Projected Total Depth:
		riginal Total Depth:	
Original Completion Da	ale O	nginai iotai beptii	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes	Well Farm Pond Other:
			ven Tami ona Guien.
·			DVVK Feitilit #.
KCC DKT #:			
			If Yes, proposed zone:
			11 165, proposed 20116
			AFFIDAVIT
The undersigned hereby	affirms that the drill	ing, completion and eventua	al plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum requi	rements will be met:	
	iate district office <b>pr</b>	ior to spudding of well:	
1 Notify the appropri		t to drill <b>shall be</b> posted on a	each drilling rig:
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> </ol>		•	set by circulating cement to the top; in all cases surface pipe shall be set
2. A copy of the appro	nunt of surface pipe		set by circulating content to the top, in all cases surface pipe shall be set
<ul><li>2. A copy of the appre</li><li>3. The minimum amo</li></ul>		lus a minimum of 20 feet int	
<ol> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> </ol>	solidated materials pole, an agreement be	olus a minimum of 20 feet int etween the operator and the	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
<ol> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>	solidated materials pole, an agreement be strict office will be n	olus a minimum of 20 feet int etween the operator and the otified before well is either p	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> olugged or production casing is cemented in;
<ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> </ol>	colidated materials pole, an agreement be strict office will be n II COMPLETION, po	lus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	solidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	solidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	solidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Appmust be completed</li> </ol>	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Appmust be completed</li> </ol>	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> <li>The appropriate of the pursuant to Approach</li> <li>Ubmitted Electron</li> </ol>	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	blus a minimum of 20 feet inte tween the operator and the otified before well is either p roduction pipe shall be ceme Kansas surface casing orde	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errest that the surface of the surface is a real alternate II cementing is the plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> <li>The appropriate of the pursuant to Approach</li> <li>Ubmitted Electron</li> </ol>	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the	olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed  ubmitted Electroic  For KCC Use ONLY  API # 15 -	colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approach of the approach of the well is dry howard of the appropriate displayed in the approach of the appropriate displayed in the approach of the approach of the appropriate displayed in the approach of the appro	colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the appropriate discontinuous of the approach of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the approach of	colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha	co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approach and the completed  Ubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required Minimum surface pipe recommends  Minimum surface pipe recommends  The minimum and the approach and the surface pipe recommends  2. A copy of the approach approach and the approach and the surface pipe recommends  4. If the well is dry hot approach and the surface pipe recommends  4. If the well is dry hot approach and the surface pipe recommends  4. If the well is dry hot approach and the surface pipe recommends  5. The appropriate discussion and the surface pipe recommends  6. If the well is dry hot approach and the surface pipe recommends  6. If the well is dry hot approach and the surface pipe recommends  6. If the well is dry hot approach and the surface pipe recommends  6. If the well is dry hot approach and the surface pipe recommends  For KCC Use ONLY  API # 15 -  Conductor pipe required	colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well shall be ceme feet	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Approved by:  This authorization expires	colidated materials pole, an agreement be estrict office will be now the strict of the stric	elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well shall be ceme feet	co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ L	ocation of \	Nell: Cou	nty:				
Lease:					feet from N / S Line of Section									
Well Numl	ber:									feet	from	E /	W Line	of Section
Field:			_ S	ec	Twp.	S.	R		E	W				
			well:				15	Section:	Reg	ular or	Irregular			
								Section is	_	r, locate well	from near			dary.
	lease roa				d electrica	l lines, as	required		sas Surfa	. Show the proce Owner No				
330 ft.	<del>_</del> 0	:				:	:	:			LEGEN	ID		
		·									Well Loc Tank Ba Pipeline Electric Lease R	ttery Lo Locatio Line Lo	on cation	
				2						EXAMPLE : : 			······	
											0-7			1980' FSL
		:					:			SEWARD CO.	3390' FEL	:		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1367452

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West				
Settling Pit Drilling Pit  Workover Pit Haul-Off Pit	If Existing, date constructed:  ———————————————————————————————————		Feet from North / South Line of SectionFeet from East / West Line of SectionCounty				
(If WP Supply API No. or Year Drilled)							
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
, , , , , , , , , , , , , , , , , , , ,	Length (fee	,	Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the lin	m ground level to dee		dures for periodic maintenance and determining				
material, thickness and installation procedure.	iei	liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all sp flow into the pit? Yes No	oilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	oer.	Dormi	t Date: Lease Inspection: Yes No				
Date Neceived Feitill Nullik	Лог.		t Date Lease IIIspection res NO				



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed

All blanks must be Filled


## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  It (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, and	d email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

JOLEN OPERATING COMPANY SELLARD LEASE NW. 1/4. SECTION 22. T295. R22W FORD COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

shown on this t be legally ndowner. for access.

\*Ingress plat is opened f

October 6, 2017

Approximate section times were determined using the normal standard of core of citield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines were not necessarily located, and the exact location of the drill'site location in the sections not guaranteed. Therefore, the apperator securing this service and accepting this plot and all other parties relying therein agree to half Central Kansas Dittield Services. Inc. its officers and explanas from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.