

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1368776

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month	day year	Spot Description:	
	montn	day year	(<u>\alpha/\alpha/\alpha/\alpha/\alpha}</u> Sec 1	Гwp S. R
DERATOR: License#			foot f	rom N / S Line of Section
			foot f	rom E / W Line of Section
			Is SECTION: Regular Irregular?	
•		Zip: +	— (Note: Locate well on the Secti	•
•			County:	
			Lease Name:	
ONTO A CTOD III			Field Name:	
	·		io uno a rioratoa / opasoa riorar	Yes No
lame:			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in foota	- .
Oil Enh I	Rec Infield	Mud Rotary	Ground Surface Elevation:	
Gas Stora		Air Rotary	Water well within one-quarter mile:	Yes N
Dispo	• =	Cable	Public water supply well within one mile:	Yes N
Seismic ;#	of Holes Other		Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I II	
If OWWO: old well	I information as follows	:	Length of Surface Pipe Planned to be set: _	
Operator:			Length of Conductor Pipe (if any):	
			Designated Total Denths	
Original Completion D	ate: Ori	ginal Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
irectional, Deviated or Ho	orizontal wellbore?	Yes N	Well Farm Pond Other:	
f Yes, true vertical depth:_			DWR Permit #:	
			(Note: Apply for Permit	t with DWR 🔲)
(CC DKT #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
'he undersigned hereby	affirms that the drilling	= 1	AFFIDAVIT	sea
-		ng, completion and eventual	FFIDAVIT plugging of this well will comply with K.S.A. 55 et.	seq.
t is agreed that the follow	wing minimum require	ng, completion and eventual ements will be met:		seq.
t is agreed that the follow 1. Notify the appropri	wing minimum require iate district office <i>pric</i>	ng, completion and eventual ements will be met: or to spudding of well;	plugging of this well will comply with K.S.A. 55 et.	seq.
t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri	wing minimum require tate district office pric oved notice of intent	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on e	plugging of this well will comply with K.S.A. 55 et. ach drilling rig;	
t is agreed that the follow 1. Notify the appropri 2. A copy of the appri 3. The minimum amounts	wing minimum require iate district office <i>pric</i> oved notice of intent ount of surface pipe as	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be s	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su	
is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons	wing minimum require iate district office <i>pric</i> oved notice of intent ount of surface pipe as solidated materials plu	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on e is specified below shall be s us a minimum of 20 feet into	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation.	urface pipe shall be set
 is agreed that the follow Notify the appropri A copy of the appr The minimum amore through all uncons If the well is dry hore 	wing minimum require intended district office <i>price</i> oved notice of intent to bunt of surface pipe assolidated materials pluble, an agreement bet	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su	urface pipe shall be set
 is agreed that the follow Notify the appropri A copy of the apprior The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	wing minimum require intended district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, pro	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the ottified before well is either plantation of the plantation of the shall be ceme	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date.
 is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appr 	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Pricate of the surface of the strict of the surface of	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Pricate of the surface of the strict of the surface of	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
 is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appr 	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Pricate of the surface of the strict of the surface of	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
 Is agreed that the follow Notify the appropri A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate or	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
 Is agreed that the follow Notify the appropri A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate or	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di builties of pursuant to Appropriate di complete descriptions of the complete descriptions of the complete descriptions are also as a complete descriptions.	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di builties of pursuant to Appropriate di complete descriptions of the complete descriptions of the complete descriptions are also as a complete descriptions.	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is be plugged. In all cases, NOTIFY district office	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing e prior to any cementing.
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a completed Ibmitted Electro For KCC Use ONLY	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ag, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the ottified before well is either pladuction pipe shall be ceme Kansas surface casing order e spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases su the underlying formation. district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is the plugged. In all cases, NOTIFY district office Remember to:	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing e prior to any cementing.
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a complete	wing minimum require intending district office price oved notice of intending out of surface pipe and solidated materials pluble, an agreement bet estrict office will be not all COMPLETION, propendix "B" - Eastern Materials and within 30 days of the nically	ag, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the ottified before well is either pladuction pipe shall be ceme Kansas surface casing order e spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and placement is necessary and placement is necessary and placement in the sugged or production casing is cemented in; need from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is be plugged. In all cases, NOTIFY district office. Remember to: - File Certification of Compliance with the Kans	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing e prior to any cementing.
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe at solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Ed within 30 days of the nically	ag, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on easy specified below shall be sus a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order e spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the underlying formation of complete to surface within the set of th	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing exprior to any cementing. essas Surface Owner Notification ent to Drill; es of spud date;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re-	wing minimum require intended district office price oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement beto itstrict office will be not its COMPLETION, proposed within 30 days of the inically	ements will be met: or to spudding of well; to drill shall be posted on et as specified below shall be as a minimum of 20 feet into tween the operator and the ottified before well is either pluduction pipe shall be ceme cansas surface casing order e spud date or the well shall be spudded to the well shall be spudded.	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the second of the top; in all case within the top; in all case within the top; in all cases, we will be plugged. In all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases sure the top	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. essas Surface Owner Notification ent to Drill; e of spud date; proration orders;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re-	wing minimum require intended district office price oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement beto itstrict office will be not its COMPLETION, proposed within 30 days of the inically	ements will be met: or to spudding of well; to drill shall be posted on et as specified below shall be as a minimum of 20 feet into tween the operator and the ottified before well is either pluduction pipe shall be ceme cansas surface casing order e spud date or the well shall be spudded to the well shall be spudded.	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the second of the top; in all case within the top; in all case within the top; in all cases, we will be plugged. In all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases sure the top	essary prior to plugging; In 120 DAYS of spud date. In area, alternate II cementing exprior to any cementing. It is as Surface Owner Notification It is of spud date; It proration orders; In to workover or re-entry;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe recapproved by: This authorization expire	wing minimum require intended in the district office price oved notice of intender oved notice of intender oved notice of intender over one of intender of surface pipe and agreement beto in the intender of intender over over other over over over over over over over ov	ements will be met: Proto spudding of well; to drill shall be posted on end is specified below shall be sus a minimum of 20 feet into tween the operator and the obstitution before well is either pluduction pipe shall be ceme (ansas surface casing order end is spuddate or the well shall be spuddate or the well shall in the feet is specified before well is either pluduction pipe shall be ceme (ansas surface casing order end in the well shall in the feet is spuddate. It is shall in the feet in the well shall in the feet is spuddate. It is shall in the feet in the well shall in the feet is shall in the feet in the well shall in the feet in the well shall in the feet in the well shall in the feet	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure underlying formation. district office on plug length and placement is necessary and the second of the top; in all case withing the surface withing the second of the top; in all cases, which applies to the KCC District 3 is the plugged. In all cases, NOTIFY district offices are second of the second of	essary <i>prior to plugging;</i> In 120 DAYS of spud date. In area, alternate II cementing exprior to any cementing. It is as Surface Owner Notification It is of spud date; I proration orders; In to workover or re-entry; I se completed (within 60 days);
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed Ibmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe real Approved by: This authorization expire	wing minimum require intended in the district office price oved notice of intender oved notice of intender oved notice of intender over one of intender of surface pipe and agreement beto in the intender of intender over over other over over over over over over over ov	ag, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on easy specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order as spud date or the well shall be spud date or the well shall be greater feet feet per ALT.	plugging of this well will comply with K.S.A. 55 et. ach drilling rig; set by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the second of the top; in all case within the top; in all case within the top; in all cases, we will be plugged. In all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases sure the top	essary <i>prior to plugging;</i> In 120 DAYS of spud date. In area, alternate II cementing a prior to any cementing. It is as Surface Owner Notification It is of spud date; I proration orders; In to workover or re-entry; I is completed (within 60 days); Injecting salt water.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

1	3	ദ	R.	7	76	3

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Onemateur		Location of Well: Cou	nh.c	
Operator:		Location of Well. Coul	feet from N / S Line of Section	
Lease:		-		
Well Number: Field:		feet from E / W Line of Section Sec Twp S. R		
Number of Acres attributable to well:		Is Section: Regu	lular ar Irragular	
QTR/QTR/QTR/QTR of acreage:		is Section: Regu	ular or Irregular	
		If Section is Irregular Section corner used:	r, locate well from nearest corner boundary. NE NW SE SW	
	II. Show footage to the nearest relines and electrical lines, as re	•	Show the predicted locations of ce Owner Notice Act (House Bill 2032).	
		:	LEGEND	
			O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	
			EXAMPLE : :	
	33			

NOTE: In all cases locate the spot of the proposed drilling locaton.

400 ft.

400 ft. -

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Submit in Duplicate					
Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwpR		
Settling Pit Drilling Pit	If Existing, date constructed: ———————————————————————————————————		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section		
	(bbls)		County		
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numb	per:	Permi	t Date: Lease Inspection: Yes No		



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be le	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

WOOLSEY OPERATING COMPANY, LLC MCCLAREN LEASE SW. 1/4. SECTION 33. T30S. R18W KIOWA COUNTY, KANSAS



section of land containing and acres.

Approximate section lines were determined using the normal standard of care of allfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying therein agree to hald Central Kansas Diffield Services, Inc. its officers and employees harmless from all losses, costs and expenses and said entitles released from any liability from inclination consequential damages.

Elevations derived from National Geodetic Vertical Datum.

October 27, 2017

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

November 13, 2017

DEAN PATTISSON Woolsey Operating Company, LLC 125 N MARKET STE 1000 WICHITA, KS 67202-1729

Re: Drilling Pit Application McCLAREN 1 SW/4 Sec.33-30S-18W Kiowa County, Kansas

Dear DEAN PATTISSON:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.